PREVIOUS EDITION MAIN BE USED TO THE CHIEF

DATE

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Ruth G. Douglas
Product Manager (

Product Manager (32) Antimicrobial Program Branch Registration Division (7505C)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your state water board or regional office of the US Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT

Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE

: is a violation of Federal law to use this product in a manner inconsistent with its labeling. NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

OTHER USES

This product has several additional approved uses, some of these are laundry sanitizers and disinfection of drinking water (emergency/public/individual systems.) Write to American Machinery Corporation for specific literature on other approved uses.

PacRite® CLEANSAN : ::

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

- IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.
- IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.
- IF SWALLOWED, drink large quantities of water. **DO NOT** induce vomiting. Call a physician or poison control center immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

AMERICAN MACHINERY CORPORATION 2730 Eunice Avenue (32808) P O Box 3228, Orlando, FL 32802-3228 Phone 407-295-2581 • Fax 407-290-5203

ACCEPTED EPA REG. NO. 8517-20003
with COMMENTS EPA EST. NO. 8517-FL1
in EPA Letter Dated: DOT SHIPPING NAME: Hypochlorite Solution 9.2%,
SEP 3 0 1994 corrosive material, UN 1791

Under the Federal Insecticide, Fungicide and Pedemicide Actes amended. For this PAFTE CONTENTS 52 GALLONS registered under EPA Reg. No. 2517-20003 POST-HARVEST PRocleaning and prior to a level of 1 gallon of Thuroughly mix 2 oz. 500 ppm chlorine.

FRUIT AND VEGETA vegetables in a wash 200 gallons of water chlorine. After drainly minutes in a second solution. Spray rinse backaging, Pinse fru

SANITATION OF

RINSE METHOD-P 12 oz. of this product normal manner. Rins solution, maintaining pom sanitizina solutio 10 gallons of water. 200 ppm available cf equipment overnight **IMMERSION METH** mixing, in an immers water. Clean equipm in the 600 ppm soluti sanitizing solution by galions of water. Pri 200 ppm available ch equipment overnight SPRAY/FOG METHO 600 ppm available ch thoroughly mixing the gallons of water. Us hypochlorite solution with potable water af wet, allowing excess hours. Prior to using available chlorine sol

American Machinery to the chemical descriptopass referred to referred to therein. / express or implied warranty of fitness or Machinery Corporatispecific reference to of this warranty shall include consequenti

thoroughly mixing 4