

ACCEPTED
SEP 17 1969
UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 8521-2



PYRETHRINS SODIUM FLUORIDE POWDER

FOR MANUFACTURING PURPOSES ONLY - NOT FOR RESALE UNDER THIS LABEL

ACTIVE INGREDIENTS:	
SODIUM FLUORIDE	38.80%
PYRETHRINS	0.35%
INERT INGREDIENTS	60.85%
TOTAL	100.00%

WARNING

KEEP OUT OF THE REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED! DO NOT BREATHE DUST. AVOID CONTAMINATION
OF FEED AND FOODSTUFFS. KEEP AWAY FROM DOMESTIC ANIMALS.

THE SELLER GUARANTEES THE INGREDIENTS AS STATED

NET CONTENTS

LBS.


USDA REG. NO. 8521-2

GABRIEL CHEMICALS LTD.

60 EAST 42nd STREET



NEW YORK, N.Y. 10017



SEVIN 50W

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 50.00%

INERT INGREDIENTS: (not more than) 50.00%

TOTAL 100.00%

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. But neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

Sevin is air milled to a micro-fine particle size which suspends in water unusually well. When using in a low pressure sprayer, remove the felt strainer from the suction line and replace with 50 or 60 mesh screen strainer. Provide sufficient agitation. Equip spray nozzles with 50 mesh screens. Use 5/32 or larger target nozzle tips or nozzle tips of similar orifice size.

Harmful if inhaled or swallowed. Do not breathe dust. Do not take internally. Avoid breathing of spray. Skin contact may be harmful. Avoid skin contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. **NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Avoid contamination of feed and foodstuffs.

For protection of honeybees avoid use, if possible, during periods when honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

This product is toxic to fish and wildlife. Do not contaminate any body of water. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke.

*Trademark of Union Carbide Corporation for the active ingredient Carbaryl (1-naphthyl N-methylcarbamate).

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

USDA Reg. No. E-75-17