

MALATHION 90% CONCENTRATE

FOR MANUFACTURING PURPOSES ONLY - NOT FOR RESALE UNDER THIS LABEL

ACTIVE INGREDIENTS:

JUN 101971

UNDER THE FEDERAL IMSECTICIDE

FUNGICIDE AND RODENTICIDE ACT

FOR ECC. THE PROPERTY OF THE PROPERT

ED UNDER (18521-12 SUBJECT

TO ATTACHED COMMENTS.

ACCEPTED

*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate CAUTION

KEEP OUT OF THE REACH OF CHILDREN

HARMFUL IF SWALLOWED. AVOID PROLONGED BREATHING OF SPRAY MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. WASH THOROUGHLY AFTER USING.

AVOID CONTAMINATION OF FEED OR FOODSTUFFS. KEEP OUT OF THE REACH OF DOMESTIC ANIMALS. DO NOT USE IN MILK ROOM OR DWELLING. DO NOT APPLY ON ANIMALS OR POULTRY. REMOVE ANIMALS AND POULTRY FROM BUILDING BEFORE TREATMENT.

NOTE TO PHYSICIAN: MALATHION, UPON REPEATED OR PROLONGED USE, MAY CAUSE CHOLINESTERASE INHIBITION.
ATROPINE IS ANTIDOTAL. 2-PAM IS ALSO ANTIDOTAL AND MAY BE USED IN CONJUNCTION WITH ATROPINE.

THE SELLER GUARANTEES THE INGREDIENTS AS STATED.

NET CONTENTS

三 こうりょう トート インカル・コープ・ファリコ アンド

GALLONS

USDA REG. NO. 8521-15

