



WARFARIN SULFAQUINOXALINE CONCENTRATE

FOR MANUFACTURING PURPOSES ONLY - NOT FOR RESALE UNDER THIS LABEL

ACTIVE INGREDIENTS:

| | |
|---|--------|
| N ¹ -(2-quinoxaliny) sulfanilamide (Sulfaquinoxaline) .. | 0.5% |
| 3-(a-acetonylbenzyl)-4-hydroxycoumarin (Warfarin) | 0.5% |
| INERT INGREDIENTS | 99.0% |
| TOTAL | 100.0% |

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS. IF SWALLOWED BY HUMANS, DOMESTIC ANIMALS OR PETS THIS MATERIAL MAY REDUCE THE CLOTTING ABILITY OF THE BLOOD AND CAUSE BLEEDING. IN SUCH A CASE, INTRAVENOUS AND ORAL ADMINISTRATION OF VITAMIN K COMBINED WITH BLOOD TRANSFUSIONS ARE INDICATED AS IN THE CASE OF HEMORRHAGE CAUSED BY OVERDOSES OF 3-(4-HYDROXY-COUMARIN.

ALL INFORMATION ON THIS LABEL IS UNCLASSIFIED.

DAVID BULL CHEMICALS LTD. 100, SOUTH BRIDGE ROAD, SINGAPORE.