

ACCEPTED
10-19-74
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. SUBJECT
 TO ATTACHED COMMENTS.

8521-125

This product and the diluted emulsion are poisonous. Therefore, precautions must be observed when handling them. (See cautions and warnings below.)

Store the concentrate in a safe place. Children or animals should not be able to reach or handle the concentrate or diluted emulsion. It is recommended that only the amount of diluted emulsion that will be used immediately be prepared from the concentrate.

Mix the concentrate into water outdoors or in a well ventilated room. Wash off the outside of the bottle of concentrate in running water before storing away.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on label. Do not contaminate feed, water or foodstuffs, milk or milking utensils. Do not use in edible products areas of food processing plants.

DANGER
 This product is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (VAPONA Insecticide) protection. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

DECONTAMINATE AND DESTROY USED CONTAINERS.
 Decontaminate containers by washing thoroughly with a strong solution of alkali and detergent and rinsing with water. Destroy containers by crushing or puncturing; then bury or burn. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

ANTIDOTE AND FIRST AID TREATMENT
 Atropine is the emergency antidote for VAPONA Insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See WARNING SYMPTOMS below.)

Keep patient prone and quiet.
 Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN
WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated.
 Clear chest by postural drainage.
 Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.



FOR PROFESSIONAL USE ONLY
VAPONA 2 LB. E.C.

CONTAINS 2 LBS. VAPONA® PER GALLON

Active Ingredients	By Weight
2, 2-dichlorovinyl dimethyl phosphate	21.8%**
Related Compounds	1.6%**
Petroleum Hydrocarbons	68.6%
Inert Ingredients	11.0%
Total	100.0%

**Equivalent to 23.4% w VAPONA® Insecticide



DANGER KEEP OUT OF THE REACH OF CHILDREN

See side panel for further warnings
 NET CONTENTS 1 5 30 55 GALLONS

EPA Reg. No. 8521-125
 GABRIEL CHEMICALS LTD. ROBINSVILLE, NEW JERSEY

DIRECTIONS FOR USE:
 TO BE APPLIED BY TRAINED PERSONNEL
 PICNIC GROUNDS, BAY DOCKS, OUTDOOR LAF
 AREAS AROUND SERVICE ICE CREAM STANDS, (POSAL AREAS.

Apply VAPONA Insecticide gnats, mosquitoes, roach dog ticks.

To prepare a 0.5% spr E. C. with 6 gallons of water, food, food conta animals (at this rate) water, food, food conta as necessary.

Apply VAPONA Insectic solution to control other small flying insect

To prepare a 1% foggin of VAPONA 2 LB. E.C. oil solution; dilute 1 qu

MANURE PILES, GARBAG
 For the control of fly apply at the rate of 1 square feet (1 quar

DOG KENNELS
 Apply to outside dog run rate of 1 quart of 0.5% the control of fleas and to 2 quarts of 0.5% sp

OUTDOOR AREAS
 Apply with fogging app of 5-10 pints of 1% fo to 0.05-0.1 pound VAP treat areas where food (

5

Induce vomit-
ing a finger
tablespoon of
ANYTHING BY

on the skin,
of the insecti-
cides skin with
into the eyes,
at least ten

two 1/100-
ADMINISTER
APPEAR. (See

patient is not
to the nearest

weakness, head-
n-reactive pin-
ching, diarrhea

atic antagonist
stimulation. If
tion, atropine
vals, in doses
pinization has

may, without
ry small doses
further exposure
been allowed



FOR PROFESSIONAL USE ONLY VAPONA 2 LB. E.C.

CONTAINS 2 LBS. VAPONA® PER GALLON

Active Ingredients	By Weight
2, 2-dichlorovinyl dimethyl phosphate	21.8%**
Related Compounds	1.6%**
Petroleum Hydrocarbons	65.6%
Inert Ingredients	11.0%
Total	100.0%

**Equivalent to 23.4% w VAPONA® Insecticide



DANGER KEEP OUT OF THE REACH OF CHILDREN

See side panel for further warnings

NET CONTENTS 1 5 30 55 GALLONS

EPA Reg. No. 8521-125

GABRIEL CHEMICALS LTD. ROBBINSVILLE, NEW JERSEY

DIRECTIONS FOR USE

TO BE APPLIED BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREA, PATIOS, LOADING DOCKS, OUTDOOR LATRINES, PARKING AREA, REFUSE AREAS AROUND SERVICE STATIONS, OPEN-AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS.

Apply VAPONA Insecticide as a 0.5% spray to control flies, gnats, mosquitoes, roaches, fleas, ants, sowbugs, and brown dog ticks.

To prepare a 0.5% spray, dilute 1 pint of VAPONA 2 LB. E. C. with 6 gallons of water. Apply as a coarse wet spray at the rate of 1 quart per 1000 square feet. Do not treat animals (at this rate) or humans. Do not contaminate water, food, food containers or cooking utensils. Repeat as necessary.

Apply VAPONA Insecticide as a 1% to 3% fog or mist solution to control flies, mosquitoes, wasps, gnats, and other small flying insects.

To prepare a 1% fogging or misting solution dilute 1 quart of VAPONA 2 LB. E.C. with 6 gallons of water. For a 1% oil solution; dilute 1 quart with 7 gallons of oil.

MANURE PILES, GARBAGE DUMPS

For the control of fly maggots in maggot breeding areas apply at the rate of 1-2 quarts of 0.5% spray per 100 square feet (1 quart of 1%).

DOG KENNELS

Apply to outside dog runways, window sills and ledges at a rate of 1 quart of 0.5% spray per 1000 square feet. For the control of fleas and brown dog ticks increase dosage to 2 quarts of 0.5% spray per 1000 square feet.

OUTDOOR AREAS

Apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre (equivalent to 0.05-0.1 pound VAPONA Insecticide per acre). Do not treat areas where food or feed crops are growing.

Follow special instructions for
Food Handling Establishments

~~FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES~~

Apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not reoccupy the premises until they have been ventilated. After application open several windows or doors to create air currents to insure reduction of VAPONA Insecticide vapors. ~~Food should be removed and food handling equipment covered with wrapping paper during application or washed after application is completed.~~ During fogging or mist spraying indoors use a mask or respirator of a type passed by the USDA for DDVP (VAPONA Insecticide) protection.

~~Do not use in edible products areas of food processing plants.~~

HOUSEHOLD PEST CONTROL

Apply VAPONA Insecticide as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths, and other small flying insects, cockroaches, ants, spiders, silverfish. To prepare a 0.5% spray, dilute 1 pint of VAPONA 2 LB. E.C. with 6 gallons of water.

For Households, Restaurants, Theaters, Food Processing Plants, Industrial Plants, Warehouses, apply 0.5% spray with low pressure sprayer to localized areas insects may infest. Treat infested areas around baseboards, cracks, walls, door and window frames, and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals.

NOTICE OF WARRANTY

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

USE IN FOOD HANDLING EST.
(on attached sheet)

Crack and Crevice Treatment to be added to:

Agrisect Vapona 2# EC For Professional Use Only
EPA Reg. No. R521-125

USE IN FOOD HANDLING ESTABLISHMENTS-Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS-APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Apply 1/2% solution in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where Roaches and Ants hide.

Do not apply this water-diluted product in conduits, motor housings, and electric switch boxes.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS-Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

To control roaches, ants, and silverfish, apply 1/2% solution as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS-Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, appurtenances and storage (after canning or bottling).

To control flies, mosquitoes, wasps, roaches, ants, and spiders, apply 1/2% solution to spot-treat baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pellets and similar areas where insects hide, congregate, or through which they may enter.