

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS
AND DOMESTIC ANIMALS:

DANGER

EXTREMELY HAZARDOUS LIQUID AND
VAPOR UNDER PRESSURE.

INHALATION MAY BE FATAL OR CAUSE
SERIOUS ACUTE ILLNESS OR DELAYED
LUNG OR NERVOUS SYSTEM INJURY.

.....DO NOT BREATHE VAPORS.

LIQUID OR EXCESSIVE VAPOR CAN CAUSE
SERIOUS SKIN OR EYE INJURY WHICH MAY
HAVE A DELAYED ONSET.

DO NOT GET LIQUID ON SKIN, IN EYES,
OR ON CLOTHING.

THIS PRODUCT CONTAINS CHLOROPICRIN WHICH
MAY BE IRRITATING TO THE UPPER
RESPIRATORY TRACT, AND EVEN AT LOW LEVELS
CAN CAUSE PAINFUL IRRITATION TO THE EYES,
PRODUCING TEARING. IF THESE SYMPTOMS
OCCUR, LEAVE THE FUMIGATION AREA
IMMEDIATELY. EARLY SYMPTOMS OF CHLOROPICRIN
OVEREXPOSURE ARE LACHRYMATION,
RESPIRATORY DISTRESS AND VOMITING.

OBSERVE THE FOLLOWING PRECAUTIONS

GENERAL PRECAUTIONS

1. Do not get in eyes, on skin or on clothing.
2. Do not spill or discharge contents outside of areas confined for treatment.
3. Comply with all local regulations and ordinances.
4. It is advisable to supply your physician with information on Chloropicrin and Methyl Bromide. Literature is available from your dealer or distributor.
5. Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete. (See Note to Physician.)

RESPIRATOR PROTECTION

If the concentration of methyl bromide in the working area (as measured by a direct-reading detector device, such as a tracer gas detector) does not exceed 5 ppm (20 mg/m³), no respiratory protection is required. If this concentration is exceeded at any time, all persons in the fumigation area must wear protective

RESTRICTED USE PESTICIDE DUE TO ACUTE TOXICITY

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

BROM - 76

PREPLANT SOIL FUMIGANT

| | |
|------------------------|------|
| ACTIVE INGREDIENTS: | |
| METHYL BROMIDE | 75% |
| INERT INGREDIENTS: | |
| PETROLEUM HYDROCARBONS | 24% |
| CHLOROPICRIN | 1% |
| TOTAL | 100% |

KEEP OUT OF REACH OF CHILDREN

DANGER



PELIGRO

POISON

PRECAUCION AL USUARIO: Si usted no lee Ingles, este producto hasta que la etiqueta le haya sido dada ampliamente.

IN ALL CASES OF OVEREXPOSURE, GET
MEDICAL ATTENTION IMMEDIATELY.
TAKE PERSON TO A DOCTOR OR TO A
EMERGENCY TREATMENT FACILITY

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Get exposed person to fresh air, warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration, oxygen if needed. Do not give anything by mouth to unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing and other items covering the skin. Use

SAFETY PRECAUTIONS

1. Wear loose clothing and socks that are cleaned after each wearing. Do not wear jewelry, gloves, or tight clothing when handling. Methyl Bromide is heavier than air and may be trapped inside clothing and cause skin injury. If full-face respiratory protection is not required, wear goggles or full face shield for eye protection when handling liquid.
2. Following application, immediately remove clothing, shoes, and socks. Do not reuse contaminated clothing or shoes until thoroughly cleaned and aerated. Drenched clothing cannot be adequately decontaminated.
3. Do not wear gloves of any type or rubber protective clothing, or rubber boots.
4. If liquid fumigant splashes or spills on clothing, remove them at once, as fumes will be an intolerable source of irritation.

SPILL OR LEAK PROCEDURE

1. Evacuate the immediate area of the spill or leak. Use SCBA or combination air-supplied/SCBA respirator for entry into the affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until the concentration of methyl bromide is determined to be less than 5 ppm (20 mg/cu.m) and chloropicrin less than 0.1 ppm.
2. Contaminated soil, water, and other cleaning debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if reportable quantity of 1000 lbs. is exceeded.

SEE PRECAUTIONS CONTINUED IN THIRD COLUMN

after exposure, accompanied by irritation. Re these effects are the usual cause of death. Re overexposure can result in blurred vision, stag gait, and mental imbalance, with probable re after a period of no exposure. Blood bromide suggest the occurrence, but not the degree, o posure. Treatment is symptomatic.

See Side Panel For Additional Precautionary State



Soil
Chemicals
Corporation
PRODUCTS

P.O. BOX 782 • HOLLISTER, CA 95024

E.P.A. EST. 8536-CA-1,2,3,4;FL-1
E.P.A. REG. NO. 8536-01

NET CONTENTS LBS

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE DUE TO ACUTE TOXICITY

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

BROM - 76

PREPLANT SOIL FUMIGANT

| | |
|------------------------|------|
| ACTIVE INGREDIENTS: | |
| METHYL BROMIDE | 75% |
| INERT INGREDIENTS: | |
| PETROLEUM HYDROCARBONS | 24% |
| CHLOROPICRIN | 1% |
| TOTAL | 100% |

KEEP OUT OF REACH OF CHILDREN

DANGER



PELIGRO

POISON

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

IN ALL CASES OF OVEREXPOSURE, GET
MEDICAL ATTENTION IMMEDIATELY
TAKE PERSON TO A DOCTOR OR TO AN
EMERGENCY TREATMENT FACILITY

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Give oxygen if needed. Do not give anything by mouth to any unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

PRECAUTIONS FOR SOIL FUMIGATION PRIOR TO FUMIGATION

1. Comply with all local regulations and ordinances application permit from Agricultural Regulatory required.
2. Never fumigate alone. It is imperative always assistant and proper protective equipment in case of
3. Drivers of application equipment must advise other all precautions and procedures. In addition, d instruct their helpers in the mechanical operat tractor and how to safely work with the tractor while fumigating.
4. Handle this fumigant in the open, with the operate from the container where there is good ventilation.
5. Check fumigant pressure system for leaks before operation.
6. Two trained persons must be present during introduc fumigant.
7. When fumigating soil from a tractor, 5 gallons of w carried on the tractor and placed where it is read ible. In addition to water available on the tractor gallons of additional water must be available from truck. This water must be potable and in contai Decontamination water not to be used for drinking.
8. Field should be reasonably free of trash before a fumigation.

DURING FUMIGATION

1. This fumigant should not be applied when there is pheric inversion. Since uncomfortable concentrations picrin may drift to nearby areas, immediately co area with plastic tar, ulin for a minimum of 48 ho injection depth is less than 10".
2. Do not lift injection shanks to turn at the end of a fumigant has drained from system following closure valve.
3. If trash is inadvertently pulled by the shanks to the field when fumigating, it must be covered by shanks then covering the trash with polyethylene making the turn for the next pass.
4. When changing the cylinders be certain they are tur fumigant system is not under pressure. Do not open when there are people or structures downwind wher above the permissible exposure levels could occur.

FOLLOWING FUMIGATION

1. Post all treated areas with warning signs, availabl dealer or representative.
2. No children, unauthorized people, or animals shoul fumigation area for 48 hours.
3. When tarpaulin is used, two trained persons must during removal of the tarpaulin.

SPILL AND LEAK PROCEDURE

1. In case of a rupture of hose or fitting while app gant, immediately stop tractor and motor. Evacuat area of spill or leak. Use SCBA or combination air SCBA respirator for entry into affected area to : problem. Approach from upwind to make necessary repa
2. Do not reenter area without respiratory protection. has evaporated or leak has been fixed.

NOTE CAREFULLY

Fumigation may temporarily raise the level of ammonia n soluble salts in the soil. This is most likely to occur rates of fertilizer and fumigant are applied to soil either cold wet acid, or high in organic matter. To a to plant roots, fertilize as indicated by soil tests, fumigation. To avoid ammonia injury and/or nitrate st crops, avoid using fertilizers containing ammonium sal only fertilizers containing nitrates until after the cr established and the soil temperature is above 65° l highly acid soils before fumigation stimulates nitrifi reduces the possibility of ammonia toxicity.

overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

See Side Panel For Additional Precautionary Statements.



Soil
Chemicals
Corporation
PRODUCTS

P.O. BOX 782 · HOLLISTER, CA 95024

E.P.A. EST. 8536-CA-1,2,3,4;FL-1

E.P.A. REG. NO. 8536-01

NET CONTENTS LBS.

STORAGE AND DISPOSAL

STORAGE AND HANDLING

Store in dry, cool, well-ventilated area under lock and key as a pesticide storage area. Do not contaminate water feed by storage. Persons moving or handling containers should wear protective clothing. Open container only in a well-ventilated area wearing protective clothing, and respiratory protection if necessary. Store cylinders upright, secured to a rack or wall, and not tipping. Cylinders should not be subjected to rough or mechanical shock such as dropping, bumping, dragging, etc. Do not use rope slings, hooks, tongs, or similar devices on cylinders. Transport cylinders using hand truck, fork lift, or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet on cylinder when not in use. When cylinder is empty, close valve and replace safety cap onto valve outlet, and replace protection bonnet. Only the registrant is authorized to return empty cylinders. Do not use cylinders for any other purpose than that for which the registrant's instructions for return of empty or partially filled cylinder.

STORAGE AND DISPOSAL DIRECTIONS CONTINUED

BEST AVAILABLE COPY

PRECAUTIONS FOR SOIL FUMIGATION USE PRIOR TO FUMIGATION

1. Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
2. Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in case of accidents.
3. Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.
4. Handle this fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
5. Check fumigant pressure system for leaks before beginning operation.
6. Two trained persons must be present during introduction of the fumigant.
7. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons of additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking."
8. Field should be reasonably free of trash before starting the fumigation.

DURING FUMIGATION

1. This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours when the injection depth is less than 10".
2. Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.
3. If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.
4. When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur.

FOLLOWING FUMIGATION

1. Post all treated areas with warning signs, available from your dealer or representative.
2. No children, unauthorized people, or animals should be in the fumigation area for 48 hours.
3. When tarpaulin is used, two trained persons must be present during removal of the tarpaulin.

SPILL AND LEAK PROCEDURE

1. In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied/-SCBA respirator for entry into affected area to correct the problem. Approach from upwind to make necessary repairs.
2. Do not reenter area without respiratory protection until spill has evaporated or leak has been fixed.

NOTE CAREFULLY

Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and a nitrate starvation to crops, avoid using fertilizers containing ammonium salts and use only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65° F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

RETURN OF CYLINDERS

Cylinders are the property of:

Soil Chemicals Corporation
8770 Highway 25
Hollister, CA 95023

Soil Chemicals Corporation
2060 East 220th Street
Long Beach, CA 90810

and should be returned promptly by collect auto freight. If ship cylinders without safety caps or valve protection box. When a cylinder is partially full and there is no further requirement for the product, contact SCC for return instructions.

SHIPPING

This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Methyl Bromide Liquid, Methyl Bromide and Nonflammable, Non-liquefied compressed mixture, liquid, class "B" poison (inhalation hazard) with exemptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Methyl Bromide Liquid or Methyl Bromide and Nonflammable, liquefied compressed gas mixture, liquid (inhalation hazard). Do not ship with foods, feeds, or clothing.

DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pest spray mixture, or rinseate is a violation of Federal Law. If wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest Regional Office for guidance.

ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not discharge or contain this product into lakes, streams, ponds, estuaries, or public waters unless this product is specifically listed and addressed in an NPDES permit. Do not discharge or contain this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit this fumigant to be used to clean fumigant pressure system as corrosion result. Diesel oil is satisfactory for this purpose.

NOT REVIEWED

In Accordance with PR Notice 82-2
Based on Draft Labeling Dated

9-7-88

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling

STORAGE AND DISPOSAL

STORAGE AND HANDLING

Store in dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage. Persons moving or handling containers should wear protective clothing. Open container only in a well-ventilated area wearing protective clothing, and respiratory protection if necessary. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs, or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinder.

STORAGE AND DISPOSAL DIRECTIONS CONTINUED

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. But neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to use of this product contrary to label instructions, or under any conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

MFL #7102 10 88

RETURN OF CYLINDERS

Cylinders are the property of:

Soil Chemicals Corporation Soil Chemicals Corporation
8770 Highway 25 2060 East 220th Street
Hollister, CA 95023 Long Beach, CA 90810

and should be returned promptly by collect auto freight. Do not ship cylinders without safety caps or valve protection bonnets. When a cylinder is partially full and there is no further requirement for the product, contact SCC for return instructions.

SHIPPING

This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Methyl Bromide Liquid or Methyl Bromide and Nonflammable, Non-liquified compressed gas mixture, Liquid, class "B" poison (inhalation hazard) and no exceptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Methyl Bromide Liquid or Methyl Bromide and Nonflammable, Non-liquified compressed gas mixture, Liquid (inhalation hazard). Do not ship with foods, feeds, or clothing.

DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit water to be used to clean fumigant pressure system as corrosion will result. Diesel oil is satisfactory for this purpose.

GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED BY INDIVIDUALS TRAINED IN ITS PROPER USE. BEFORE USING, READ ALL LABEL PRECAUTIONS AND DIRECTIONS, INCLUDING THE ATTACHMENT. ALL PERSONS WORKING WITH THIS FUMIGANT MUST BE KEPT AWAY FROM THE HAZARDS, AND TRAINED IN THE USE OF REQUIRED RESPIRATORY PROTECTION AND DETECTOR DEVICES, EMERGENCY PROCEDURES, AND PROPER FUMIGANT.

GENERAL INFORMATION

This material is a preplant soil fumigant for control of pests such as wireworms and nematodes, weed and grass seed germination caused by certain species of Rhizoctonia, Pythium, and Phytophthora. It is to be used in soil to be planted as indicated below.

SOIL PREPARATION

Prior to application, the soil should be in condition for planting with sufficient moisture to support seed germination.

APPLICATION

Apply this fumigant by means of chisels spaced from 12' to 24' and at a depth of 8" below soil surface. To seal fumigant at application, cover with a gas-tight tarpaulin.

DOSAGE TABLE

| Land To Be Planted To: | Lbs. Per Acre |
|------------------------|---------------|
| Strawberries | 300 |
| Tomatoes | 300 |
| Floral Crops | 400 - 600 |
| Nursery Crops | 400 - 600 |
| Seed Beds* | 500 - 600 |

* Plants grown for transplanting

AERATION

Remove tarpaulin after 48 hours. Allow the soil to aerate for 24 hours before planting. If odors of fumigant persist beyond this time, plow the soil to help aeration.

BECAUSE OF THE HAZARD OF THIS PRODUCT TO MAN AND ANIMALS, IT IS TO BE USED ONLY BY PERSONS TRAINED IN ITS PROPER USE.

NOT REVIEWED

In Accordance with PR Notice 82-2,
Based on Draft Labeling Dated

9-7-88



POISON


WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. It neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

MPI #108 10 PA

6

INHALATION HAZARD



UN.1
METHYL BROM
LIQUID

GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY INDIVIDUALS TRAINED IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW ALL LABEL PRECAUTIONS AND DIRECTIONS, INCLUDING THE ATTACHED SUPPLEMENT. ALL PERSONS WORKING WITH THIS FUMIGANT MUST BE KNOWLEDGEABLE ABOUT THE HAZARDS, AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIPMENT AND DETECTOR DEVICES, EMERGENCY PROCEDURES, AND PROPER USE OF THE FUMIGANT.

GENERAL INFORMATION

This material is a preplant soil fumigant for control of soil-borne pests such as wireworms and nematodes, weed and grass seeds, and diseases caused by certain species of Rhizoctonia, Pythium, Fusarium, and Phytophthora. It is to be used in soil to be planted to the crops listed below.

SOIL PREPARATION

Prior to application, the soil should be in condition for planting and with sufficient moisture to support seed germination.

APPLICATION

Apply this fumigant by means of chisels spaced from 12" to 18" apart and at a depth of 8" below soil surface. To seal fumigant after application, cover with a gas-tight tarpaulin.

DOSAGE TABLE

| Land To Be Planted To: | Lbs. Per Acre |
|------------------------|---------------|
| Strawberries | 300 |
| Tomatoes | 300 |
| Floral Crops | 400 - 600 |
| Nursery Crops | 400 - 600 |
| Seed Beds* | 500 - 600 |

* Plants grown for transplanting

AERATION

Remove tarpaulin after 48 hours. Allow the soil to aerate for two days before planting. If odors of fumigant persist beyond this two-day period, disc or plow the soil to help aerate.

1 OF CYLINDERS

1:

on Soil Chemicals Corporation
2060 East 220th Street
Long Beach, CA 90810

ptly by collect auto freight. Do not
ty caps or valve protection bonnets.
full and there is no further require-
t SCC for return instructions.

HIPPING

In the U.S. Department of Transport-
regulations as Methyl Bromide Liquid or
able. Non-liquified compressed gas
poison (inhalation hazard) and no
ons, packaging, marking, or labeling
cylinders as having last contained
ethyl Bromide and Nonflammable, Non-
ature. Liquid (inhalation hazard). Do
or clothing.

ISPOSAL

ood, or feed by storage or disposal.
Improper disposal of excess pesticide,
a violation of Federal Law. If these
f by use according to label instruc-
Pesticide or Environmental Control
to representative at the nearest EPA

MENTAL HAZARD

wildlife. Do not discharge effluent
lakes, streams, ponds, estuaries,
is this product is specifically iden-
ES permit. Do not discharge effluent
er systems without previously notify-
authority. For guidance contact your
Office of the EPA.

CAL HAZARD

cation equipment made of magnesium,
under certain conditions this fumi-
to such metals. Do not permit water
pressure system as corrosion will
dry for this purpose.

BEST AVAILABLE COPY



POISON

WED
R Notice 82-2
ing Dated

WARRANTY

This product conforms to its chemical
name for the purposes stated on the label
and is intended for use under normal conditions of use.
No other warranty of MERCHANTABILITY or
fitness for a particular purpose, express or implied, extends to the
product or its use, or under abnormal
conditions not reasonably foreseeable to seller.
See "Use" section.

8 10/88

6

INHALATION HAZARD



UN 1062

METHYL BROMIDE,
LIQUID

