



FOR USE WEST OF ROCKY MOUNTAINS



ONIONS, DIRECT SEEDED

APPLICATION: Treatment can be made whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops. Follow application directions as described above.

USE: For control of White Rot, weeds (grasses) and Nematodes.

DOSAGE: 400 lbs/Acre

LIMITATION: Use restricted to west of the Rocky Mountains, do not treat any field more than once every twelve months.



FOR USE IN CALIFORNIA ONLY

ASPARAGUS AND LETTUCE

APPLICATION: Follow application directions as described above.

DOSAGE AND USE TABLE

<u>CROP</u>	<u>USE</u>	<u>RATE</u>	<u>REACTION</u>
Asparagus	Fungus diseases (damping off, Pythium spp.) weeds (grasses) Nematodes	400-530 lbs/A	Remove tarpaulin after 24-48 hours
Lettuce	Big Vein	270-400 lbs/A	Remove tarpaulin after 24-48 hours
	Weeds (including oxalis) Nematodes	400-530 lbs/A	Remove tarpaulin after 24-48 hours

LIMITATIONS: For use in California only, do not harvest asparagus during year of treatment, use on lettuce fields only once in 2 to 3 years.

SPECIMEN

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

PIC-BROM 25

PREPLANT SOIL FUNIGANT

ACTIVE INGREDIENTS	
METHYL BROMIDE	75%
CHLOROPICLIN	25%
INERT INGREDIENTS	
	0%
TOTAL	100%

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS:**

DANGER

THIS FUNIGANT IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR DEALER REPRESENTATIVE OR SOIL CHEMICALS CORPORATION FOR CORRECT PROCEDURE. BEFORE USING, READ AND FOLLOW ALL LABEL DIRECTIONS AND PRODUCT LITERATURE SPECIFIC TO YOUR PARTICULAR REQUIREMENTS.

**EXTREMELY HAZARDOUS LIQUID AND VAPOR
UNDER PRESSURE**

**INHALATION MAY BE FATAL OR CAUSE
DELAYED LUNG INJURY**

**LIQUID AND VAPOR CAUSE BURNS WHICH
MAY BE DELAYED**

The Chloropiclin portion of this fumigant has the capacity to cause irritation to the upper respiratory tract, and is a strong irritant to the mucous membranes of the eyes. In some circumstances, severe respiratory distress and systemic poisoning are possible if contact with the eyes is prolonged, or if the fumigant is inhaled. However, the effect may be so delayed that it is possible to return to work before the effects are fully realized.

**PRECAUTIONS TO FOLLOW
PRIOR TO FUMIGATION:**

1. Before using this fumigant, read and follow all directions on the label and in product literature.
2. Carry out all local regulations and ordinances. Obtain an appropriate permit from appropriate regulatory agencies as required.
3. It is advisable to notify your physician with information on Methyl Bromide and Chloropiclin. Contact Soil Chemicals Corporation for literature on Methyl Bromide and Chloropiclin.
4. Obtain medical attention at once in case of direct skin exposure, but do not use treatment which could considerably alter further treatment with appropriate first-aid.
5. Never fumigate alone. It is imperative to always have an assistant and proper protective equipment on hand. Failure to do so may result in death.
6. Before all application operations, read and follow all directions on all procedures and precautions. In addition, always read and follow the directions on the fumigant label and the label of the fumigant gas tank to which the fumigant is being applied.
7. Handle this fumigant in the open, with the applicator "up wind" from the container when there is wind.
8. Check fumigant pressure system for leaks before beginning fumigation.
9. When fumigating soil from a trailer, a garden of this kind may be placed in the trailer and placed where it is readily accessible to children to avoid accidents. Do not use the trailer, or any other fumigant container, until it is completely empty. The trailer may be suitable for use as a container for other fumigant gas.

RESPIRATORY EXPOSURE

10. **RESPIRATORY PROTECTION**—Do not breathe fumes. If you must be located in such areas which require the use of respiratory protection, use a self-contained breathing apparatus or a supplied-air respirator. Do not use a self-contained breathing apparatus which is not specifically designed for use with this fumigant. Do not use a self-contained breathing apparatus which is not specifically designed for use with this fumigant. Do not use a self-contained breathing apparatus which is not specifically designed for use with this fumigant. Do not use a self-contained breathing apparatus which is not specifically designed for use with this fumigant.

EYE EXPOSURE

11. Wear safety glasses when working with this fumigant. Exposure of eyes to vapors of fumigant may cause severe eye irritation.
12. In case of eye irritation, flush eyes with clean water.

SKIN EXPOSURE

13. Do not spill or pour fumigant liquid or gas on people or clothing. Remove them or cover them with the contaminated cloth and leave them under cover of a shower. If liquid vapors are released, they will be very irritating to the skin. Remove them and wash them with soap and water. Do not use the fumigant gas tank until it is completely empty.
14. Do not wear gloves.
15. Always have appropriate first-aid facilities in such areas.

BY HANDLING PRECAUTIONS CONTAINED IN THIS COLUMN

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

**SEND FOR A DOCTOR IMMEDIATELY
IN CASE OF EXPOSURE**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Carry Patient To Fresh Air. Call Physician At Once. Make Sure Patient Can Breathe Freely. Keep Patient Warm. Give Artificial Respiration If Breathing Has Stopped. Oxygen Should Be Administered Only By Qualified Personnel.

IF ON SKIN—Immediately Remove All Contaminated Skin Covering Including Shoes, Clothing And Adhesive Or Other Bandages. Wash Skin Thoroughly With Soap And Water. If Irritation Or Blisters Develop, Get Medical Attention. Do Not Remove Shoes Or Clothing Until Free Of All Contamination.

IF IN EYES—Flush Immediately With Plenty Of Water For At Least 15 Minutes And Get Medical Attention.

NOTE TO PHYSICIANS—Keep Patient At Rest And Under Observation For 24 To 48 Hours.

PRECAUTION AL USUARIO—Se Usado No Use Light. No Use Este Producto Hasta Que La Etiqueta Le Haya Sido Explicada Análogamente.

TRANSLATION: (TO THE USER) If You Cannot Read English, Do Not Use This Product Until The Label Has Been Fully Explained To You.

See Side Panel For Additional Precautionary Statements.

SOIL CHEMICALS CORPORATION

P.O. BOX 931 MORGAN HILL, CALIF. 95037

E.P.A. EST. 8534-CAT-1, 2, 3, 4, 5E-1
E.P.A. REG. NO. 8530-11

NET CONTENTS LBS.

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

PRECAUTIONS TO FOLLOW DURING FUMIGATION:

16. This fumigant should not be applied where there is an unobstructed passage, and particularly passages of Chlorophanes, until the fumigant is completely dispersed.
17. Do not use fumigant directly to fumigate a pest, until fumigant has dispersed from system releasing source of fumigant.
18. When applying the fumigant to the pest, the fumigant should be applied by filling the fumigant, then opening the tank with fumigant. Do not touch the tank for the next 24 hours.
19. In case of a rupture of tank or piping while applying fumigant, immediately stop fumigant and repair. Do not repair until the tank is repaired. Do not repair until the tank is repaired. Do not repair until the tank is repaired.
20. When changing the fumigant, make sure the tank is repaired before the next use.

PRECAUTIONS TO FOLLOW AFTER FUMIGATION:

21. Post all treated areas with warning signs, available from TOL CHEMICALS COMPANY.
22. Do not allow children, animals and unauthorized persons access to fumigated areas during or after fumigation period and during removal of fumigant.
23. Do not allow fumigant to be used in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.
24. Do not allow fumigant to be used in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

ENVIRONMENTAL HAZARD

The fumigant is toxic to fish and aquatic life. It should not be discharged where it will pollute any lake, stream, pond, or other water body. Do not discharge where it will pollute any lake, stream, pond, or other water body.

CHEMICAL HAZARD

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

DIRECTIONS FOR USE

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

STORAGE AND RETURN OF FUMIGANT CYLINDERS

- Storage:**
- (1) Store in a cool, dry place.
 - (2) Do not store in a confined space.
 - (3) Do not store in a confined space.
 - (4) Do not store in a confined space.
 - (5) Do not store in a confined space.
- Return:**
- (1) Return to the manufacturer.
 - (2) Return to the manufacturer.
 - (3) Return to the manufacturer.
 - (4) Return to the manufacturer.
 - (5) Return to the manufacturer.

DIRECTIONS FOR USE

This fumigant is a potent and powerful fumigant for the control of various pests in stored products, particularly in the control of insects, mites, and rodents. It is highly effective against a wide range of pests, including beetles, moths, and flies.

When applying the fumigant, it should be applied in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Commodity	Rate (lb per 100 cu ft)
Grain	0.5
Flour	0.5
Feed	0.5
Hay	0.5
Straw	0.5
Wool	0.5
Leather	0.5
Textiles	0.5
Books	0.5
Archives	0.5
Antiques	0.5
Artwork	0.5
Paintings	0.5
Carpeting	0.5
Upholstery	0.5
Draperies	0.5
Blinds	0.5
Shades	0.5
Window Treatments	0.5
Other	0.5

When the fumigant is applied, it should be applied in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

This fumigant is a potent and powerful fumigant for the control of various pests in stored products, particularly in the control of insects, mites, and rodents. It is highly effective against a wide range of pests, including beetles, moths, and flies.

When applying the fumigant, it should be applied in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.


Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.

Do not use fumigant in a confined space, unless the fumigant is used in a fumigant tank, and not directly from a tank or container.

Apply the fumigant by means of a fumigant tank, and not directly from a tank or container.



METHYL BROMIDE AND MORE THAN 2% CHLOROPICRIN MIXTURE, LIQUID

12-17-81

Yellow Copy
210
18
76482
4

01 SEP 1982

Soil Chemicals Corporation
P. O. Box 531
195 San Pedro Ave.
Morgan Hill, CA 95037

Gentlemen:

Subject: MICROL Broadside 22.5%
EPA Registration No. 3518-12
210-Brom 25
EPA Registration No. 8516-11
Your Application dated August 17, 1982

The applicant referred to above, submitted in connection with registration under FIFRA sec. 3(a)(7)(A), is acceptable provided that you:

1. Submit and/or file all data required for registration/re-registration of your product under FIFRA sec. 3(a)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 3(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of this label is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Fungicide Branch
Registration Division (TS-757)

Enclosure

TI-767;Miller;DCR-0185;WANG-0985;Rcf;Rayen;479-2011; 8/30/82