

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS  
AND DOMESTIC ANIMALS:

**D A N G E R**

EXTREMELY HAZARDOUS LIQUID AND  
VAPOR UNDER PRESSURE.

INHALATION MAY BE FATAL OR CAUSE  
SERIOUS ACUTE ILLNESS OR DELAYED  
LUNG OR NERVOUS SYSTEM INJURY.

DO NOT BREATHE VAPORS.

LIQUID OR EXCESSIVE VAPOR CAN CAUSE  
SERIOUS SKIN OR EYE INJURY WHICH MAY  
HAVE A DELAYED ONSET.

DO NOT GET LIQUID ON SKIN, IN EYES,  
OR ON CLOTHING.

METHYL BROMIDE VAPOR IS OBLIVIOUS AND  
NON-IRRITATING TO SKIN AND EYES  
DURING EXPOSURE. EXPOSURE TO TOXIC  
LEVELS MAY OCCUR WITHOUT WARNING OR  
DEFLECTION BY THE USER.

OBSERVE THE FOLLOWING  
PRECAUTIONS:

GENERAL PRECAUTIONS

1. Do not use in enclosed areas.
2. Do not use in areas where children, pets, or livestock are present.
3. Use only with adequate ventilation.
4. It is extremely toxic. Avoid contact with skin, eyes, and clothing.
5. Avoid breathing vapors. If contact occurs, flush immediately with water and seek medical attention.

RESPIRATORY PROTECTION:

If the user is exposed to vapors, use respiratory protection. A filter canister respirator is required for protection. Do not use a standard gas mask. Do not use a respirator with a charcoal canister. Do not use a respirator with a canister that is not specifically designed for use with methyl bromide.

CLOTHING PRECAUTIONS:

1. Wear appropriate protective clothing that has been tested and approved for use with methyl bromide. Do not wear clothing that has been contaminated with methyl bromide. Wash contaminated clothing immediately. Do not reuse contaminated clothing.
2. After exposure, remove clothing and wash thoroughly with soap and water. Do not reuse clothing that has been contaminated with methyl bromide.
3. Do not wear gloves of any type that have been contaminated with methyl bromide.

WARNING SIGNS:

1. The applicator must be placed in all areas where the fumigant is used. The applicator must be placed in the area where the fumigant is used. The applicator must be placed in the area where the fumigant is used. (2) The applicator must be placed in the area where the fumigant is used. (3) The applicator must be placed in the area where the fumigant is used. (4) The applicator must be placed in the area where the fumigant is used. (5) The applicator must be placed in the area where the fumigant is used.
2. Do not remove applicator until the fumigant is completely dispersed. Do not breathe vapors. Do not get liquid on skin, in eyes, or on clothing.

RESTRICTED USE PESTICIDE  
DUE TO ACUTE TOXICITY

For retail sale to and use only  
by the Certified Applicator's Act  
Application, or person under  
supervision, and only for the use  
by the Certified Applicator's Act

**METHYL BROMIDE**

**COMMODITY FUMIGANT**

ACTIVE INGREDIENTS:

Methyl Bromide

100%

KEEP OUT OF REACH OF

**DANGER**



PESTICIDE. KEEP OUT OF REACH OF CHILDREN.  
See back panel for complete directions and  
precautions.

IN ALL CASES OF OVEREXPOSURE,  
MEDICAL ATTENTION IMMEDIATELY  
TAKE PERSON TO A DOCTOR FOR  
EMERGENCY TREATMENT.

STATEMENT OF PREVENTIVE  
TREATMENT

IF INGESTED: Do not induce vomiting. If  
vomiting occurs, do not repeat. If  
vomiting does not occur, do not  
induce. Seek medical attention.

IF ON SKIN: Wash immediately with  
copious amounts of water. If  
irritation occurs, seek medical  
attention.

IF IN EYES: Flush immediately with  
copious amounts of water. If  
irritation occurs, seek medical  
attention.

NOTE TO FIRST AID: Methyl bromide is  
extremely toxic. It may cause death  
by asphyxiation. It may also cause  
death by suffocation. It may also  
cause death by inhalation. It may  
also cause death by ingestion. It may  
also cause death by contact with  
skin. It may also cause death by  
contact with eyes. It may also  
cause death by contact with clothing.

contain less than 5 ppm methyl bromide in the air space around and above the tank. In the case of the quantity, if less than 5 ppm methyl bromide is detected, the placard may be removed. However, if 5 ppm or greater methyl bromide is detected, the placard shall be fastened with two (2) ties to the rear of workers who transport or handle the cylinder. Workers must be instructed and appropriate measures must be taken to ventilate or respiratory protection to prevent exposure from exceeding 5 ppm or greater methyl bromide.

1. Boxes must be placarded with OSHA specified warning signs. Warning signs are available from your dealer or distributor.

**SPILL OR LEAK PROCEDURE:**

1. Evaluate the immediate area of the spill or leak. Use SCBA or combination air supplied/SCBA respirator for entry into the affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work up wind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until the concentration of methyl bromide is determined to be less than 5 ppm (20 mg/cu m).
2. Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800 424 8802) if reportable quantity of 1000 lbs. is exceeded.

See Side Panel For Additional Precautions

**BEST AVAILABLE COPY**



GTC  
Corp  
PROD

P.O. BOX 782 - HOLLISTER, CA

E.P.A. EST. 8536-CA-1,  
E.P.A. REG. NO. 85

NET CONTENTS . . . . .

**RESTRICTED USE PESTICIDE**  
**DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**METHYL BROMIDE 100**  
**COMMODITY FUMIGANT**

**ACTIVE INGREDIENTS:**

METHYL BROMIDE 100.00%

TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN**

**HAZARD**



**PELIGRO**

**POISON**

PRECAUTIONS: See label for full instructions. Do not use in confined spaces. Avoid contact with skin and eyes. Wash hands thoroughly after use.

**IN ALL CASES OF OVER EXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY. TAKE PERSON TO A DOCTOR OR TO AN EMERGENCY TREATMENT FACILITY.**

**STATEMENT OF PRACTICAL TREATMENT**

**IF INHALED:** Get exposed person to fresh air. Keep warm. Many who get symptoms from a single exposure may recover if exposed to fresh air. If symptoms persist, get medical attention.

**IF ON SKIN:** Wash exposed area with soap and water. Remove contaminated clothing. Wash with soap and water.

**IF IN EYES:** Wash with water for 15 minutes. Get medical attention.

**PRECAUTIONS FOR COMMODITY**

**GENERAL PRECAUTIONS:**

1. Very toxic to children, and to the general public. Do not use in areas where children are present.
2. When used for fumigation of a building, all persons should be present during introduction of the fumigant, and after aeration when heating persons do not need to be present if a person is not available to the area being fumigated.
3. Do not fumigate with this product in areas where the temperature is below 40 degrees F.
4. When possible, apply methyl bromide by the use of a tank or car being fumigated. Make sure it is properly sealed and gasketed. Do not use in areas where children are present. They must be kept away from the area.

**AERATION AND REENTRY:**

1. After fumigation, aeration should be continued until the concentration of methyl bromide is below 10 ppm.
2. Do not reenter the area until the concentration of methyl bromide is below 10 ppm.

**DIRECTIONS FOR**

Use in accordance with label instructions.

**STORAGE AND DIS**

**STORAGE AND HANDLING:**

Store in a cool, dry place. Do not store near heat or open flame. Do not use in areas where children are present. Do not use in areas where the general public is present. Do not use in areas where the temperature is below 40 degrees F.

**RETURN OF CYLINDERS:**

Return cylinders to the supplier. Do not use in areas where children are present. Do not use in areas where the general public is present.

**SHIPPING:**

Ship in accordance with DOT regulations. Do not use in areas where children are present. Do not use in areas where the general public is present.

collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

See Side Panel For Additional Precautionary Statements.



Soil  
Chemicals  
Corporation  
PRODUCTS

P.O. BOX 782 - HOLLISTER, CA 95024

E.P.A. EST. 8536-CA-1,2,3,4;FL-1

E.P.A. REG. NO. 8536-15

NET CONTENTS . . . . . LBS.

not mix with rocks, rafts, or clothing.

#### DISPOSAL:

Do not contaminate water, food, or feed by Pesticide wastes are toxic. Improper disposal spray mixture, or rinse is a violation of wastes cannot be disposed of by use accor- tions. Contact your State Pesticide or Agency, or the Hazardous Waste representa- Regional Office for guidance.

BEST AVAILABLE

#### ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not contain this product into lakes, streams, oceans, or public waters unless this pr identified and addressed in an NPDES per effluent containing this product to sewer ously notifying the sewage treatment plant. Contact your State Water Board or Regional

Monitor area immediately surrounding the halide detector during exposure and aerate that dangerous levels of the fumigant are tion Statement for Halide detector use). the fumigant permits it to be vented from and to dissipate rapidly with no hazard to direct monitoring.



are the usual cause of death. Repeated  
an result in blurred vision, staggering  
ital imbalance, with probable recovery  
l of no exposure. Blood bromide levels  
centration, but not the degree, of ex-  
ment is symptomatic.

For Additional Preliminary Statements



Soil  
Chemicals  
Corporation  
PRODUCTS

BOX 782 • HOLLISTER, CA 95024

EST. 8536-CA-1,2,3,4; FL-1

P.A. REG. NO. 8536-15

NS . . . . . LBS.

Do not contaminate water, food, or feed by storage or disposal.  
Pesticide wastes are toxic. Improper disposal of excess pesticide  
spray mixture or rinsate is a violation of Federal law. If these  
wastes cannot be disposed of by use according to label instruc-  
tions, contact your State Pesticide or Environmental Control  
Agency, or the Hazardous Waste representative at the nearest EPA  
Regional Office for guidance.

#### ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not discharge effluent  
containing this product into lakes, streams, ponds, estuarine  
oceans, or public waters unless this product is specifically  
identified and addressed in an NPDES permit. Do not discharge  
effluent containing this product to sewer systems without pre-  
vious notification of the sewage treatment plant authority. For guidance  
contact your State Water Board or Regional Office of the EPA.

Monitor area immediately surrounding the fumigation site with  
halide detector during exposure and aeration periods to establish  
that dangerous levels of the fumigant are not present (See Aera-  
tion Statement for Halide detector use). The high volatility  
the fumigant permits it to be vented from space being fumigated  
and to dissipate rapidly with no hazard to surrounding areas if  
correct monitoring.



**WARRANTY**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label and used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

MBL 4-83

6

INHALATIC

N.  
M.  
NO  
LIC  
GA