US ENVIRONMENTAL PROTECTION AGENCY	8536-23	PATE OF 15 LANGER
OFFICE OF PESTICIDES PROGRAMS		3E1 E 0 1000
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: PEGISTRATION	NAME OF PESTICIDE PRODUCT	
REREGISTRATION	"in Clor 3"	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		<u> </u>
r	٦	
est of at set property.		
Market Control of the		
More than the Property of the Contract		
1	1	
	4	
	<u></u>	
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number	to use of the label in commerce	with this registration must be . In any correspondence on this
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby	Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg	ristration/Reregistration is return	ned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any na- Act is not to be construed as giving the registrant a right to	n, may at any time suspend or ca me in connection with the registr	ncel the registration of a pest- ation of a product under this
by others,		e seed on the see
The second of th		
the Calmert Control of the Kindson and		
the special and the second second		terrestro
<ul> <li>Solar Registration of Take Symptoms of the distribution of the page of the control of the symptoms.</li> </ul>		
A CONTRACTOR OF THE PARTY OF TH		
and the second of the second o		
A Committee of the Comm		
$\mathcal{L}_{ij}(\mathcal{L}_{ij}(\mathcal{L}_{ij})) = prom^{2} + \mathcal{L}_{ij}(\mathcal{L}_{ij}(\mathcal{L}_{ij})) + prom^{2} + \mathcal{L}_{ij}(\mathcal{L}_{ij}(\mathcal{L}_{ij}))$	State of the state of	trong to the
· · · · · · · · · · · · · · · · · · ·	and the state of t	A STATE OF THE STA
	• • • • • • • • • • • • • • • • • • • •	that the book a
The first of the control of the cont		
	* • • • •	
	• • •	
	BEST AVAILABLE I	10hu ]
ATTACHMENT IS APPLICABLE	ATOL WINITABLE	JUP <b>T</b> }

EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

DATE

61%

# RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

# PIC-CLOR-35

## PREPLANT SOIL FUMIGANT

ACTIVE INGREDIENTS: 1,3-Dichloropropene Chloropicrin 35% INERT INGREDIENTS: Primarily Chlorinated

Propenes and Propanes 4% TOTAL (By Weight): 100%

Contains 6.82 pounds of 1,3-Dichloropropene : and 3.91 pounds of Chloropicrin per gallon

ACCEPTED with COMMENTS in EPA Letter ladour

SEP 2 6 1988

Under the reduct Insectifide, Fungicide, and Resienta de Act as unealled, for the pesticide registered under EPA Reg. No.

Page 2

## KEEP OUT OF REACH OF CHILDREN

## DANGER



## **PELIGRO**

PRECAUCION AL USARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY TAKE PERSON TO A DOCTOR OR TO AN EMERGENCY TREATMENT FACILITY

# STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Do not give anything by mouth to any unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

NOTE TO PHYSICIAN: Chloropicrin is a volatile liquid that is the active ingredient in tear gas. As a gas it is a powerful lachrymator. Early symptoms of over-exposure are lachrymation, respiratory distress, and vomiting. Pulmonary edema may develop later. Treatment is symptomatic.

See Side Panel For Additional Precautionary Statements.



Soil Chemicals Corporation PRODUCTS

P.O. BOX 782 · HOLLISTER, CA 95024

E.P.A EST 8536-CA-1,2,3,4-FL-1\*::
E.P.A. REG. NO. 8536-EG ....

NET CONTENTS . . . . . . . . . LBS.

4

# PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS:

## D.A N G E R

THIS FUMIGANT IS IIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR REPRESENTATIVE OR DEALER FOR CORRECT PROCEDURE BEFORE USING. READ AND FOLLOW ALL LABEL DIRECTIONS AND PRODUCT LITERATURE SPECIFIC TO YOUR REQUIREMENTS.

POISONOUS LIQUID AND VAPOR. MAY BE FATAL IF INHALED, ABSORBED THROUGH SKIN, OR SWALLOWED. THE CHLOROPICRIN PORTION OF THIS FUMIGANT IS READILY IDENTIFIABLE BY SMELL. EXPOSURE TO VERY LOW CONCENTRATIONS OF VAPOR WILL CAUSE IRRITATION OF EYES, NOSE, AND THROAT. CONTINUED EXPOSURES AFTER IRRITATION IS EVIDENT OR HIGHER CONCENTRATIONS MAY CAUSE PAINFUL IRRITATION TO EYES OR TEMPORARY BLINDNESS. LIQUID WILL CAUSE CHEMICAL BURNS TO SKIN OR EYES. DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. HARMFUL OR FATAL IF SWALLOWED.

THIS FUMIGANT HAS THE CAPACITY TO CAUSE MARKED IRRITATION TO THE UPPER RESPIRATORY TRACT AND IS A STRONG LACHRYMATOR (TEAR PRODUCING EYE IRRITANT). LOW CONCENTRATIONS, BELOW THOSE NECESSARY TO CAUSE SERIOUS SYSTEMIC INTOXICATION, ARE CAPABLE OF CAUSING SEVERELY PAINFUL EYE IRRITATION, HENCE WILL NOT BE VOLUNTARILY TOLERATED. HOWEVER, THE EFFECT MAY BE SO POWERFUL THAT A PERSON MAY BECOME TEMPORARILY BLINDED AND PANICSTRICKEN AND THAT IN TURN MAY LEAD TO ACCIDENTS.

## OBSERVE THE FOLLOWING **PRECAUTIONS**

## PRIOR TO FUMIGATION

- Before using fumigant, read and follow all directions on the label and in the product literature.
   Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies if required.
- 3. It is advisable to supply your physician with information on this fumigant.
- Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete.

  5. Never fumigate alone. It is imperative to always have an as-
- sistant and proper protection equipment, as listed below, to aid in case of accidents.

  6. Drivers of application equipment must advise other workers of
- all precautions and procedures.

  7. Handle this fumigant in the open, when possible, with the operator "upwind" from the container where there is good ven-
- 8. Check the fumigent pressure system, when used, for leaks before beginning application.

## RESPIRATORY EXPOSURE:

9. RESPIRATORY PROTECTION: DO NOT BREATHE FUMES. If the concentra-RESPIRATORY PROTECTION: DO NOT BREATHE FUMES. If the concentra-tion of chloropicrin in the working area, as measured by direct reading devices (such as a Matheson-Kitagawa gas detector tube), does not exceed 0.1 ppm (0.67 mg/cu.m) no respiratory protection is required. If this concentration is exceeded at any time, all persons in the fumigation area must wear a NIOSH-/MSHA approved air purifying respirator approved for organic vapors, kelf-contained breathing apparatus (SCBA), or a com-bination air-supplied/SCBA respirator. Under normal application conditions no respiratory protection will be required.

#### EYE EXPOSURE:

- 10. If full-faced respiratory protection is not required, wear safety glasses, goggles, or full-face shield for eye protection when handling the liquid. Exposure of eyes to splashing liquid fumigant may render an individual helpless.

  11. In cace of eye exposure, flush eyes with clean water.

#### SKIN EXPOSURE:

WEAR FULL-BODY CLOTHING THAT IS CLEANED AFTER EACH WEARING OR DISPOSABLE PROTECTIVE CLOTHING. WHEN HANDLING LIQUID, USE GLOVES AND AN APRON THAT ARE RESISTANT TO CHLOROPICAIN AND 1,3-DICHLOROPROPENE.

1,3-DICHLOROPROPENE.

12. Do not spill. If liquid fumigant splashes or spills on shoes or clothing, remove them at once as fumes from the contaminated area will be an intolerable source of irritation. If the liquid contacts skin where rings or bandages are worn, remove them and wash the exposed ekin with soap and water. Air expose shoes or clothing outside and do not wear until free of all

traces of funigant.

13. Always have adequate clean water available to wash the thin. Wash thoroughly with soap and water after handling and before eating and smoking.

SEE PRECAUTIONS CONTINUED IN THIRD COLUMN

## PRECAUTIONS TO FOLLOW DURING FIELD FUMIGATION

14. This funigant should not be applied when there is an atmos-

pheric inversion, since uncomfortable concentrations of chloropicrin may drift to nearby areas.

15. Do not lift injection shanks to turn at end of a pass until the fumigant has drained from the system following closure of the shutoff valve.

16. In case of the rupture of a hose or fitting while applying the funigant, immediately stop the tractor and motor. Get off the tractor and get to a place where the problem can be observed without exposure to the funes. Approach from up wind, with respiratory protection if required, and make necessary repairs.

17. When changing cylinders, be certain they are turned off and the fumigant system is not under pressure

## PRECAUTIONS TO FOLLOW AFTER FIELD FUMIGATION

If required, post all treated areas with warning signs. The signs are available from your Desier or representative.
 Keep all animals, children, and unauthorized people away from area under fumigation during 48 hour exposure period and during removal of tarpaulin.

#### NOTE CAREFULLY:

Funigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and funigant are applied to soils that are either cold. wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made following funigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing nitrates until after the crop is well established and soil temperature is about 65° F. Liming highly acid soils before funigation stimulates nitrification and reduces the possibility of ammonia toxicity. and reduces the possibility of ammonia toxicity.

#### ENVIRONMENTAL HAZARD

This funigant is toxic to fish and wildlife. It should not be discharged where it will drain into lakes, Streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, properly dispose of contaminated materials. For guidance, contact your State Water Board or nearest Regional Office of the EPA.

## CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit water to be used to clean fumigant pressure system as corrosion will result. Diesel oil is satisfactory for this purpose.

## DIRECTIONS FOR USE

It is a wiplation of Federal Law to use this product in any manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

## STORAGE AND HANDLING:

Store in dry, cool, well-ventilated area under lock and key. Post as a pesticide atorage area. Do not contaminate water, food, or feed by storage. Persons moving or handling containers should wear protective clothing. Open container only in a well-ventilated area Wearing protective clothing, and respiratory protection if necessary.

## RETURN OF CYLINDERS:

Cylinders are the property of:

Soil Chemicals Corporation 8770 Highway 25 Hollister, CA 95023

Soil Chemicals Corporation 2060 East 20th St. Long Beach, CA 90810

- When a cylinder is empty, the valve should be closed, the safety cap screwed onto the valve outlet, and the protection bonnet replaced prior to its return to the shipper.
   Bo not ship cylinders without safety caps or valve protection
- bonnets.
- When a cylinder is partially full and there is no further requirement for the product, contact Soil Chemicals Corporation
- for return instructions.
  4. Containers should never be refilled by the consumer or used for any other product or purpose.

## SHIPPING:

This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin mixture, class 8: poison and no exemptions from Specifications, packaging, marking, and labeling are allowed. Describe empty cylinders as having last contained Chloropicrin mixture. Do not ship with food, feeds, or clothing.

#### HANDLING:

- 1. The valve protection bonnet and safety cap should be removed only when fumigant is about to be removed from the cylinder. The safety cap and valve protection bonnet must be replaced when the cylinder is not in use.
- 2. Cylinders should never be subjected to rough handling or to abnormal mechanical shock such as cropping, bumping, dragging, or sliding.
- 3. Ropes, slings, hooks, tongs, and similar handling devices should not be used for unloading cylinders.
- 4. A suitable hand truck, fork truck, or similar device to which the cylinders can be firmly secured should be used for transporting the heavier cylinders.

SPILL OR LEAK PROCEDURE: Evacuate immediate area of spill or SPILL OR LEAK PROCEDURE: Evacuate immediate area of spill or leak, Use SCBA combination air-supplied SCBA respirator, or approved cannister respirator for entry into affected area to correct problem. Howe leaking or damaged containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spilled material to evaporate, or to absorb onto vermiculite, dry sand, earth, or similar absorbent material which may be disposed of on site, or at an approved disposal facility. Do not permit array into spill area or cleanup by unprotected persons until concentration of chloropicrin is determined to be less than 0.1 pps.

#### DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide. spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label inhituetions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the near Lt EPA Regional Office for guidance.



## GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY MAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY INDIVIDUALS TRAINED IN ITS PROPER USE. BEFORE USING, READ ANY FOLLOW ALL LABEL PRECAUTIONS AND DIRECTIONS, INCLUDING THE ATTACHED SUPPLEMENT. ALL PERSONS WORKING WITH THIS FUMIGANT HUST BE KNOWLEDGEABLE ABOUT THE HAZARDS, AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIPMENT AND DETECTOR DEVICES. EMERGENCY PROCEDURES, AND PROPER USE OF THE PUMIGANT.

#### NOTE TO USERS

- CANCER HAZARD WARNING STATEMENT: The use of this product may be hazardous to your health. This product contains 1.3-dichloropropene which has been determined to cause tumors in laboratory anisals. Risks can be reduced by closely following the use directions and precautions, and by wearing protective clothing specified elsewhere on this label.
- Required clothing and equipment during the handling and application of 1,3-dichloropropene:
  - a. One-piece coveralls which have long sleeves and long pants constructed of laminated fabric as specified in the USDA/FDA Guide for Commercial Applicators.
  - b. Liquid-proof hat such as a plastic hard hat with a plastic sweat hand
  - Heavy-duty liquid proof (neoprene/synthetic) work gloves and boots.
- 3. Any article worn while handling 1,3-dichloropropene must be washed before reusing. Immediately remove all clothing which has been drenched or has otherwise absorbed 1,3-dichloropropene from any spill. Dispose of contaminated clothing in a sanitary landfill by incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

#### GENERAL INFORMATION

PIC-CLOR 35 is a preplant soil fumigant for control of soil-borne peats such as wireworms and nematodes, and diseases caused by certain species of Rhizoctonia, Pythium, Fusarium, Phytophthora, and Verticillium. PIC-CLOR 35 is to be used in soil to be planted to the crops listed below. Prior to application. the soil should be in condition for planting and with sufficient moisture to support seed germination.

## APPLICATION

Apply PIC-CLOR 35 by means of chisels spaced 12" apart and at a depth of 8" below the soil surface. To seal in fumigant after application, drag or cultipack immediately behind chisels, or wet down treated area to " depth of 1", or cover area with a plastic tarpaulin. If a plastic tarpaulin is used, it may be removed after 24 hours. Do not apply PIC-CLOR 35 to areas adjacent to fields where valuable crops are growing or near building inhabited by humans or livestock. Apply only where soil temperature at a depth of 6" is 50°F or higher. Apply whenever soil conditions are suitable but preferably in late summer, or fall, or in spring up to 2 weeks before planting.

## RECOMMENDED DOSAGES: Broadcast Application

Land To Be Planted To:	Lbs. Per Acre	Gal. Per Acre
Brussel Sprouts	400 - 600	33 - 50
Cucumbers	500 - 550	42 - 46
Eggplent	500 - 650*	42 - 54
Floral Crops	500 - 650*	42 - 54
Melons	500 - 650*	42 - 54
Nursery Crops	500 ~ 650*	42 - 54
Onions	500 - 550	1 42 - 46
Plant & Seed Beds	500 - 550	42 - 46
Radishes	500 - 550	42 - 46
Strawberries	500 - 650*	42 - 54
Sweet Potatoes	275 - 375	23 - 31
Tomatoes	500 - 650*	42 - 54

If treated area is covered with a plastic tarpaulin immediately efter application, downgo may be reduced by 33%.

- 1. Use highest rate on heavy soils such as clay or muck and
- lowest rate on light sandy soils.

  2. Use highest rate for cyst-forming nematodes and Verticillium wilt control.
- Row or bed applications may be made at the broadcast rates, but the amount used will be proportionately less per acre depending on the row spacing and width of treatment in the row or had. row or bed.

## FIELD REENTRY

Vorkers entering the treated area for 72 hours after the application of 1,3-dichloropropene must wear protective clothing.

#### EXPOSURE AND AERATION

After application, leave the soil undisturbed for 14 to 21 days. Wet After application, leave the soil undisturced for 14 to 21 days, wet soil retards diffusion of the fumigant, thus requiring a longer exposure period. At the end of the exposure period, aerate the soil by plowing or deep cultivation. If heavy rains accompanied by low temperature occurs during the exposure period, working soil several times is essential for thorough aeration. Aeration is usually complete when the odor of the fumigant is no longer evident. This usually occurs by 14 days after application.

#### WARRANTY

MOTICE: Seller warrents that the product conforms to its chemical nearing of the reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty hor any other warrenty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



10/1/