

8536-35

3/13/2013

118

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

MAR 13 2013

Mardel Belotinsky
Soils Chemicals Corporation
P.O. Box 782
8770 Hwy. 25
Hollister, CA 95024

Subject: Amended Reregistration Label
Product Name: Cardinal Food Plant 5-1 Insecticide
EPA Registration Number: 8536-35
EPA Decision Number: 410573, 412599

Dear Ms. Belotinsky:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrins and PBO REDs, and has concluded that your submission is acceptable.

NOTE: This product is **not** being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.


Please note that the record for this product currently contains the Confidential Statement of Formulation (CSF) listed below. Any CSFs other than those listed below are superseded.

- Basic CSF dated >> 04-30-10

A copy of your label is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Gene Benbow at 703-347-0235 or benbow.gene@epa.gov.

Sincerely,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosures: *Acute Toxicity Review, dated 10-04-10*
Product Chemistry Review, dated 03-21-12
Stamped Accepted Label, dated MAR 13 2013

ACCEPTED

MAR 13 2013

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 8536-35



Cardinal Food Plant 5-1 Insecticide

INTENDED TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS AND OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS. FOR INDOOR USE ONLY AS A SPACE, AREA OR CONTACT SPRAY. DEPENDENT UPON PESTS TO BE CONTROLLED AND THE AREA TO BE TREATED, MAY BE APPLIED THROUGH MECHANICAL AEROSOL GENERATORS (ULV) AS WELL AS CONVENTIONAL FOGGING OR SPRAYING EQUIPMENT.

ACTIVE INGREDIENTS:

- Pyrethrins1.0%
- Piperonyl Butoxide*5.0%
- OTHER INGREDIENTS**:** 94.0%
- TOTAL:**100.0%

*(butylcarbityl) (6-propylpiperonyl) ether and related compounds
**Contains petroleum distillates

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency medical treatment information.

NOTE TO PHYSICIAN:

Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Mixers, loaders, applicators, and other handlers must wear the following:
 - Long-sleeve shirt,
 - Long pants,
 - Shoes and socks, and
 - Chemical-resistant gloves (such as Barrier Laminate, Nitrile or Neoprene Rubber, or Viton, selection category E).
- In addition to the above PPE, applicators using hand-held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with:
 - A dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TX-21C), or
 - A canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or
 - A cartridge or canister with any N, R, P or HE filter

USER SAFETY REQUIREMENTS

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Extinguish open flame before space spraying. Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

USE RESTRICTIONS

- Only protected handlers may be in the area during application.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Not for use in outdoor residential misting systems.
- Do not use in aircraft.

For use as a surface spray:

- Do not allow adults, children, or pets to enter until sprays have dried.

For use as a space spray:

- Do not allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

For indoor uses:

- Remove pets and birds, and cover fish aquariums before application.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

For use in food handling or food processing facilities:

- Do not make space spray applications when facility is in operation.
- Prior to space spray applications, cover or remove food.
- Prior to space spray applications, cover food processing surfaces, or clean after treatment and before use.

CARDINAL FOOD PLANT 5-1 INSECTICIDE is to be used as directed for control of the following insects: Angoumois Grain Moth, Ants, Boxelder Bugs, Cadelles, Cheese Mites, Cheese Skippers, Cigarette Beetles, Clover Mites, Cockroaches (German), Confused Flour Beetles, Crickets, Dark Mealworms, Deer Flies, Dried Fruit Beetles, Drug Store Beetles, Earwigs, Fruit Flies, Fungus Gnats, Gnats, Grain Mites, Granary Weevils, Horn Flies, Hornets, Horse Flies, House Flies, Indian Meal Moths, Lice, Mediterranean Flour Moths, Mosquitoes, Mushroom Flies, Red Flour Beetles, Rice Weevils, Saw Toothed Grain Beetles, Stable Flies, Tobacco Moths, Wasps, Yellow Mealworms.

INDOOR USE AREAS: Bakeries, Beverage Plants, Canneries, Dried Food Products in Storage or Processing, Flour Mills, Food Processing Plants, Grain Elevators, Granaries, Homes, Hospitals, Hotels, Industrial Installations, Meat Packing Plants, Motels, Office Buildings,

Railroad Cars, Restaurants, Schools, Ships' Holds, Stored Food in Multi-Walled Paper or Cloth Bags, Supermarkets, Truck Trailers, Warehouses.

INDOOR USE, UNDILUTED: The use of this product in food processing or food handling establishments (bakeries, beverage plants, canneries, food processing plants, hospitals, hotels, industrial installations, meat packing plants, restaurants, schools, supermarkets and warehouses) must be confined to time periods when the plants or facilities are not in operation. Do not apply directly to food.

In hospitals, patients must be removed from room prior to treatment. Room must be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

SPACE AND CONTACT SPRAY APPLICATION. To control accessible adult stages of Ants, Boxelder Bugs, Cheese Mites, Cheese Skippers, Clover Mites, Cockroaches (German), Crickets, Earwigs, Fruit Flies, Hornets, Mosquitoes, Silverfish, Small Flying Moths, Wasps, and the following common stored product pests: Angoumois Grain Moths, Cadelles, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Grain Mites, Granary Weevils, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Spider Beetles, Tobacco Moths, Yellow Mealworms.

Close doors and windows and shut off ventilating systems. Cover or remove any food and food processing equipment before application. Do not apply while food processing is underway. Use a mechanical aerosol generator or a fogger adjusted to deliver aerosol droplets (30 microns or less). Direct the spray first into all cracks and crevices, behind all equipment, cupboards, obstructions or dark harborage areas to provide maximum penetration and impingement on the insects. Then treat as a space spray, directing the spray towards the ceiling and upper corners of the area and behind any obstructions. Apply at a rate of 1 ounce per 1000 cubic feet of space. Keep area closed for at least one hour. Vacate treated area and ventilate before reoccupying. After space spraying, all equipment, benches, shelving, etc. where food will be handled must be washed with an effective cleaning compound and rinsed with potable water. Repeat treatment as necessary.

TREATMENT OF STORED FOOD AREAS: Foods in multi-walled bags or in cloth bags stored in warehouses, storage rooms, flour mills, grain elevators and granaries. To control accessible adult stages of Angoumois Grain Moth, Cadelles, Cheese Mites, Cheese Skippers, Cigarette Beetles, Cockroaches (German), Confused Flour Beetles, Dark Mealworms, Grain Mites, Granary Weevils, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Yellow Mealworms.

Infested stored products should be destroyed, fumigated or treated by other effective methods using an approved product intended for this purpose. As noted above, disperse Cardinal Food Plant 5-1 Insecticide first by directing spray into cracks and crevices, corners, pallets, and around stacks of packaged goods--hitting as many insects as possible and then apply as a space spray at dosage of 5 ounces per 1000 cubic feet of room space. Repeat application as necessary for insect control. Leave the treated areas closed for one hour. Do not remain in treated area and ventilate before reentry.

INDOOR USE, DILUTED SPACE SPRAY APPLICATION. For use in mechanical fogging or spraying equipment. To control accessible stages of Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths. Do not apply directly to food. Close room and shut off air conditioning or ventilating equipment. Mix 13 ounces of Cardinal Food Plant 5-1 Insecticide with sufficient oil to equal 1 gallon of diluted spray. Apply at the rate of 1-2 fluid ounces per 1000 cubic feet, filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment if reinfestation occurs.

SURFACE SPRAY APPLICATION. To control accessible stages of Ants, Boxelder Bugs, Clover Mites, Cockroaches (German), Crickets, Drugstore Beetles, Earwigs, Lice, Silverfish, Spider Beetles: Mix 13 ounces of Cardinal Food Plant 5-1 Insecticide with sufficient oil to equal 1 gallon of diluted spray. Do not apply directly to food. Apply as a coarse droplet spray using approximately 1 gallon to 750 square feet of space. Spray walls, floors and other surfaces of bins and storage and handling areas thoroughly, being especially careful to treat cracks, crevices and similar hiding places. Treat unloading, handling and processing areas and inside conveying, processing and handling equipment. Spray thoroughly around the base of heavy machinery and equipment. Spray insects directly when possible.

FOR IN-TRANSIT PROTECTION: Clean and spray truck beds, boxcars and ships' holds before loading. Thoroughly treat walls and floors and spray each layer of cartons or containers lightly as stacked.

TREATMENT OF STORED GRAIN. To control accessible adult stages of Angoumois Grain Moth and Indian Meal Moth: Apply to the surface of binned grain at a rate of 1 gallon per 1000 square feet. Apply at monthly intervals with the first appearance of moths and continue until early fall. In severe infestations, break up webbing with a rake before spraying and make a second application in two weeks.

TREATMENT OF FLYING INSECTS' RESTING PLACES. To aid in the control of Gnats, Mosquitoes, Skippers, Wasps: Treat walls, ceilings, moldings, screens, door frames, window frames, beams, light cords and similar resting places with the above dilution of Cardinal Food Plant 5-1 Insecticide.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, of the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stand out of smoke.

STATEMENT OF WARRANTY AND LIABILITY

Seller warrants that this product complies with the specifications expressed in this label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER MAKES NO OTHER WARRANTIES AND DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR THE INTENDED PURPOSE. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.



Produced for:

Cardinal Professional Products

P. O. Box 782 - Hollister, CA 95024-0782

EPA Reg. No. 8536-35

EPA Est. 48498-CA-1

NET CONTENTS.....LBS.