

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES,
AND TOXIC SUBSTANCES

MAR 28 2006

Behzad Bozorg-Chami
EHS Manager
Garrent-Callahan Co.
50 Ingold Road
Burlingame, CA 94010-2206

Subject: Formula 30-A
EPA Reg. No. 8540-3
Application Dated: December 27, 2005
Receipt Date: February 7, 2006

Dear Mr. Chami,

The following amendment submitted in connection with registration under the section 3(c)(7)(a) of Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended is acceptable.

Proposed Amendment

- Update the First Aid section.

Comments

A stamped copy of the accepted labels are enclosed for your records. Submit (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble
Product Manager (31)
Regulatory Management Branch1
Antimicrobial Division (7510c)0

CONCURRENCES

SYMBOL	M 750C						
SURNAME	M D. Keger						
DATE	M 04/01/06						



Main Office: 50 Ingold Road, Burlingame, CA 94010 (650) 697-5811 FAX: (650) 692-6098

Plants: Addison, IL Atlanta, GA Edison, NJ Dallas, TX Burlingame, CA

www.g-c.com

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

EPA REG. NO. 8540-3

EPA EST. NO.


8540-1-CA

8540-1-TX

8540-1-GA

8540-1-IL

8540-1-NJ



PRODUCT NO. 0279059

NET WEIGHT 40 LBS (4.9 GAL.)

FORMULA 30 - A

WATER TREATMENT MICROBICIDE FOR BUILDING AND INDUSTRIAL COOLING TOWERS

ACTIVE INGREDIENTS:

ALKYL (50% C14, 40% C12, 10% C16)

DIMETHYL BENZYL AMMONIUM CHLORIDES 7.0%

INERT INGREDIENTS 93.0%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

You may contact the Poison Center at 1-800-222-1222 for emergency medical treatment information.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-303-623-5716 day or night for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See Side Panel For Additional Precautionary Statements

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GARRATT - CALLAHAN FORMULA 30 - A will aid in controlling algae and bacterial slimes found in industrial recirculating cooling tower waters. GARRATT - CALLAHAN FORMULA 30 - A helps clean and loosen slime debris from cooling system surfaces. Proper control of such growth is important in the general maintenance of the system. GARRATT - CALLAHAN FORMULA 30 - A is in a concentrated formula and should be handled with care. Please read use directions below.


USE DIRECTIONS

To control algae and bacterial slimes, use GARRATT - CALLAHAN FORMULA 30 - A as directed. For best results, slug feed. The frequency of addition of microbicide needed depends on many factors. To optimize your use of GARRATT - CALLAHAN FORMULA 30 - A follow this procedure.

1. Initially use 1.5 pints per 1000 gallons of water to be treated. Should the above dosage not give satisfactory results, use 2 pints per 1000 gallons of water. Repeat the initial dose every seven days or increase the frequency if needed.

2. When the above treatment level is successful, use 1 to 1.5 pints per 1000 gallons of water to maximize efficiency. Repeat weekly as needed. Should slime develop again, go back to initial dosage. Cooling tower waters that are inherently low in algae growth and bacterial count may be adequately controlled by the lower range of these dosages; slug fed every seven days.

Once the amount of GARRATT - CALLAHAN FORMULA 30 - A in 1 or 2 gallons of water is used, should tower be heavily fouled, a product...



8540-3

MANUFACTURED BY: GARRATT - CALLAHAN COMPANY.

REV. 05/2005

MADE IN USA

222