

DIRECTIONS: AT THE START OF THE POOL SEASON OR IN NEWLY FILLED POOLS, ADD 1 GALLON OF SANICOR POOL CHLORINE PER 20,000 GALLONS OF POOL WATER. REPEAT DOSEAGE UNTIL 1.0 TO 1.5 PPM CHLORINE RESIDUAL IS OBTAINED AS SHOWN BY TEST KIT. THEREAFTER 1/2 GALLON EVERY EVENING OR AS NEEDED TO MAINTAIN 1.0 TO 1.5 PPM CHLORINE RESIDUAL FOR POOL SANITATION AND ALGAE CONTROL. USE TEST KIT FREQUENTLY. 1 QUART POOL CHLORINE TO 35,000 GALLONS WATER PROVIDES 1.0 PPM AVAILABLE CHLORINE. KEEP pH AT 7.4 TO 7.6 AND TOTAL ALKALINITY AT 100 TO 120 PPM AS DETERMINED BY ADEQUATE TEST KIT. DEGRADES WITH AGE. USE TEST KIT AND INCREASE DOSAGE AS NECESSARY TO OBTAIN REQUIRED LEVEL OF RESIDUAL CHLORINE. STORE IN A COOL PLACE.

WARNING: HARMFUL IF SWALLOWED. STRONG OXIDANT. MAY PRODUCE CHEMICAL BURNS. DO NOT GET ON SKIN OR IN EYES.


PRODUCT IS TOXIC TO FISH. DO NOT DISCHARGE TREATED WATER INTO LAKES, STREAMS OR PONDS. RINSE EMPTY BOTTLE WITH WATER BEFORE RETURNING TO SUPPLIER.

FIRST AID: SKIN OR EYES: FLUSH WITH WATER 15 MINUTES. FOR EYES AND PERSISTING SKIN IRRITATION GET MEDICAL ATTENTION. INTERNAL: GIVE MILK, EGG WHITES OR WATER FOLLOWED BY OLIVE OIL OR COOKING OIL. **CALL PHYSICIAN!**

GENERAL POOL SUPPLY, 8700 BELLANCA AVE., LOS ANGELES, CALIFORNIA 90045

EPA Est. 8544-CA-01

EPA REG. NO. 8544-9



DDA sani-clor II pool chlorine

Active Ingredient: Sodium Dichloro-s-Triazinetrione100%
Available Chlorine: 63%

DANGER: Keep out of reach of children.

May produce severe chemical burns to the eyes, skin or mucous membranes. Do not get in eyes, on skin or clothing. Do not breathe dust. May be fatal if swallowed.

See first aid and additional precautions on back panel.

KEEP COVER CLOSED WHEN NOT IN USE.

NET WT. 5 lbs.