MAY 12 1989

GPS Industries 13280 Amar Road City of Industry, CA 91746

Attn: Mr. William Landman, Technical Director

SUBJECT: EPA Reg. No. 8544-9

Sani-Chlor Pool Sanitizer

Dear Mr. Landman:

The above product was reregistered May 11, 1989. At that time, the label was stamped "Accepted" with a minor error. The Maintenance dosage to maintain a chlorine residual in the 1.5 - 3.0 ppm range had been given as 11 ounces, when it should have been a 15 - 30 ounces.

A revised, stamped copy of the label is enclosed.

Jeff Kempter Product Manager (32) Antimicrobial Program Branch Registration Division (H7504C)

H7504C:APB/RD:sc:JKEMPTER:557-3964:711cm2:05/22/89

CONCURRENCES								
SYMBOL	H							
SURNAME	V i				***			
DATE	*]	•••••••••			••••		
EPA Form	1320-1 (12-70)			_ 			OFFICE	AL FILE CORY

with COMMENTS in EPA Letter Dated:

1144 / 1995

Under the central innecticide, Fungicide, and hadenticide Act as tricinded, for the posticide registered under EPA Reg. No.



sani-clor * 84 pool sanitizer

8544 - 9 CHLORINATI FOR POOL SANITIZ

ACTIVE :NGREDIENT: SODIUM HYPOCHLORITE

.... 12. 87.

CEPOUT OF REACH OF CHILDS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMA

DANGER: Corrosive, harmful if swallowed, causes eye damage. May cause severe ckin irritation or chemical burns. Wear goggles and gloves when handling. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas after use. Do not return until odors have dissipated.

FIRST AID: If swallowed drink of milk or gelatin solution, or la water. If in eyes remove contact eyes for 15 minutes. On skin, with soap and water. Do not give acids. Do not induce vomition medical attention in all cases. See additional precautionary statements

EPA, EST. 8544-CA-01

Manufactured By:
GPS INDUSTRIES
13289 Amar Road • City of Industry, CA 91746

Ne

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Pool Start-up/superchlorination - add 31/4 quarts per 10,000 gallons of pool water (equal to 10 ppm ayailable chlorine). Maintenance dosage is 17 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5½ ounces per 1,000 gallons (5 ppm available chlorine) for start-up, superchlorination, and maintenance. Maintain pH between 7.2 to 7.6. See manufacturer's collateral labeling for additional and complete use directions available at dealer.

Mote: This product loses strength with age. Use a reliable test kit and adjust dosages as necessary to obtain required level of chlorine.

DOT shipping information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams, ponds, and public water unless in accordance with a NPDES permit. For guidance contact EPA regional office.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Mixing with other chemicals or organic matter will release chlorine gas, irritating to eyes, lungs, and mucous membranes.

STORAGE, SPILLS, AND CONTAINER RETURN:

Store in a cool, dry place, away from direct sunlight. In case of spill, flood area with water. Return bettle to dealer with closure tightly fastened.

EPA. EST NO . PSYV-(A-01

EPA. Reg. No. 8544-9