1	LPA REGISTRATION NO	DATE OF ISSUANCE	
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75 767) WASHINGTON, DC 20460	8544-9	SEP 2.4 (993	
	TERM OF ISSUANCE		
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE P	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide,	Sani-Chlor	Sani-Chlor Pool Sanitizer	
and Rodenticide Act, as amended?			
NAME AND ADDRESS OF REGISTRALIT (Include ZIP code)		
<u>-</u>			
GPS Industries			
City of Industry, CA 91747	7-0326		
	, , , , , , , , , , , , , , , , , , , ,		
į L.	ل		
••			
NOTE: Changes in labeling formula differing in subs	tence from that accepted in con-	nection with this registration must be	
submitted to and accepted by the Registration Divisi product always refer to the above U.S. EPA registration	ion prior to use of the label in co	ommerce. In any correspondence on this	
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.			
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.			
Registration is in no way to be construed as an indo health and the environment, the Administrator, on his icide in accordance with the Act. The acceptance of Act is not to be construed as giving the registrant a	s motion, may at any time susper Fany name in connection with the	nd or cance) the registration of a pest- e registration of a product under this	
by others.	MENT (O OXCIDSIAN ASE OF THE HE	He (4 to 113 ave ii 11 mas neem c (Assist	
Based on your response to Document, EPA has reregistered the comments recorded in the is taken under the authority Insecticide, Fungicide, and Reregistration under this secontinual reassessment of period data at any time to maintain	ed the above named succeeding paragra of section 4(g)(2)Rodenticide Act, asction does not eliminately	product subject to aph. This action (aph.) (C) of the Federal (appended) amended. The minate the need for require submission	
Make the following laber product for shipment:	ling changes befor	e you release the	
1. In the Practical Treatment section on the primary label, replace "5 minutes" with "15 minutes" in the "If In Eyes" instructions. In the "If on Skin" instructions, delete the words "for at least 15 minutes".			
Replace the "Storage, Spills, and Container Return" section of the primary label with the "Storage and Disposal" section found on the supplemental label.			
 On the primary label, place the Storage and Disposal section in the Directions for Use section. 			
ATTACHMENT IS APPLICABLE			
SIGNATURE OF APPROVING OFFICIAL		DATE	

4. On the primary lanel, place the Environmental Hazards section in the Precautionary Statements section.

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (H-7504C)

Enclosure

)

SUPPLEMENTAL LABEL INFORMATION FOR SANI-CLOR POOL SANITIZER

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

MANUFACTURED BY:

GPS Industries
13280 Amar Road
City of Industry, CA 91746

ACCEPTED
with OCHMENTS
in EPA Letter Dated:

SEF 21 1993

Inder the Fence Insecticide.
Fungicide, and Redenticide Act
amended, for the pertiade
under EPA Reg. No.

EPA Est. 8544-CA-01

EPA Reg. No. 8544-9

)

Net Contents 1 Gallon

sani-clor pool sanitizer

CHLORINATING LIQUID FOR POOL AND SPA SANITIZATION

ACCEPTED
WITH COMMENTS

SEP 2 4 1993

Under the Federal Insert Funglide, and Rodenn ... as amended, for the ... registered andre EPA Re...

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE

INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

PRACTICAL TREATMENT (FIRST AID): <u>If swall</u> large amounts of water. <u>Po Not</u> induce vomit physician or poison control center immediately.

IF ON SKIN: Brush off excess chemical and flucold water for at least 15 minutes. If irritation madical attention.

IF IN EYES: Flush with cold water for at least 5 medical attention.

EPA EST. 8544-CA-01

Manufactured By:

GPS INDUSTRIES

13280 Amar Road ● City of Industry, CA 91746

EPA Re

Net: 1

STORAGE AND DISPOSAL

Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 oz. of Sani-Cier Pool Sanitizer for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of Sani-Clor Fool Sanitizer for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of Sani-Clor Pool Sanitizer for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine oy weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS - While water is still clear & clean, apply 3 oz. of Sani-Cler Pool Sanitizer per 1,000 gallons, while filter is running, to obtain a 3 ppm available chilorine residual, a determined by a suitable test kit. Cover pool, prepate heater, fifter and heater components for winter by following manufacturer's instructions.

SPAS, HOT TUBS, IMMERSION TANKS, ETC.

SPAS/HOT TUBS - Apply 5 oz. of Sani-Clor Pool Sanitizer per 1,000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may ause foaming or cloudy water, as well as interfere with the chlorine residual.

To maintain the water, apply 5 oz. of Sani-Clor Pool Sanitizer per 1,000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.


After each use, shock treat with 8 oz. of Sani-Clor Pool Sanitizer per 500 gallons of water to control odor and algae.

During extended periods of disuse, add 3 oz. of Sani-Clor Pool Sanitizer daily per 1,000 gallons of water to maintain a 3 ppm chlorine concentration.

)

HIGHBOARD AND IMMERSION TANKS - Add 5 oz. of pani-Clor Pool Sanitizer per 100 gallons of water before patient use to obtain a chlorine residual of 25 ppm, as determined by a suitable test kit. Adjust and maintain the water pH to between 7.2 and 7.6. After each use, drain the tank. Add 5 oz. to a bucket of water and circulate this solution through the agitator of the tank for 5 minutes and then rinse out the solution. Clean tank thoroughly and dry with clean cloths.

HYDROTHERAPY TANKS - Add 1 oz. of Sani-Clor Pool Sanitizer per 1,000 gallons of water to obtain a chlorine residual of 1 ppm, as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate filter continuously. Drain weekly, and clean before refilling.



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and equatic organisms. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Pool Start-up/superchlorination - add 3¼ quarts per 10,000 gallons of pool water (equal to 10 ppm available chlorine). Maintenance dosage is 11 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5½ ounces per 1,000 gallons (5 ppm available chlorine) for maintenance. Maintain pH between 7.2 to 7.6. See manufacturer's collateral labeling for additional and complete use directions available at dealer.

NOTE: This product loses strength with age. Use a reliable test kit and adjust dosages as necessary to obtain required level of chlorine.

DOT shipping information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aqua Do not discharge effluent containing the lakes, streams, ponds, estuaries, occurates unless this product is specificated addressed in an NPDES performed addressed in an NPDES performed streament plant authority. For guidance State Water Board or Regional Office of

PHYSICAL AND CHEMICAL HAZARD Strong oxidizing agent. Mix only with with other chemicals or organic matter chlorine gas, irritating to eyes, lungs membranes.

Storage, SPILLS, AND CONTAINED Store in a cool, dry place, away from of In case of spill, flood area with water. to dealer with closure tightly fastened.