



# sani-clor

dry concentrated

## pool chlorine

**INSTRUCTIONS:** When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. SANI-CLOR concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add SANI-CLOR conditioner at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

SANI-CLOR Concentrated Pool Chlorine should be added daily or as needed at the rate of  $\frac{1}{4}$  to  $\frac{1}{2}$  oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of SANI-CLOR concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual is below 2.0 ppm.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

### **DANGER: Keep out of reach of children.**

Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

**FIRST AID:** In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

**DANGER:** Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary. Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool dry place. Keep closed when not being used. Do not reuse container. Rinse empty container thoroughly with water and discard. This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL**

Packaged by: **GENERAL POOL SUPPLY**  
**8700 Bellanca Avenue, Los Angeles 90045**

1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 8544-15

**DANGER:** Strong oxidizing material. Contact with moisture, heat, combustible, organic or any foreign material may result in fire.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.


Store in a cool dry place. Do not allow tablets to come in direct contact with vinyl liners as the chlorine will discolor the liner. Do not mix with other chemicals.

**APPLY THIS PRODUCT ONLY AS SPECIFIED  
ON THIS LABEL.**

**FIRST AID:**

**INTERNAL:** Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

**EXTERNAL:** In case of eye contact flush with water for 15 minutes and get medical attention. In case of skin contact flush with water.



# sani-tab 300

**STABILIZED CHLORINE TABLETS**

ACTIVE INGREDIENT: Trichloro-s-Triazinetrione .....100%  
(Available Chlorine .....90%)

**DANGER: Keep out of reach of children.**

Corrosive. Causes eye damage. May cause severe burns to broken skin. Causes irritation on wet skin. Do not get in eyes. Avoid prolonged skin contact with tablets. Wash hands thoroughly after handling. May Be Fatal if Swallowed.

**KEEP COVER CLOSED WHEN NOT IN USE.**

**NET WT. lbs.**

EPA REG. NO. 8544-15

stabilize  
safe sanit

**INSTRUCTIONS:**  
tioner. If pool i  
tioner. Initially  
SANI-CLOR gran  
until chlorine l  
SANI-TEST Kit.  
SANITAB 300 ta  
dispenser per  
needed. For com  
between 7.2 to  
SANI-TEST chlor  
to stabilize aga  
stabilizing.

RINSE EMPTY CO

GENE  
8700 Bell