

PM 32

8544-16
SANI-CLOR POOL SANITIZER II

1/2

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE 10%
INERT INGREDIENTS: 90%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)*


IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Cause eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated. See Additional Precaution and Use Directions on back panel.

BEST AVAILABLE COPY



97 FEB 12 P2:55

REC'D 10/DPD1

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g.: ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE: Stabilize pool with Sani-Clor pool Conditioner (follow label direction). Add 1 quart of Sani-Clor Pool Sanitizer II 20,000 gallons water, check available chlorine with suitable test kit. If below one PPM, add increments of 3 oz./20,000 gallon every other day or as needed to maintain 1.0-1.5 PPM available chlorine. Product degrades with age. Use a test kit and increase dosage as necessary to obtain the required level of available chlorine. Maintain water pH at 7.2-7.6 as determined with a suitable test kit.

FOR SUPERCHLORINATION: Add 1 gallon of Sani-Clor Pool Sanitizer II per 10,000 gallons of pool water. Do not enter pool until the residual chlorine is below 3.0 PPM.

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Distributed by:
GPS Industries
13280 Amar Road
City of Industry, CA 91746

BEST AVAILABLE COPY

EPA EST. NO. 8544-CA-01
EPA RE. NO. 8544-16

