ATTACHMENT IS APPLICABLE

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

(C)

Ruth G. Douglas Product Manager 32 Antimicrobial Program Branch Registration Division (H-7504C)

Enclosure

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as faces, urine, etc., or other chemicals will release hazardous gases irritating to eyes, lungs and muccus triembranes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE: Stabilize pool with SANI-PURE Conditioner (follow label directions). Add 1 quart SANI-CLOR SANI-PURE/20,000 galions water, check available chlorine with suitable test kit, if Below one PPM, add increments of 3 oz./20,000 gal. every other day or as needed to maintain 1.0-1.5 PPM available chlorine. Product degrades with age. Use a test kit and increase dosage as necessary to obtain the required level of available chlorine. Maintain water pH at 7.2-7.6 as determined with a suitable test kit.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER C. STEMS

Dilute this sodium hypochlorite solution in the ration of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the Nation Interim Primary Drinking Water Regulation*. Check water frequently with a DPD chlorine test.

*Contact your local health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING

OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz (2 tblsps.) of this sodium hypochlorite solution per 5 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary to obtain the required level of available chlorine.

DILUTION TABLE		
Available Chlorine, PPM	SANI-PURE	Water, Gallons
200	1 Fl. Oz.	5
300	11/2 Fl. Oz.	5
600	2 日 ᢕ₂	6

STORAGE AND DISPOSAL: STORE THIS PRODUCT IN A COOL DRY AREA, AWAY FROM DIRECT SUNLIGHT AND HEAT TO AVOID DETERIORATION. IN CASE OF SPILL, FLOOD AREAS WITH LARGE QUANTITIES OF WATER. PRODUCT OR RINSATES THAT CANNOT BE USED SHOULD BE DILUTED. WITH WATER BEFORE DISPOSAL IN A SANITARY SEVIEB DO NOT REUSE EMPTY CONTAINER BUT PLACE IN TRASH COLLECTION. UP NOT CONTAMINATE FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT.

Manufactured By:

GPS Industries • 13280 Amar Rd. • Industry, CA 91746

EPA EST. 8544-CA-01 EPA REG. NO. 8544-22

SANI-CLOR

SANI-PURE

FOR SWIMMING POOL CHLORINATION AND SANITIZING

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or clothing. Wear goggles—face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated area as soon as possible. Do not return until odors have dissipated.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 24 1993

Finder the Federal Insecticide, Pungleide, and Rodenticide Act as amended, for the pertirie registered under EPA Reg. No. 8544-22

