


CAUTION: Keep Out of Reach of Children.
Contents Under Pressure.
Read Pre-Cautions on Back of Can.

AC TED

Cameraman's Note
Poor Copy

[8550-7]



FOR CONTROL OF
MOSQUITOES

ACCEPTED

MAY 25 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 8550-7 SUBJECT
TO ATTACHED COMMENTS.

DeL X-IT Insecticide

ACTIVE INGREDIENTS	100.0%
Petroleum Distillate	99.525%
N-Octyl Bicycloheptene Dicarboximide250%
Technical Piperonyl Butoxide*150%
Pyrethrins075%
	<u>100.000%</u>

*Consists of (Butylcarbityl) (6-propylpiperonyl) Ether and other related compounds.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Side Panel for Additional Cautions

U.S.D.A. Registration No. 8550-7

Application: Some discoloration may occur on certain types of wall surfaces or woodwork. Test a small hidden area as a test to avoid damage.

Can be used for almost any industrial or domestic purposes. It has no objectionable odor and does not stain foods when used properly.

Simply load the sprayer with this concentrate and spray insect hiding places.

For killing flies and mosquitoes, spray surfaces with mist. Keep all openings closed for at least 10 minutes after treatment. Sweep up and remove dead insects.

FLIES, MOSQUITOES, GNATS: Infested areas should be closed for at least 10 minutes after treatment and ventilated thoroughly. Sweep up and remove dead insects.

ANTS: To control these insects, apply this insecticide where they are crawling. Pay particular attention to cracks, crevices, and under frames, repeating application as necessary.

CLOTHES MOTHS, CARPET BEETLES: Apply this insecticide to that cracks in floors and openings between walls. Surfaces should be thoroughly wetted. Clothing to be stored should be sprayed thoroughly from a distance. Chests and vaults should be sprayed with materials being stored. Repeat application every 30 days unless stored in "moth-proof" containers.

BEDBUGS: This formula is well adapted for the control of bedbugs. Spray solution on baseboards, mouldings, and other points where there are cracks and crevices. Spray bed frames, and mattress.

FLEAS INFESTING PREMISES can be controlled by spraying floors and cracks of the carpets and upholstered furniture. Spray also in baseboards, wall cracks and other places for direct contact with these pests.



DeL Chemical Corporation

MENOMONEE FALLS, WISCONSIN

RENO, NEVADA

MENOMONEE FALLS, WISCONSIN

DeL X-IT... INSECTICIDE

FOR CONTROL OF COCKROACHES - WATERBUGS - BEDBUGS - FLOUR BEETLES - WEEVILS - FLIES
MOSQUITOES - ANTS - SILVERFISH - MOTHS AND CERTAIN OTHER COMMON INSECT PESTS

FOLLOW DIRECTIONS CAREFULLY FOR BEST RESULTS

Application: Some discoloration may result in surfaces covered with certain types of wall surfaces or water base paints. Apply first to small hidden area as a test to avoid discoloration.

Can be used for almost any industrial or household spraying purposes. It has no objectionable odor and will not stain or contaminate foods when used properly.

Simply load the sprayer with this concentrate and spray directly into insect hiding places.

For killing flies and mosquitoes, spray into the air, filling the premises with mist. Keep all openings closed until the mist has disappeared. Sweep up and remove dead insects.

FLIES, MOSQUITOES, GNATS: Infested area should be closed tightly and filled with a mist of this insecticide. The space should be left closed for at least 10 minutes after treatment. Open all windows and ventilate thoroughly. Sweep up and destroy dead insects.

ANTS: To control these insects, apply the solution to surface where they are crawling. Pay particular attention to door sills and window frames, repeating application as necessary.

CLOTHES MOTHS, CARPET BEETLES: Take special precautions to see that cracks in floors and openings below the baseboards are thoroughly wetted. Clothing to be stored should be cleaned and aired, and sprayed thoroughly from a distance of one (1) to two (2) feet. Chests and vaults should be sprayed thoroughly before being filled with materials being stored. Repeat application to treated woollens every 30 days unless stored in "moth-tight" containers.

BEDBUGS: This formula is well adapted to the control of these pests. Spray solution on baseboards, mouldings, furniture, loose wallpaper and other points where there are cracks for the bugs to hide and breed. Spray bed frames, and mattresses thoroughly.

FLEAS INFESTING PREMISES can be controlled quickly and effectively by spraying floors and cracks of the infested areas. Fleas lurk in carpets and upholstered furniture. Spray liberally in these areas, as well as in baseboards, wall cracks and sleeping quarters of animals for direct contact with these pests.

COCKROACHES, WATERBUGS, SILVERFISH: Spray the infested area thoroughly working this spray into cracks and other hiding places. Wherever possible try to hit the insect directly with the spray. This application should be repeated as often as necessary.

STORED PRODUCTS INSECTS, WEEVIL, CADELLE AND FLOUR BEETLES, FLOUR MOTHS: These can be controlled when in the exposed or accessible stages by the following treatment: Floors, walls and partitions in flour mills, feed mills, food processing plants, empty train bins and box cars should be sprayed with enough solution to wet the surface, paying attention to cracks and crevices where insects may be harbored. Spray old sacked grain heavily to reduce infestation. In addition, direct a light spray to hit all exposed ends, sides, and tops of stored bags. When reinfestation occurs repeat the application. Watch for migration periods immediately after or during hot weather. This will materially aid in controlling these pests.

APPLICATION: For space spraying adjust the nozzle faucet lever to the position shown to produce a very fine cloud of mist. FOR BEST RESULTS BEFORE SPRAYING, CLOSE ALL OPENINGS AND TURN OFF AIR CONDITIONING AND VENTILATING SYSTEMS.

FLIES, MOSQUITOES, GNATS, AND CERTAIN OTHER SMALL FLYING INSECTS: Cover all food stuffs to prevent contamination from falling insects. Then spray until room is filled with dense fog. After treating an area allow sufficient time for insects to die. Sweep up dead insects and destroy them. The frequent spraying of breeding places, such as stagnant water, garbage cans, and rubbish piles, also helps.

EXCESSIVE SPRAYING IS WASTEFUL — DO NOT SPRAY DIRECTLY ON FOODS — KEEP OUT OF THE REACH OF CHILDREN — HARMFUL IF SWALLOWED.

**Caution: Do Not Spray Near Open Flame
Do Not Smoke While Spraying
Do Not Spray Animal Pets**

NET CONTENTS:

12-4/66 2M LL

DEL CHEMICAL CORPORATION

MENOMONEE FALLS, WISCONSIN

RENO, NEVADA

RENO, NEVADA

100.0%

ounds.

EN.

ns