	32 oz.	
	30 oz.	
	28 oz.	
	26 oz.	V E
	24 oz.	E C a
	22 oz.	W > 0
	20 oz.	W V O W S i e c patin
	18 oz.	c p a
	16 oz.	n
	14 oz.	A P 1
	12 oz.	A F1 w puh fi
•	10 oz.	
	8 oz.	A a ti P
	<u>6</u> oz.	
	<u>4</u> oz.	T ti s
	2 oz.	



HOW MUCH TO USE:
WHEN ALGAE IS NOT VISIBLE. In freshly filled pools or pools showing no visible algae growth, add 8 ounces
ALGAE-GUARD PLUS per 12,500 gallons of water.

WHEN ALGAE GROWTH IS VISIBLE. A dosage of 20 ounces per 12,500 gallons of water must be applied. As soon as existing algae growth is dead and algae have withered, the pool should be cleaned and a dose of 8 oz. per 12,500 gallons of water added. This should be done the next day or two. It should not be put off for 5 to 7 days.

### MAINTENANCE DOSAGE

Add 8 oz. ALGAE-GUARD PLUS every 5-7 days per 12,500 gallons of wate. 15 warm weather prevails or pool has unusually heavy use, maintenance dosage may have to be repeated more frequently.

#### HOW TO USE

Mix required amount of ALGAE-GUARD PLUS into a bucket of water and distribute evenly throughout pool water.

THIS PRODUCT IS TOXIC TO FISH. DO NOT discharge treated effluent into lakes, streams or ponds.



# ALGAE-GUARD PLUS

ALGAE CONTROL

SWIMING POOLS
HELPS KEEP POOL WATER CLEAR
AND FREE OF GROWING ALGAE

n-Alkyl (50%C <sub>14</sub> , 40%C <sub>12</sub> , 10%C <sub>16</sub> ) dimethyl	
benzyl ammonium chloride	40%
INERT INGREDIENTS	60%

### DANGER: KEEP OUT OF REACH OF CHILDREN

Rinse empty container thoroughly with water and discard it. See antidote statement and other required statements on the side panels.

NET CONTENTS: 32 FL. OZ. (1 U.S. QT.)
EPA Registration No. 8866-7

MANUFACTURED BY

ARCO CHEMICAL CORP.
MILWAUKEE, WISCONSIN 53225

## ALGAE-GUARD PLUS

### DANGER:

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling.Harmful or fatal if swallowed. Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. A void alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

