

1 (ct.)

Front Panel

FILTER FLY CONTROL

Active Ingredients:

Mixed aliphatic hydrocarbons 73%

Malathion: O,O-dimethyl phosphorodithioate
of diethyl mercaptosuccinate 3%

Inert Ingredients:

76%
24%
100%

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

See Side Panel for Additional Cautions


U.S.D.A. Registration Number 8550-

NATIONWIDE MANUFACTURER OF MUNICIPAL CHEMICALS


DEL CHEMICAL CORPORATION

Menomonee Falls, Wisconsin

Reno, Nevada



SIDE PANEL



READY TO USE - NOT TO BE DILUTED

Filter Flies breed readily in the slime layer of sewage biofilters. They also breed along the edges of sludge drying beds if the sludge is green (incompletely digested). Larvae are common in plants carrying a normal or heavy load (breeding in slime layer only), and extremely numerous in plants carrying an overload (breeding in both the slime layer and sludge drying beds).

The efficiency of the biofilter is dependent upon the activity of its slime layer, and one of the first rules of biofilter plant operation is: "Don't do anything to damage the integrity of the slime layer". Drying destroys it, flooding disrupts it, and both may be possible in operation for considerable time.

The following procedure can be used for Filter Fly Control:

- 1) Keep weeds, grass, and brush at the edges of the biofilter area.
- 2) Spray well into the entire biofilter area of the following:

Filter Fly Control Concentrate (1:1000 dilution)

or 100 ml per 1000 liters of water

1
1
1
SIDE PANEL

the treatment out from the edge of the filter for 20 feet.

- 3) If necessary, take steps to improve quality of product coming from digestors (USE DEL N-ZYMES).
- 4) Repeat treatment as needed.
- 5) Apply in a concentration of approximately 1.0 part per million. Concentration should not be allowed to exceed 2.0 parts per million.

Not harmful to bacteria if used in accordance with accepted filter fly control. Contamination of fish bearing waters with this product will kill fish. Filter Fly Control should be used only by qualified sewage plant operators.

DO NOT SPRAY DIRECTLY ON FOODS - KEEP OUT OF REACH

OF CHILDREN - HARMFUL IF SWALLOWED - AVOID

INHALATION AND SKIN CONTACT

CALIFORNIA DO NOT SPRAY IN OR ON PLANT - DO NOT SPRAY ON WATER

SPRAYING - DO NOT SPRAY ANIMAL PLACES