



ACCEPTED
 SEP 23 1970
 UNDER THE FEDERAL INSECT
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTRATION
 UNDER NO. 8550-21 SUBJECT
 TO ATTACHED COMMENTS.

DEL SELECT

Weed and Brush Killer Solution

For Municipal, Professional and Industrial Use Only

ACTIVE INGREDIENT:

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 49.6%

INERT INGREDIENTS 50.4%

2,4-Dichlorophenoxyacetic acid equivalent 41.2%. Contains the equivalent of 4 pounds of 2,4-dichlorophenoxyacetic acid per gallon at 68°F.

CONTROLS THESE WEEDS

Canada Thistle
 Wild Onion
 Dandelion
 Plantains
 Ground Ivy
 Pennywort
 Heat-all
 Annual Mustards
 and Yellow Rocket

Indian Mallow
 or Velvetleaf
 Galinsoga
 Common and Giant
 Ragweeds
 Bindweed
 St. Johnswort
 Wild Garlic
 Chicory
 Stinging Nettle

Gumweed
 Burdock
 Poisonhemlock
 Wild Radish
 Recroot Pigweed
 Koria
 Cocklebur
 Lambsquarters
 Biscuits Beggaricks
 Blessed Thistle

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
 See Side Panel for Additional Cautions

U.S.D.A. Registration No. 8550-21

NET CONTENTS

Can Be used On The Following Areas

Golf courses
Lawns
Parks
Playgrounds

Other recreational areas
Air fields
Along highways
Around farm buildings

Ditch banks
Pasture lands
Road Right-of-ways



DEL Chemical Corporation
 MENOMONEE FALLS, WISCONSIN RENO, NEVADA

DEL SELECT

SELECTIVE

Use DEL SELECT on broadleaf weeds and woody plants. This product is sufficient water to spray. The volume of water depends on the type of nozzle used. In general, weeds are most easily killed when young and actively growing.

GRASSES: In grass seed fields, use 1 to 3 pints per acre. The light rate on early, green grasses. For seedling grasses, use 1/2 to 1 fluid ounce (1/2 to 2 tablespoons) per acre with 3 to 5 gallons of water and apply uniformly over the area. For established grasses, use 1 to 2 pints. Repeated treatments may be needed to kill the grasses. In alfalfa, sweet clover and other legume fields, clover, including ladino, may be injured by a light application, but the weeds and grasses will kill it. In some areas, corn, sorghum, and other crops may be injured. Usually the colonial forms are more tolerant than the creeping types and the velvets are most easily injured.

In grass seed fields, use 1 to 2 pints per acre. The higher rate where weed stands are heavy and for hard-to-kill species. Make application in spring before heads enter seed.

In new seedbeds of grasses, use 1/2 to 1 pint per acre with light rate when crop is established. Weeds are present, treat after grass has tillered.

NON SELECTIVE WEED CONTROL AND PREVENTION OF SEED FORMATION

For spot treatment in areas resistant to 2,4-D, use DEL SELECT on weeds and grasses to prevent seed formation. Broadleaf weeds, perennial sowthistle, blue lettuce, bur ragweed, Canada thistle and other hard-to-kill species, somewhat resistant to 2,4-D will require repeated treatment to kill. Apply on vigorous spring growth to early summer.

Use DEL SELECT on woody plants, such as willows, honeysuckle, Virginia creeper, and others susceptible to 2,4-D, use 1/2 to 1 gal. in 100 gals. water spray to the roughly wet plants when in full leaf. Re-treat as necessary for control of regrowth and seedlings. In general, it is better to cut tall woody growth to 2 to 4 ft. high.

To control hardwoods such as oak, hickory, maple, pecan, elm, sumac, hawthorn, dogwood, red maple, blue beech and ash, cut deep gashes into the bark and wood with an axe or squared end of a mattock or pick. Pour undiluted DEL SELECT WEED AND BRUSH KILLER SOLUTION into the gashes. *list sites*

CAUTION: Keep Out of Reach of Children

Avoid contact with eyes, ears, clothing, etc. Do NOT take internally. In case of contact with eyes, flush with water. In case of contact with clothing, remove clothing immediately. Wash exposed skin with soap and water. If swallowed, do not induce vomiting. Seek medical attention immediately. DEL SELECT is a powerful herbicide. It is highly toxic to many insects, birds, and mammals. It is also highly toxic to fish and aquatic life. Do not use in or near water bodies. Do not use on lawns, lawns, or other areas where children or pets play. Do not use on crops or other plants that are not susceptible to 2,4-D. Do not use on crops or other plants that are not susceptible to 2,4-D. Do not use on crops or other plants that are not susceptible to 2,4-D.

Do NOT Store with Foodstuffs

Do not use DEL SELECT on crops or other plants that are not susceptible to 2,4-D. Do not use on crops or other plants that are not susceptible to 2,4-D. Do not use on crops or other plants that are not susceptible to 2,4-D.

Code 63 10 67 2M LL

ACCEPTED
Sep - 23 - 1970
8550-31

Comment

DEL CHEMICAL CORPORATION

MENOMONEE FALLS, WISCONSIN

RENO, NEVADA

DEL SELECT

SELECTIVE

DEL SELECT is a selective herbicide for use on a wide range of weeds in pastures, lawns, and other areas. It is effective against many of the most troublesome weeds, including annual and perennial grasses, broadleaf weeds, and woody plants.

GRASSES:

DEL SELECT is effective against many of the most troublesome grasses, including annual and perennial species. It is particularly effective against the following grasses: Annual ryegrass, perennial ryegrass, smooth bromegrass, and timothy. DEL SELECT is applied as a spray or granules, and is most effective when applied in the early stages of weed growth.

DEL SELECT is also effective against many of the most troublesome broadleaf weeds, including clover, dandelion, and chickweed. It is particularly effective against the following broadleaf weeds: Annual broadleaf weeds, perennial broadleaf weeds, and woody plants.

DEL SELECT is also effective against many of the most troublesome woody plants, including oak, hickory, maple, and pecan. It is particularly effective against the following woody plants: Oak, hickory, maple, and pecan.

NON-SELECTIVE WEED CONTROL AND PREVENTION OF SEED FORMATION

DEL SELECT is also effective against many of the most troublesome non-selective weeds, including annual and perennial species. It is particularly effective against the following non-selective weeds: Annual weeds, perennial weeds, and woody plants. DEL SELECT is applied as a spray or granules, and is most effective when applied in the early stages of weed growth.

ACCEPTED
Sep-23-1970

UNIVERSITY OF CALIFORNIA
FERTILIZER ANALYSIS
FERTILIZER NO. 8550-21

Comment

DEL SELECT is a selective herbicide for use on a wide range of weeds in pastures, lawns, and other areas. It is effective against many of the most troublesome weeds, including annual and perennial grasses, broadleaf weeds, and woody plants.

To control hardwoods such as oak, hickory, maple, pecan, elm, sumac, hawthorn, dogwood, red maple, blue beech and ash, cut deep gashes into the bark and wood with an axe or squared end of a mattock or pick. Pour undiluted DEL SELECT WEED AND BRUSH KILLER SOLUTION into the gashes. *list sites*

CAUTION: Keep Out of Reach of Children

Avoid contact with eyes, nose, mouth, and skin. If contact occurs, wash immediately with plenty of water. Do not eat, drink, or smoke while using this product. Keep this product out of the reach of children. Do not use in areas where children or livestock are present. Do not use in areas where food crops are grown. Do not use in areas where water is used for drinking or irrigation. Do not use in areas where water is used for domestic purposes. Do not use in areas where water is used for industrial purposes. Do not use in areas where water is used for agricultural purposes. Do not use in areas where water is used for other purposes.

Do NOT Store with Foodstuffs

Do not store this product in areas where food crops are grown. Do not store this product in areas where water is used for drinking or irrigation. Do not store this product in areas where water is used for domestic purposes. Do not store this product in areas where water is used for industrial purposes. Do not store this product in areas where water is used for agricultural purposes. Do not store this product in areas where water is used for other purposes.

Code 63 10 67 2M LL

DEL CHEMICAL CORPORATION
MENOMONEE FALLS, WISCONSIN **RENO, NEVADA**



DEL SELECT

ACCEPTED

SEP 23 1970

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON, REGISTERED UNDER NO. 8550-21 SUBJECT TO ATTACHED COMMENTS.

ACTIVE INGREDIENT:

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 49.6%

INERT INGREDIENTS

..... 50.4%

2,4-Dichlorophenoxyacetic acid equivalent 41.2%. Contains the equivalent of 4 pounds of 2,4-dichlorophenoxyacetic acid per gallon at 68 F.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Side Panel for Additional Cautions

U.S.D.A. Registration No. 8550-21

NET CONTENTS

CONTROLS THESE WEEDS

- | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Canada Thistle Chickweed Chenopodium Field Bindweed Ground Ivy Henbit Plantain Red Top Sheep Sorrel St. John's Wort Yellow Top | <ul style="list-style-type: none"> Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry | <ul style="list-style-type: none"> Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry Blackberry |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Can Be used On The Following Areas

- | | | |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Golf courses Lawns Paths Playgrounds | <ul style="list-style-type: none"> Crack and crevice treatment Driveways Walkways Patios | <ul style="list-style-type: none"> Ditch banks Field margins Highway right-of-ways |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|



DEL Chemical Corporation

MENOMONEE FALLS, WISCONSIN

RENO, NEVADA

DINITRO 10 G

NET WEIGHT FIFTY POUNDS

ACTIVE INGREDIENTS:
Mixed Alkanolamine Salts
(of the ethanol and
isopropanol series) of
4,6-dinitro-o-sec-
butylphenol 16.5%
INERT INGREDIENTS
(not more than) 83.5%
TOTAL 100.0%
100 Pounds Contains 10 Pounds
DNOSBP Equivalent.

DANGER:

**KEEP OUT OF REACH OF
CHILDREN**

Poisonous if Swallowed or Absorbed
Through Skin! Do not breathe dust.
Do not get in eyes, on skin or on
clothing. In case of contact, remove
clothing and wash thoroughly with
soap and water; for eyes, flush with
water and get medical attention.
Keep away from foodstuffs.

This product is toxic to fish and wild-
life. Keep out of lakes, streams or
ponds. Do not reuse empty container.
Destroy it by burying with waste or
burning. Stay away from smoke or
fumes. Birds feeding on treated areas
may be killed.



POISON
Contains Nitrated Phenols

ANTIDOTE

INTERNAL: To induce vomiting give
a teaspoonful of baking soda dis-
solved in a glass of warm water. Re-
peat until vomiting fluid is clear.
CALL A PHYSICIAN IMMEDIATELY.

EXTERNAL: Wash with rubbing al-
cohol and follow with a thorough
scrubbing with soap and water. Re-
move contaminated clothing immedi-
ately. If dust gets in eyes, immedi-
ately flush with plenty of water for
at least 15 minutes and get medical
attention.

SP 970

NOTE TO PHYSICIAN: Active ingre-
dient is a metabolic stimulant. Treat
symptomatically.

WARRANTY: Seller warrants that the
product conforms to its chemical de-
scription and is reasonably fit for the
purpose stated on the label when
used in accordance with directions
under normal conditions of use, but
neither this warranty nor any other
warranty of merchantability or fitness
for a particular purpose, express or
implied, extends to the use of this
product contrary to label instructions,
or under abnormal conditions, or un-
der conditions not reasonably fore-
seeable to seller, and buyer assumes
the risk of any such use. Any dam-
ages arising from a breach of this
warranty shall be limited to direct
damages, and shall not include con-
sequential commercial damages such
as loss of profits or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS
AND WARRANTY OF SALE. USE
STRICTLY IN ACCORDANCE WITH
LABEL CAUTIONS, WARNINGS AND
DIRECTIONS.

DINITRO 10 G is used for the control
of annual broadleaf weeds and an-
nual grasses. Must be applied to a
clean, freshly cultivated, smooth seed
bed. Light rain or overhead irrigation
following application will make for
better weed control. Application to
dry soil with no rain and no over-
head irrigation shortly after applica-
tion will give unsatisfactory weed
control.

NOTE: Do not use on high organic
soil such as muck. On very light,
sandy soils containing little organic
matter, lower rates should be used
and even then some crop injury may
occur.

RATES: The following recommenda-
tions are made for overall coverage.
If a band treatment is used, a 12 to
16 inch band is recommended. The
rate should be adjusted per acre of
ground covered. Cultivation of the
untreated areas should begin as soon
as weed growth requires it. Do not
throw soil into the treated area.

The recommended rates of this ma-
terial will control chickweed, henbit,
lambquarters, pigweed (red root),
purslane and annual grasses (crab-
grass, barnyard grass and foxtails).

BEANS: Lima, Navy (dry field), red
kidney, cranberry and soy apply 30 to
45 lbs. per acre immediately after
planting or before the crop emerges.
Do not use on light, sandy soils.

CORN: Apply 30 to 45 lbs. per acre
immediately after planting or not
later than 24 hours after planting.

PEAS: Apply 30 to 45 lbs. per acre
immediately after planting or before
the crop emerges.

ORNAMENTALS

BULB-TYPE: For Gladiolus apply 45
to 100 lbs. per acre before crop and
weeds emerge.

WOODY NURSERY STOCKS: For
Lilac, Privet, Spirea and Taxus ap-
ply 45 to 90 lbs. per acre on freshly
cultivated soil to prevent new weed
growth. Apply when foliage is dry.
Make sure that granules do not stick
to crop foliage.

Use of this material in a manner or
at a time other than in accordance
with the directions may produce
plant injury, excessive residues or
other undesirable results.

NOTE: This pesticide is to be sold
ONLY in this original unbroken
package.

USDA Reg. No. 8590-23

Manufactured by
AGWAY INC.—Chemical Division
Box 1333, Syracuse, N. Y. 13201

ACCEPTED WITH COMMENTS

2/3/11



DEL SELECT

ACCEPTED

SEP 23 1970

U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PESTICIDE REGISTRATION
WASHINGTON, D.C. 20250

ACTIVE INGREDIENT
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 49.6%

INERT INGREDIENTS 50.4%
2,4-Dichlorophenoxyacetic acid equivalent (11.2% Contains the equivalent of 4 pounds of 2,4-dichlorophenoxyacetic acid per gallon at 66 F)

CONTROLS THESE WEEDS

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Side Panel for Additional Cautions

Use Follows On The Following Areas

NET CONTENTS



DEL Chemical Corporation
MENOMONEE FALLS, WISCONSIN RENO, NEVADA