

A highly refined paraffin base petroleum oil.
Unsulphonated residue—96% minimum
Gravity at 60 F. (A. P. I.) 34.1
Inert ingredients:

99.25% 0.75% 100.00%

CAUTION KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

Avoid inhalation of vapors and spray mist.

Do not use "70" Spray Oil E in combination with or immediately preceeding or following applications of Dinitro compounds, Sulfur, Capten or Karathane.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under abnormal conditions, or under abnormal conditions, or under abnormal conditions, or under abnormal conditions on treasonably forseeable to seller, and buyer assumes the risk of any such use. Any damages arising from breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

efc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY
OF SALE. USE STRICTLY IN ACCORDANCE WITH
LABEL CAUTIONS, WARNINGS AND DIRECTIONS.
Mixing Directions: Fill tank to cover agitator shaft with
agitator running. Add desired amount of "70" Spray
Oil E. Fill tank with water, adding other desired materials as tank is filling.
Timing of Application: Timing and rate of application
vary as a result of local conditions. Consult your State
Agricultural Experiment Station.
Do not exceed maximum rates or apply later than
directed above.

NOTE: This pesticide is to be sold ONLY in the original
unbroken package.

Manufactured by Agway Inc., Chemical Div. Box 1333 Syracuse, N. Y. 13201 USDA Reg. No. 8590-67 AC67E-1 (over)

DIRECTIONS FOR USE

· Cfop	Insects Controlled	Rate of Application (Gallons "70" Spray Dil E /100 Gallons Dilute Spray)	Time of Application (Stage of Development)
Apples	Apple Red Bug European Fruit Lecanium Scale	2	Dormant
, • • • • •	Fruit Tree Leaf Roller	3	Dormant
	Epropean Red Mite	2	Green Tip to Delayed Dormant
	. San Jose Scale	2	Delayed Dormant
	Scurfy Scale	3	Delayed Dormant
Pears	Fruit Tree Leaf Roller Pear Leaf Blister Mite	3	Dormant
	Pear Psylla	2	Late Dormant
Peaches	. * * Cottony Peach Scale	3	Dormant
Plums & Prunes		2	Dormant to Delayed Dormant

ACCEPTED

4 . .)

JUN1 1971

FUNG CIDE FARE INTICIDE ACT FOR ECONOMIC POLLON REGISTER-ED UNDER NO. 8590-67

4