

8590-67

8-19-75

1 of 3

## AGWAY PROMOTIONAL SERVICES

COPY

FOR:

70 Spray Oil E

DATE:

(((FRONT PANEL)))

NET CONTENTS

AGWAY<sup>R</sup>

"70" Spray Oil E

## ACTIVE INGREDIENT

Petroleum Distillate \*

98.8%

## INERT INGREDIENT

1.2%

100.0%

\* A highly refined paraffin base petroleum oil.  
Unfulphonated residue - 92% minimum. Grade of oil,  
"70" Superior, weight per gal. 7.1#. Gravity at 60°F  
(A.P.I.) 34.1

CAUTION (((18 pt type))) Keep Out Of Reach of Children (((12  
pt type))). Harmful if swallowed. If swallowed do not induce  
vomiting. Call a physician.

Do not pollute fish and wildlife waters by rinsing or  
draining of equipment. Do not contaminate open bodies  
of water.

Do not use "70" Spray Oil E in combination with or  
immediately preceding or following applications of  
Dinitro compounds, Sulfur, Captan or Karathane.

DISCLAIMER: Buyer assumes all risks of use, storage or  
handling of this material not in strict accordance with  
directions given herewith.

Keep oil container  
tightly closed in  
storage to prevent  
entry of water. Spray  
only when tempera-  
ture is above 40°F.  
and there is no  
danger of freezing.  
To avoid crop injury  
do not use when  
temperature exceeds  
90°F or in times of  
moisture stress.

ACCEPTED

AUG 19 1975

Under the Federal Insecticide,  
Fungicide and Rodenticide Act,  
this pesticide  
has been found to  
be in compliance with  
EPA Reg. No. 8590-67

Do not reuse empty  
drum. Return to  
drum reconditioner  
or destroy by per-  
forating or crushing  
burying in a safe  
place away from  
water supplies.

OK BY

## DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND DISCLAIMER.  
USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS,  
WARNINGS AND DIRECTIONS.

SHEET NO. 1

# AGWAY PROMOTIONAL SERVICES

COPY

2 of 3

FOR:

"70" Spray Oil E

DATE:

Mixing Directions: Add sufficient water to the mixing tank to allow proper agitation by pump or paddles. Add other desired pesticides mixing thoroughly prior to the addition of oil. Add oil under agitation when 3/4 full topping off with water to form milky solution. Maintain agitation until solution is used. In small equipment lacking agitators -- stir or shake diluted spray frequently during application.

Ornamentals: Do not use on Douglas Fir, Sugar and Japanese Maple, Beech, Birch, Hickory, Walnut or Butternut. Oil will remove blue color from glaucous bearing plants (Blue Spruce).

Timing of Treatment: See table for general use. Consult your State Agricultural Experiment Station or State Extension Service Specialists for proper timing to fit local growth and climatic conditions.

DO NOT EXCEED MAXIMUM RATES OR APPLY LATER THAN RECOMMENDED.

PCA—50 CHARACTERS  
EITE—60 CHARACTERS

O.K. BY

SHEET NO

# AGWAY PROMOTIONAL SERVICES

3043  
COPY

FOR:

"70" Spray Oil E

DATE:

CROP	INSECT CONTROL AID	Application Rate Gallons per 100 Gallons of Dilute Spray	Time of Application (Stage of Development)
APPLES	Apple Red Bug	2	Dormant
	European Fruit		Dormant
	Lecanium Scale	2	Dormant
	Fruit Tree Leaf	3	Dormant
	Roller		
	European Red Mite	2	Green Tip to Delayed Dormant
	San Jose Scale	2	1/2" Green
PEARS	Scurfy Scale	3	Delayed Dormant
			1/2" Green
			Delayed Dormant
PEACHES	Fruit Tree Leaf	3	Dormant
	Roller		
	Pear Leaf Blister	3	Dormant
PEACHES	Mite		
	Pear Psylla	2	Late Dormant
PECANS	Obscure Scale	3	Dormant
PEACHES	Cottony Peach Scale	3	Dormant
PLUMS & PRUNES	European Red Mite	2	Dormant to Delayed Dormant
	European Fruit		
PLUMS & PRUNES	Lecanium Scale	2	1/2" Green
NECTARINES	San Jose Scale	2	Dormant
CHERRIES (sweet & tart)	San Jose Scale	2	Dormant
BLUEBERRIES	San Jose Scale	2	Dormant
	Putnam Scale	3	Dormant
AZALEA	Azalea Bark Scale	2	Dormant to Bud break
	European Red Mite		
FLOWER CRAB	As Above	2	As Above
FLOWERING CHERRY	As Above	2	As Above
DOGWOOD	Dogwood Scale	2	As Above
	San Jose Scale		
EUONYMUS	San Jose Scale	2	As Above
	Euonymus Scale		
HOLLY	Holly Scale	2	As Above
HAWTHORN	San Jose Scale	2	As Above
JUNIPER	Juniper Scale	2	As Above
LILAC	San Jose Scale	2	As Above
PINES	Pine Needle Scale	2	As Above
PRIVET	White Peach Scale	3	As Above
RHODO-DENDRON	Azalea Bark Scale	2	As Above
ROSE	Rose Scale	2	Dormant
SPIREA	San Jose Scale	2	Dormant to Bud break

P L A — 50 CHARACTERS  
E L I T E — 60 CHARACTERS

O.K. BY

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

MANUFACTURED FOR AGWAY INC., FERTILIZER-CHEMICAL DIVISION, BOX 1333, SYRACUSE, NY 13201

EPA Reg. No. 8590-67

SHEET NO. 3