

CROP	INSECT CONTROL AID	Application Rate Gallons per 100 Gallons of Dilute Spray	Time of Application (Stage of Development)
APPLES	Apple Red-bud	1	1st
	Apple Red-bud	1	2nd
	Apple Red-bud	1	3rd
PEARS	Pear Red-bud	1	1st
	Pear Red-bud	1	2nd
	Pear Red-bud	1	3rd
PECANS	Pecan Red-bud	1	1st
PEACHES	Peach Red-bud	1	1st
PLUMS & PRUNES	Plum Red-bud	1	1st
	Plum Red-bud	1	2nd
NECTARINES	Nectarine Red-bud	1	1st
CHERRIES Sweet & Tart	Cherry Red-bud	1	1st
BLUEBERRIES	Blueberry Red-bud	1	1st
AZALEA	Azalea Red-bud	1	1st
FLOWER CRAB	Flower Crab Red-bud	1	1st
FLOWERING CHERRY	Flowering Cherry Red-bud	1	1st
DOGWOOD	Dogwood Red-bud	1	1st
EUONYMUS	Euonymus Red-bud	1	1st
HOLLY	Holly Red-bud	1	1st
HAWTHORN	Hawthorn Red-bud	1	1st
JUNIPER	Juniper Red-bud	1	1st
LILAC	Lilac Red-bud	1	1st
PINES	Pine Red-bud	1	1st
PRIVET	Privet Red-bud	1	1st
RHODO DENDRON	Rhododendron Red-bud	1	1st
SPIREA	Spiraea Red-bud	1	1st

1081
Pm 12
Reg # 8590-72

NET CONTENTS 55 GALLONS
AGWAY®
"60" SPRAY OIL E

ACTIVE INGREDIENTS:
Petroleum Distillate 98.8%

INERT INGREDIENT 1.2%

..... 100.0%

A highly refined paraffin base petroleum oil (Unasphosphated
residue - 94% minimum, Grade of oil "60" Superior, weight per
gallon 7.14, Gravity at 60°F (A.P.I.) 26.5.

CAUTION: Keep Out of Reach of Children

Harmful if swallowed. If swallowed, do not induce vomiting. Avoid breathing of vapors and spray mists. Do not pollute fish and wildlife waters by rinsing or draining of equipment.

Do not use "60" Spray Oil E in combination with or immediately preceding or following applications of Dinitro compounds, Sulfur, Captain or Karathane.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Keep oil container tightly closed in storage to prevent entry of water. Spray only when temperature is above 40°F and there is not danger of freezing. To avoid crop injury do not use when temperature exceeds 90°F or in times of moisture stress.

DISCLAIMER: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

DIRECTIONS
READ THESE ENTIRE DIRECTIONS AND DISCLAIMER USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Mixing Directions: Add sufficient water to the mixing tank to allow proper agitation by pump or paddles. Add other desired pesticides mixing thoroughly prior to the addition of oil. Add oil under agitation when 1/2 full topping off with water to form milky solution. Maintain agitation until solution is used in small equipment lacking agitators - stir or shake diluted spray frequently during application.

Ornamentals: Do not use on Douglas Fir, Sugar and Jap. yew, Maple, Beech, Birch, Hickory, Walnut or Butternut. Oil will remove blue color from glaucous bearing plants (Blue Spruce).

Timing of Treatment: See label for general use. Consult your State Agricultural Experiment Station or State Extension Service Specialist for proper timing to fit local growth and climatic conditions.

DO NOT EXCEED MAXIMUM RATES OR APPLY LATER THAN RECOMMENDED.

NOTE: This pesticide is to be sold ONLY in the original unbroken package.

MANUFACTURED FOR: AGWAY INC., FERTILIZER-CHEMICAL DIVISION, BOX 1333, SYRACUSE, N.Y. 13201

EPA Reg. No. 8590-72 EPA Est. No. 882-PA-1

ACCEPTED
OCT 17 1975
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, this pesticide
is registered under the
EPA Reg. No. 8590-72