

ADVERTISING AND SALES PROMOTION SERVICES

COPY

FOR: 60 Spray Oil 6E

DATE: 2/12/88

((FRONT PANEL))

60 Spray Oil 6E

NET CONTENTS

1 Gallon
1 Quart

PICA 13 CHARACTERS
ELITE - 60 CHARACTERS

Controls scale, mites & Pear Psylla
on fruit trees & ornamentals.

ACTIVE INGREDIENTS:

Petroleum Distillate * 98.8

INERT INGREDIENT: 1.2
100.0

* A highly refined paraffin base petroleum oil
unsulphonated residue - 94% minimum. Grade of
oil "60" Superior, weight per gallon 7.1#. Gravity
at 60 ° F (A.P.I.) 35.5

KEEP OUT OF REACH OF CHILDREN (12 pt)


CAUTION (18 pt)

See additional precautionary statements on side panel.

AGWAY INC.

BOX 4741
SYRACUSE, NY 13221

8590-72



EPA Reg. No. 8590-72

EPA Est. No. 8590-PA-1

SHEET NO.

ADVERTISING AND SALES PROMOTION SERVICES

2 of 5
COPY

FOR: 60 Spray Oil GE

DATE: 2/12/88

(((REAR PANEL)))

BEST AVAILABLE COPY

FIG. 50 CHARACTERS
ELITE - 60 CHARACTERS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors & spray mist.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, Call a physician immediately. Do Not induce Vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water & insert finger in back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THESE ENTIRE DIRECTIONS AND DISCLAIMER. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

Do not use Dormant Oil in combination with or immediately preceding or following applications of Dinitro compounds, Sulfur, Captan or Karathane.

Mixing Directions: Add sufficient water to the sprayer to allow proper agitation. Add other desired pesticides thoroughly prior to the addition of oil. Add oil with agitation when 3/4 fulltopping off with water to form milky solution. In small equipment lacking agitators - stir or shake diluted spray frequently during application.

Spray only when temperature is above 40° F and there is no danger of freezing. To avoid crop injury do not use when

OK BY

ADVERTISING AND SALES PROMOTION SERVICES

3045
COPY

FOR: 60 Spray Oil CE

DATE: 2/12/88

Ornamentals: Do not use on Douglas Fir, Sugar and Japanese Maple, Beech, Birch, Hickory, Walnut or Butternut. Oil will remove blue color from glaucous bearing plants (Blue Spruce).

Timing of Treatment: See table for general use. Consult your State Agricultural Experiment Station or State Extension Service Specialist for proper timing to fit local growth and climatic conditions.

DO NOT EXCEED MAXIMUM RATES OR APPLY LATER THAN RECOMMENDED.

For summer application: Use at half rate. Best spraying time is a dry, mild sunny morning; or when temperature is under 90° F.

CROP	INSECT CONTROL AID	** Application Rate - Gallons per 100 Gallons of Dilute Spray	Time of Application (Stage of Development)
APPLES	Apple Red Bug	2	Dormant
	European Fruit Lecanium Scale	2	Dormant
	Fruit Tree Leaf Roller	3	Dormant
	European Red Mite	2	Green Tip to Delayed Dormant
	San Jose Scale	2	1/2° Green Delayed Dormant
	Scurfy Scale	2	1/2° Green Delayed Dormant 1/2° Green
PEARS	Fruit Tree Leaf Roller	3	Dormant
	Pear Leaf Blister Mite	3	Dormant
	Pear Psylla	2	Late Dormant
	Obscure Scale	3	Dormant
PEACHES	Cottary Peach Scale	3	Dormant
PLUMS & PRUNES	European Red Mite	2	Dormant to Delayed Dormant
	Lecanium Scale	2	1/2° Green

BEST AVAILABLE COPY

ADVERTISING AND SALES PROMOTION SERVICES

4045
COPY

FOR: 60 Spray Oil 6E

DATE: 2/12/88

NECTARINES	San Jose Scale	2	Dormant
CHERRIES (sweet & tart)	San Jose Scale	2	Dormant
BLUEBERRIES	San Jose Scale	2	Dormant
	Puinam Scale	3	Dormant
AZALEA	Azalea Bark Scale	2	Dormant to Bud break
	European Red Mite		
FLOWER CRAB	As Above	2	As Above
FLOWERING CHERRY	As Above	2	As Above
DOGWOOD	Dogwood Scale	2	As Above
	San Jose Scale		
EUONYMUS	San Jose Scale	2	As Above
	Euonymus Scale		
HOLLY	Holly Scale	2	As Above
HAWTHORN	San Jose Scale	2	As Above
JUNIPER	Jumper Scale	2	As Above
LILAC	San Jose Scale	2	As Above
PINES	Pine Needle Scale	2	As Above
PRIVET	White Peach Scale	3	As Above
RHODO- DENDRON	Azalea Bark Scale	2	As Above
SPIREA	San Jose Scale	2	Dormant to Bud break

**For application of less than 100 gal. of diluted spray:

2 gal./100 gal. is equivalent to 2.5 fl. oz./gal. and

3 gal./100 gal. is equivalent to 3.8 fl. oz./gal.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given here with.

NOTE: This pesticide is to be sold ONLY in the original unbroken package.

PLA - 10 CHARACTER.
SCALE - 10 CHARACTER.

OK by

1988 Advertiser's Manual