



[8590-83]
1 of 2



4W

4 OZ.
8 OZ. 12 OZ.
25 OZ.
100 OZ.

UTION:
OF REACH OF

Read instructions and warnings

outside to be sold ONLY
in authorized areas

to 859083

AGWAY

A COMPLETE LINE OF FARM PROVEN CHEMICALS: WEED KILLERS,
INSECTICIDES, FUNGICIDES, SOIL FUMIGANTS, HORMONES. AN
IMPORTANT PART OF AGWAY COMPLETE GROW SERVICE FOR GREATER
NET RETURNS.

ROTEENONE 4W

CAUTION: Harmful if swallowed. Avoid contact with skin, wear clean clothing. Avoid
inhalation of dust.

The product is highly toxic to fish and aquatic life. Do not apply to
water. Do not use in or near water. Do not use in or near streams, rivers,
or other bodies of water. Do not use in or near areas where the water
is used for drinking or other purposes.

DIRECTIONS:

READ THESE DIRECTIONS, CONDITIONS AND WARRANTY OF SALE CAREFULLY AND
STRICTLY IN ALL CONNECTION WITH LABEL, CONDITIONS, WARRANTIES AND
DIRECTIONS.

APPLICATION: Roteenone 4W is a systemic herbicide for use with
hydraulic sprayers, backpack sprayers, or other equipment. It is to be
used with water in culture.

ON BEANS: The control of weeds in beans is best obtained by
using Roteenone 4W in a pre-emergence application through
the soil. It is also effective when applied to the soil after
the beans have been planted. It is also effective when applied
to the soil after the beans have been planted.

ON FEED: Roteenone 4W is a systemic herbicide for use with
hydraulic sprayers, backpack sprayers, or other equipment. It is to be
used with water in culture.

ON WHEAT: To control weeds in wheat, apply Roteenone 4W
to the soil in a pre-emergence application through the soil. It is also
effective when applied to the soil after the wheat has been planted.

ON GRASS: Roteenone 4W is a systemic herbicide for use with
hydraulic sprayers, backpack sprayers, or other equipment. It is to be
used with water in culture.

Manufactured by Agway Chemicals, Inc., P.O. Box 100, York, Pa. 17402

[8590-83]
1 of 2

8590-83
ACCEPTED
AUG 11 1977
BY THE
...
ED UNDER
...
TO ATTACH

4W

4.00% 12.00%
8.00% 88.00%
100.00%

ION:
OF REACH OF

cautions and warnings
pesticide to be used ONLY
on unbroken package.
No. 8590 83

AGWAY

POUNDS

E 4W
AY

A COMPLETE LINE OF FARM PROVEN CHEMICALS: WEED KILLERS,
INSECTICIDES, FUNGICIDES, SOIL FUMIGANTS, HORMONES, AN
IMPORTANT PART OF AGWAY COMPLETE CROP SERVICE FOR GREATER
NET RETURNS.

ROTENONE 4W

CAUTION: Harmful if swallowed. Avoid contact with skin. Wear clean clothing. Avoid inhalation of dust.
This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS:


READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

- APPLICATION:** Cube root will not be effective if used with hydrated lime, lime sulphur, or other alkali materials. It may be used with wettable sulphurs.
- ON BEANS:** To control Mexican bean beetle, use 6 1/4 lbs. per acre in sufficient water for thorough coverage. Apply to underside of leaves as soon as the eggs begin to hatch. Repeat as necessary at weekly intervals. Use up to 1 day of harvest.
- ON PEAS:** To control pea weevil use 6 1/4 lbs. per acre in sufficient water for thorough coverage, making application at early bloom after sweeping with a net. Stop the presence of pea weevil at 1/2. Repeat application as necessary. Use up to 1 day of harvest.
- ON CHERRIES:** To control cherry fruit flies, or cherry maggot use 2 lbs. per 100 gallons of water. Make first application a week after the fruit flies have first appeared and make two additional applications at weekly intervals. Use up to 1 day of harvest.
- ON CURRANTS:** To control currant fruit worm, use 6 1/4 lbs. per acre. Make first application soon after the worms begin to draw the berries together. A second application a week later, is advisable. To control the imported currant worm use at the rate of 6 1/4 lbs. per acre. Apply as soon as the worms hatch and begin feeding; repeat as necessary. Use up to 1 day of harvest.

Manufactured by Agway Inc. - Chemical Division, Box 1333, Syracuse, N. Y. 13201

BEST DOCUMENT AVAILABLE

[8590-83]
2 of 2



8590-83
ACCEPTED
APR 16 1971
FOR THE FEDERAL INSPECTION
SERVICE AND TO BE USED
ONLY IN THE UNITED STATES
AND POSSESSIONS
ATTACHED DOCUMENTS

ROTENONE 4W

(from Grand Cube Brand)

ACTIVE INGREDIENTS:

Rotenone	4.00%	
Other cube brand resins	8.00%	12.00%
INERT INGREDIENTS, not more than		80.00%
TOTAL		100.00%

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

See additional cautions and warnings on back panel.

NOTE: This pesticide to be sold ONLY in its original unbroken package.

USDA Reg. No. 2500-03

(NET WEIGHT FOUR POUNDS)

BEST DOCUMENT AVAILABLE

ROTENONE 4W

AGWAY