

ADVERTISING AND SALES PROMOTION SERVICES

COPY

177

FOR: CAPTAN 5D

DATE: 9/8/87

((FRONT PANEL))

NET CONTENTS

50#

PICA - 50 CHARACTERS

ELITE - 60 CHARACTERS

AGWAY  
CAPTAN 5D

FOR USE IN CONTROLLING CERTAIN FRUIT, VEGETABLE  
AND ORNAMENTAL DISEASES

ACTIVE INGREDIENTS:

\*Captan

Related Derivatives

INERT INGREDIENTS:

OCT 13 1987  
8590-92

4.89%

0.11%

95.00%

TOTAL 100.00%

\*N-Trichloromethylthio-4-cyclohexene-1,2-  
dicarboximide

KEEP OUT OF REACH OF CHILDREN (12 pt.)

DANGER (18 pt)

PELIGRO (18 pt)


STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a  
physician.

If swallowed: Drink promptly a large quantity of  
milk, egg whites, gelatin solutions, or, if these  
are not available, drink large quantities of  
water. Avoid alcohol.

If inhaled: Remove victim to fresh air. If not  
breathing give artificial respiration, preferably  
mouth-to-mouth. Get medical attention.

PRECAUCION AL USUARIO: Si Usted Nolee ingles, No  
use este producto hasta que le etiqueta haya sido  
explicado ampliamente



SHEET NO.

# ADVERTISING AND SALES PROMOTION SERVICES

# COPY

FOR: CAPTAN 5D

DATE: 9/8/87

See additional precautionary statements below.

AGWAY INC.  
P.O. BOX 4741  
SYRACUSE, NEW YORK 13221

EPA Reg. No. 8590-92

EPA Est. No. 8590-PA-1

PICA - 50 CHARACTERS  
ELITE - 60 CHARACTERS

OK BY

SHEET NO.

1b-6

3/7

# ADVERTISING AND SALES PROMOTION SERVICES

# COPY

FOR: CAPTAN 5D

DATE: 9/8/87

((SIDE PANEL))

PICA - 50 CHARACTERS  
ELITE - 60 CHARACTERS

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin & clothing. Remove & separately launder clothing before reuse.

### ENVIRONMENTAL HAZARDS

This Pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift & runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.


Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

Fieldworkers and harvesters must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

A dust mask must be worn when mixing and loading this product.

During application only, from a tractor with a completely enclosed cab or from an aircraft with an enclosed cockpit a long sleeved shirt and long legged pants must be worn. Chemically resistant gloves must be available in the cab or cockpit and worn while exiting.



4/7  
ADVERTISING AND SALES PROMOTION SERVICES

COPY

FOR: CAPTAN 5D

DATE: 9/8/87

RE-ENTRY

Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

DANGER

(Insert area or field description) treated with Captan on (insert data of application). Do not enter treated areas within 4 days following application unless protective clothing is worn. In case of accidental exposure; Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Captan and describe his condition. For further information see the "Statement of Practical Treatment".

Oral warnings must include the same information that is in the written warnings.

PICA - 50 CHARACTERS  
ELITE - 60 CHARACTERS

O'K BY

SHEET NO.

5/7

# ADVERTISING AND SALES PROMOTION SERVICES

# COPY

FOR: CAPTAN 5D

DATE: 9/8/87

ORNAMENTALS: ROSES, Black Spot; CARNATIONS, Rust and Leaf Spot; CHRYSANTHEMUMS, Flower Blight  
 Apply at first sign of disease to give even coverage of upper and lower leaf surfaces.  
 Repeat at 7 to 10 day intervals as necessary.


SOIL AND GREENHOUSE BENCH TREATMENT: Preplanting for Damp-off and Root-Rot Diseases on Seedling or Transplants of Roses (and other shrubs and trees) Many flowers, cucumbers & cantaloupes and lawn seedbeds - 1 1/4 to 2 1/4 lbs per 1000 sq. ft. (50 to 60 lbs. per acre). Work into upper 3 or 4 inches of soil before planting.

Only the applicator is permitted to be in the greenhouse during application of captan  
 Open vents to greenhouse during application and for at least 1 hour after application.

Workers planting in captan-treated soil must wear chemical resistant gloves.

APPLES: Apple Scab, Brooks Fruit Spot, Fly Specking, Bitter Rot, Black Rot, Botryosphaeria.  
 30 to 35 lbs. per acre. Make first application as soon as scab spores are ready to discharge and an infection period threatens. Repeat application for each subsequent infection period.  
 Do not apply to apples within 10 days of an oil spray. Use cautiously on Red Delicious and Baldwin apples inasmuch as Captan sprays have sometimes caused injury to the foliage of these varieties.

PICA - 50 CHARACTERS  
ELITE - 50 CHARACTERS



OK BY

6/7

# ADVERTISING AND SALES PROMOTION SERVICES

# COPY

OR: CAPTAN 5D

DATE: 9/8/87

PEACH, NECTARINES: Brown Rot and Peach Scab.  
 50 lbs. per acre. Make 2 to 3 pre-bloom applica-  
 tions. Repeat at petal fall and 3 to 4 covers as  
 necessary. Make pre-harvest application where  
 necessary. May cause slight injury on some va-  
 rieties in the later sprays.

FIGA - 50 CHARACTERS  
ELITE - 60 CHARACTERS

CHERRIES: To control leaf spot and brown rot,  
 apply 35 to 40 lbs. per acre. On sweet cherries,  
 apply in pink, bloom, and subsequent sprays, at  
 10 day intervals or less. On sour cherries, be-  
 gin applications at petal-fall. Under severe  
 infection conditions, shorten the interval between  
 applications.


STRAWBERRIES: To control Botrytis fruit rot,  
 apply 30 to 40 lbs. per acre, beginning when new  
 growth starts and repeat at 6 to 10 day intervals  
 Use shorter intervals under conditions favorable  
 to infection. Continue applications up to 3 days  
 before first picking and treat immediately after  
 each picking.

CANTALOUPEs, CUCUMBERS,

Downy Mildew,

Angular Leaf Spot, Anthracnose. Apply at 35  
 lbs. per acre on young plants, increasing to 50  
 to 50 lbs. per acre on mature plants. Apply at  
 first sign of disease. Repeat at 5 to 10 day  
 intervals until danger of infection is past.

OK BY



SHEET NO.

E-C

7/7

# ADVERTISING AND SALES PROMOTION SERVICES

# COPY

FOR: CAPTAN 5D

DATE: 9/8/87

## STORAGE & DISPOSAL (12 pt)

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

**STORAGE:** Store unused product in original container only. Store in a cool, dry area preferably locked and out of the reach of children and animals. Not for use or storage in or around the home. Protect from excess heat.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a Violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty; bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**DISCLAIMER:** Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

**NOTE:** This pesticide is to be sold ONLY in this original unbroken package.

← PICA - 50 CHARACTERS  
ELITE - 60 CHARACTERS

.....

OK BY

.....

.....

.....

.....

.....

.....

.....

.....