



PHYGON-PARATHION 2-1.5 D

ACTIVE INGREDIENTS:

Dichlone (2, 3-dichloro-1, 4-napthoquinone) 2.0%
 Parathion (O, O-diethyl-O-p-Nitrophenyl thiophosphate) ... 1.5%

INERT INGREDIENTS: 96.5%
 100.0%



DANGER:

KEEP OUT OF REACH OF CHILDREN.

May be fatal if Swallowed, Inhaled, or Absorbed Through Skin! Rapidly Absorbed Through Skin. Do not get in eyes or on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines, for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothes with soap and hot water before re-use.

Toxic to fish and wildlife. Do not contaminate any body of water, or apply under conditions favoring drift from the target area. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions

of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.


DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

APPLES: Aids control of Scab, Codling Moth, Plum Curculio, Leaf Rollers, Bud Moth, Aphids and Mites. Applications should be made during the pre-blossom and petal fall periods. Applications should not be made during periods of high temperature because dichlone may cause injury to apples. To avoid excessive residues, do not apply within 14 days of harvest. When applications are made by airplane or helicopter, apply approximately 2 to 2½ lbs. per average-sized tree. When applications are made by ground equipment, apply approximately 3 lbs. per average-sized tree (75 lbs./Acre). Repeat at 10-14 day intervals as necessary for control.

NOTE: This pesticide is to be sold ONLY in the original, unbroken package.

Agway Inc., Chemical Division
 Box 1333, Syracuse, N. Y. 13201



NET CONTENTS FIFTY POUNDS



CAPTAN-GUTHION 5-3 D


ACTIVE INGREDIENTS:

Captan (N-trichloromethylthio-4 cyclohexene-1, 2-dicarboximide) 5.0%

O, O-Dimethyl S-(4-oxo-1, 2, 3, benzotriazin-3 (4H)-ylmethyl) phosphorodithioate* 3.0%

INERT INGREDIENTS: 92.0%

*U. S. Patent No. 2,758,115



DANGER:

KEEP OUT OF REACH OF CHILDREN.

Poisonous if Swallowed, Inhaled, or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by burying with wastes or burning. Stay away from smoke.

SP 472

NET CONTENTS

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Fungicide-insecticide mixture useful in controlling certain diseases and insect pests affecting apples.

APPLES: To aid in control of scab, Brook's fruit spot, sooty blotch, fly speck, coddling moth, plum curculio, red banded leaf rollers, bud moth, aphids, and mites. Applications may be made during the pre-blossom period and after petal fall, up to 15 days of harvest. Do not apply during blossom period to avoid injuring bees. Full-coverage applications by airplane or ground duster are necessary for satisfactory control. Use 40 pounds per acre. Do not apply more than 8 times per season.

CAUTION: Do not apply within 15 days of harvest. Remove residues remaining on fruit at harvest by washing, wiping, or other effective means. Do not apply to apples within 10 days of an oil spray. Use cautiously on Red Delicious and Baldwin varieties inasmuch as wettable powder sprays with captan have sometimes caused injury to the foliage of these varieties.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

Agway Inc., Chemical Division, Box 1333, Syracuse, N. Y. 13201

FIFTY POUNDS

EPA Reg. No. 8590-94