

A COMPLETE LINE OF FARM PROVEN CHEMICALS: WEED KILLERS, INSECTICIDES, FUNGICIDES, SOIL FUMIGANTS, HORMONES. AN IMPORTANT PART OF AGWAY COMPLETE CROP SERVICE FOR GREATER NET RETURNS.

# PHYGON\* 50W

#### **DIRECTIONS:**

READ THESE ENTIRE DIREC-TIONS AND WARRANTY OF SALE. USE STRICTLY IN AC-CORDANCE WITH LABEL CAU-TIONS, WARNINGS AND DIREC-

DO NOT USE PHYGON WITH MIXTURES CONTAINING OILS. Phygon is compatible with wettable powder forms of insecticides and fungicides commonly used in orchards, but should NOT be used with lime, Bordeaux, phenyl mercuries, or oil sprays. Do not use later than first cover time.

Phygon is a fungicide useful in controlling scab on apples, and brown rot blossom blight on peaches and cherries.

Consult State Agricultural Experiment Station or State Extension Service Specialist for latest information on timing of spray applications and varietal responses.

APPLES — For scab control, use 14 lb. per 100 gals, of spray mixture on a protective schedule (ahead of infection periods) from delayed dormant through calyx or first cover. For emergency eradication of scab (up to 48 hours after an infection period begins) use 1/2 lb. per 100 gals, spray. Do not use within 1 day of harvest.

PEACHES — For brown rot blos-som blight control, use 12 lb. per

corn", full-bloom, and petal-fall of harvest.

the water in the spray tank.

Manufactured by Agway Inc., Chemical Division, Box 1333


100 gals. of spray in pink, fullbloom, and pre-shuck fall sprays. As a pre-harvest spray, use 1/2 lb. per 100 gal. at 14 and 7 days before harvest. Do not use within 7 days of harvest.


CHERRIES — For brown rot brossom blight control, use 1/2 lb. per 100 gals. of spray in "popsprays. Do not use within 3 days

Phygon may be added directly to

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

Syracuse, New York 13201





## PHYGON\* 50W

Dichlone (2,3-dichlore-1, 4 Naphthoquinone)
INERT INGREDIENTS

50.0% by wt. 50.0% by wt. 100.0%

### **CAUTION:**

#### KEEP OUT OF REACH OF CHILDREN

Phygon is a skin irritant, especially when temperatures are high. The irritation is similar in nature and duration to that of sunburn. Although this formulation has been made as nearly dustless as possible, for more comfortable handling, one should avoid contact with the concentrated powder and protect skin during spray operations by wearing proper clothing. Wash hands and face thoroughly with soap and water after spray- broken package. ing or immediately upon sensing any irritation, and before eating or smoking. Harmful if swallowed. Avoid prolonged or repeated breathing of dust. Avoid contamination of feed and food-

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse this empty container. Destroy by burying with wastes or burning Stay away from smoke.

See additional cautions, warnings and directions on back

NOTE: This pesticide is to be sold ONLY in this original, un-

USDA Reg. No. 8590-108

\*Trademark - U. S. Rubber Com-

U.S. Patent No. 2,349,772

**NET WEIGHT 2½ POUNDS**