

NO. 1
PO-
FOR 2
EPA Reg. No. 8590-113



TOXAPHENE-PARATHION 10-1 D

For Use As A Pre-planting Soil Treatment
Before Field Setting Tobacco Transplants

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated camphane
containing 67% to 69% chlorine) 10.0%
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate) 1.0%

INERT INGREDIENTS 89.0%

100.0%

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions or use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DANGER:

KEEP OUT OF REACH OF CHILDREN.

May be fatal if Swallowed, Inhaled, or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating and smoking. Wash all contaminated clothing with soap and water before re-use.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not re-use container. Destroy when empty by burying with wastes.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

FIELD TREATMENT BEFORE SETTING—

TOBACCO: To control cutworms, flea beetles. Broadcast 15 lbs. per acre several days before setting.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

FIELD TREATMENT BEFORE SETTING—

Agway Inc., Chemical Division
Box 1333, Syracuse, N. Y. 13201

POISON

See below
for antidote
and precautions


STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach
of children



CAPTAN-PARATHION 10-3-D

ACTIVE INGREDIENTS:

Captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide)	10.0%
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)	3.0%
INERT INGREDIENTS	87.0%
	100.0%

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote administer atropine sulfate in large doses. TWO to FOUR mg. travenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

ENVIRONMENTAL CAUTION

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CONTAINER DISPOSAL

Do not reuse container. Destroy when empty.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Fungicide-insecticide mixture useful in controlling certain diseases and insect pests affecting apples.

APPLES: To aid in control of scab, Brock's fruit spot, sooty blotch, fly speck, codling moth, plum curculio, leaf rollers, bud moth, redbug, aphids and mites, apply at the rate of 20-35 pounds per acre using the higher rate to control bud moth and redbug. Full coverage applications by airplane or ground duster is necessary for satisfactory control.

Repeat application at 5 to 7 day intervals as needed to maintain cover when apple scab is prevalent in the pre-bloom, bloom, petal-fall first and second cover dust application. Continue cover sprays at 7 to 14 day intervals during growing season as necessary for disease and insect control. Do not apply during blossom period.

DANGER: Do not apply within 14 days of harvest. Remove residues remaining on fruit at harvest by washing, wiping, or other effective means. Do not apply to apples within 10 days of an oil spray. Use cautiously on Red Delicious and Baldwin varieties. Parathion may cause injury to McIntosh and related varieties when applied under poor drying conditions. Special applications of additional pesticides may be necessary to satisfactorily control mites or other special insect or disease problems.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages, such as loss of profits or values, etc.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing liquid goes through clothes.



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber over-shoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AGWAY INC.
FERTILIZER—CHEMICAL DIVISION
BOX 1333, SYRACUSE, N. Y. 13201

FPA Reg. No. 8590-127

NOT FOR HOME USE
NET CONTENTS FIFTY POUNDS