

CAPTAN-LEAD 5-15 D

(Contains Captan and Lead Arsenate)

For Control of Certain Diseases and Insects on Apples

ACTIVE INGREDIENTS:

Captan (N-trichloromethylthio-4-cyclohexene-1,
2-dicarboximide) 5.0%

Lead Arsenate 15.0%

Total Arsenic (as metallic) 3.0%

Water-soluble Arsenic (as metallic) not more than 0.3%

INERT INGREDIENTS: 80.0%

ACCEPTED 80.0%

Jun-15-1979 100.0%

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROUENICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 4550-143

WARNING

KEEP OUT OF REACH OF CHILDREN.

May cause irritation of eyes, nose, throat, and skin. Harmful if swallowed, or inhaled. Avoid breathing dust or spray mist. Avoid contact with skin, eyes or clothing. In case of contact, wash skin with soap and water; for eyes, flush with plenty of water and get medical attention. Toxic to fish and wildlife. Do not contaminate any body of water nor apply when conditions favor drift from crop area treated. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not re-use container. Destroy when empty by burning or burying with wastes. Stay away from smoke.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal

conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

USE ON APPLES: For control of Scab, Brooks Fruit Spot, Sooty Blotch, Flyspeck, Coddling Moth, Plum Curculio, Red Banded Leaf Roller, Bud Moth. Apply on a protective schedule. Make the first application during the pre-bloom period and repeat at 10 to 14 day intervals as necessary. Do not apply during bloom period to avoid injury to bees.

Apply at rate of 40 lbs. per acre by aircraft or suitable ground equipment to obtain uniform coverage.

CAUTION: Do not apply within 10 days of an oil spray. Do not apply within 30 days of harvest and remove residues remaining at harvest by washing, wiping or other effective means. Use with caution on Red Delicious and Baldwin apple varieties to avoid injury to the foliage. Do not pasture treated orchards or mow for dairy feed.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

Manufactured by Agway Inc. Syracuse, N. Y.

Agway Inc., Chemical Division
Box 1333, Syracuse, N. Y. 13201

EPA Reg. No. 8590-143