



CAPTAN-PARATHION 5-1.5 D

100.0%

ACTIVE INGREDIENTS:

Captan (N-[trichloromethylthio]-4-cyclohexene-1,	
2-dicarboximide)	5.0%
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)	1.5%
INERT INGREDIENTS:	93.5%



May be fatal if Swallowed, Inhaled, or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating and smoking. Wash all contaminated clothing with soap and water before re-use.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not re-use container. Destroy when empty by burying with wastes.

WARRANTY: Seller warrants that the product conforms to i chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal condition of use, but neither this warranty nor any other warranty of merchan ability or fitness for a particular purpose, express or implied, extends the use of this product contrary to label instructions, or under abnormations, or under conditions not reasonably foreseeable to selle and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall be include consequential commercial damages such as loss of profit or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANT OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS

A fungicide-insecticide mixture useful in controlling certain diseases as insect pests affecting apples.

APPLES: To aid in control of Scab, Brook's fruit spot, Sooty Blotch, Fly speck, Coddling Moth, Plum Curculio, Leaf Rollers, Aphids, and Mite Apply 35 to 40 lbs. per acre or 1 to 2 pounds per average size tree To control Redbug and Bud Moth, 70 lbs. per acre should be applied Full-coverage applications by airplane or ground duster are necessar for satisfactory pest control. Make applications at 7-day intervals or conditions warrant, during pre-blossom period and after petal fall, u to 21 days of harvest.

CAUTION: Do not apply within 21 days of harvest. If disease infectic periods occur within 21 days of harvest, apply captan, thiram, or ferbanas required. Remove residues remaining at harvest by washing, wiping or other effective means. Do not apply to apples within 10 days of coil spray. Use cautiously on Red Delicious and Baldwin varieties.

NOTE: This pesticide is to be sold ONLY in this original unbroken packag

Agway Inc., Chemical Division Box 1333, Syracuse, N. Y. 13201

EPA Reg. No. 8590-1