

**STATEMENT OF LIABILITY:** The use of this material being beyond our knowledge and control and involving elements of risk to vegetation, we do not make any warranty, express or implied, as to the effects of such use, whether or not in accordance with directions or claimed so to be. In particular, Agway makes no warranty, express or implied, that the product herein described shall be merchantable, nor that it shall be fit for any particular purpose, and any affirmation of fact or promise made by Agway or its agents or servants shall not be deemed to create an express warranty that the goods shall conform to the affirmation or promise. User assumes all risk of direct, indirect and/or consequential damage arising from such use.

**DIRECTIONS FOR USE**

**FOR FACE FLIES** on dairy cattle, beef and horses. Begin treatment as soon as face flies are seen, about early to mid May depending on season. Apply daily during the first 2 weeks. Subsequently during cooler weather, application every other day may be sufficient. From mid June to late August, during the peak of face fly activity, apply every day. Make applications in the morning.

**HOW TO PREPARE:** Empty the contents of this bottle (473 grams) into ¾ pint of water. Stir until dissolved.

**FOR PREPARATION IN HUDSON HYDRAGUN:** Fill sprayer with water to the ¾ pint (12 oz.) marker. Add the contents of this bottle (473 grams) into sprayer and stir until dissolved. This amount will treat about 150 animals for one application.

**RATE:** Apply 3-5 ml (approximately ¼ oz.) of the prepared Face Fly Spray in a coarse spray droplet to the face of each animal, covering from the muzzle to poll. The Hudson Hydragun can be set to deliver an exact volume, in one stroke. Hold the sprayer 1 to 2 feet away from the animal's head. If applied using a small paint brush, apply 3-5 ml (approximately ¼ oz.) making a 6-inch stroke.


**CAUTION: HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.** Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. Keep out of the reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

**NOTE:** This pesticide is to be sold ONLY in this original unbroken package.

Manufactured by Agway Inc., Syracuse, N. Y.

FC168E

USDA Reg. No. 8590-168



**CAUTION:**

KEEP OUT OF REACH OF CHILDREN AND ANIMALS  
SEE ADDITIONAL CAUTION ON BACK LABEL



Agway

Net Contents  
473 Grams



**face fly spray**

**CONTAINS \*VAPONA\* (DDVP) INSECTICIDE**

**ACTIVE INGREDIENTS:**

2,2-dichlorovinyl dimethyl phosphate**	.814%
Related Compounds**	.061%
<b>INERT INGREDIENTS (not more than)</b>	<b>99.125%</b>
<b>Total</b>	<b>100.000%</b>

\*\*Equivalent to .875% Vapona® Insecticide.  
\*Trademark of Shell Chemical Company.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.