



KELTHANE® 3 D

(Contains Kelthane for Control of Mites on Certain Vegetables,
Fruit and Nursery Crops)

ACTIVE INGREDIENTS:

*1, 1-bis (p-chlorophenyl)-2, 2, 2-Trichloroethanol 3.0%

INERT INGREDIENTS: 97.0%

100.0%

Kelthane® — registered trademark of Rohm & Haas Company.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Avoid skin contact. Avoid inhalation of dust. Do not take internally. Avoid contamination of foodstuffs; wash thoroughly after handling.

Highly toxic to fish. Do not contaminate any body of water nor apply to any area not specified on the label.

Do not reuse empty container. Destroy it by burying with wastes or burning. Stay away from smoke or fumes.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Kelthane 3D gives high initial kill and long residual activity against most species of agricultural mites including European red, two-spotted, strawberry, cyclamen, privet, clover and tomato russett. Kelthane 3D is a specific miticide and will not kill beneficial insect predators. For best results, apply when air is calm, covering foliage with light film of dust. Apply when mites are first noted and repeat at 7 to 10 day intervals as necessary for control. This product is suitable for application through ground dusters, or hand equipment.

BEANS (dry, Green, Lima), CANTALOUPES, CUCUMBERS, EGGPLANTS, MELONS, PEPPERS, PUMPKINS, SQUASH (Summer and Winter), TOMATOES, WATERMELONS: Apply 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. Apply when mites are first noticed and repeat at 7 to 10 day intervals as necessary for control. Do not apply within 2 days of harvest on Cantaloupes, Cucumbers, Eggplants, Melons, Peppers, Squash, Tomatoes and Watermelons, 7 days of harvest on Beans. Do not feed vines or crop residues to dairy or meat animals.

APPLES, GRAPES, PEACHES AND PEARS: Apply 35 to 40 lbs. per acre. Apply when mites are first noted and repeat at 7 to 10 day intervals as necessary for control. Do not apply within 7 days of harvest on Apples, Grapes and Pears and 14 days on Peaches.

STRAWBERRIES: For control of Red Spider and Two-Spotted Mites: Apply 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. when mites are first noticed in the Spring. Cover plants thoroughly, especially the underside of the leaves. Repeat application in 10 to 30 days if necessary. Do not apply to strawberries within 2 days of harvest.

ORNAMENTALS, FLOWERS, NURSERY STOCK, SHADE TREES AND SHRUBS: For Control of mites common on greenhouse and outdoor plants use 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. Apply when mites are present and repeat at 7 to 10 day intervals as necessary for control.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

Agway Inc., Chemical Division
Box 1333, Syracuse, N. Y. 13201

EPA Reg. No. 8590-171