

ADVERTISING AND SALES PROMOTION SERVICES

1074
COPY

FOR: AGWAY KELTHANE 3D

DATE: 9/19/84

((FRONT PANEL))

NET CONTENTS
50 lbs.

ACCEPTED
NOV 05 1984
8590-171

AGWAY
KELTHANE 3 D

Contains Kelthane for control of mites on certain vegetables,
fruit and nursery crops.

ACTIVE INGREDIENT:

*1, 1-bis (p-chlorophenyl)-2,2, 2-Trichloroethanol 3.0%

INERT INGREDIENTS: 97.0%

TOTAL 100.0%

(R) Kelthane, registered trademark of Rohm & Haas Co.

KEEP OUT OF REACH OF CHILDREN (12 pt)

CAUTION (18 pt)

See additional precautionary statements on side panel.

AGWAY INC.
Chemical Division
P. O. Box 4933
Syracuse, New York 13221

EPA Reg. No. 8590-171
EPA Est. No. 8590-PA-1

OK BY

FOR:

AGWAY KELTHANE 3 D

DATE: 9/19/84

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL (12 pt)

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store unused product in original container only. Store in a cool, dry area preferably locked and out of the reach of children and animals. Not for use or storage in or around the home. Protect from excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RE-ENTRY

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

CAUTION

(Insert area or field description) treated with Kelthane on (insert date of application). Do not enter treated areas without protective clothing until dusts have settled. In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim

OK BY

ADVERTISING AND SALES PROMOTION SERVICES

COPY

FOR: AGWAY KELTHANE 3 D

DATE: 9/19/84

has been exposed to Kelthane and describe his condition. For further information see the "Statement of Practical Treatment".

Oral warnings must include the same information that is in the written warnings.

Kelthane 3D gives high initial kill and long residual activity against most species of agricultural mites. Kelthane 3D is a specific miticide and will not kill beneficial insect predators. For best results, apply when air is calm, covering foliage with light film of dust. Apply when mites are first noted and repeat at 7 to 10-day intervals as necessary for control. This product is suitable for application through ground dusters, or hand equipment.

BEANS (dry, Green, Lima), CANTALOUPEs, CUCUMBERS, EGG-PLANTS, MELONS, PEPPERS, POTATOES, PUMPKINS, SQUASH (Summer and Winter), TOMATOES, WATERMELONS: For control of tomato russett and two-spotted mites, apply 35 to 40 lbs per acre or 1 lb. per 1000 sq. ft. Apply when mites are first noticed and repeat at 7 to 10-day intervals as necessary for control. Do not apply within 21 days of harvest on tomatoes. Do not apply within 2 days of harvest on Cantaloupes, Cucumbers, Eggplants, Melons, Peppers, Squash, Tomatoes and Watermelons, 7 days of harvest on Beans. Do not feed vines or crop residues to dairy or meat animals.

APPLES, GRAPES, PEACHES AND PEARS: For control of clover, European Red and two-spotted mites, apply 35 to 40 lbs. per acre. Apply when mites are first noted and repeat at 7 to 10-day intervals as necessary for control. Do not apply within 7 days of harvest on Apples, Grapes and Pears and 14 days on Peaches.

STRAWBERRIES: For control of Red Spider and two-spotted mites, apply 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. when mites are first noticed in the Spring. Cover plants thoroughly, especially the underside of the leaves. Repeat application in 10 to 30 days if necessary. Do not apply to strawberries within 2 days of harvest.

ORNAMENTALS, FLOWERS, NURSERY STOCK, SHADE TREES AND SHRUBS: For control of clover, cyclamen and privet mites common on greenhouse and outdoor plants, use 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. Apply when mites are present and repeat at 7 to 10-day intervals as necessary for control.

O'K BY

FOR: AGWAY KELTHANE 3 D

DATE: 9/19/84

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Do not take internally. Avoid inhalation of dust and skin contact. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration, if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water. See a physician if irritation persists.

If in eyes: Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

DISCLAIMER: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

OK BY

10/12
11/15
8590-171
EPA

ADVERTISING AND SALES PROMOTION SERVICES

FOR: AGWAY KELTHANE 3D

DATE: 9/19/84

((FRONT PANEL))

NET CONTENTS
50 lbs.

ACCEPTED

NOV 05 1984

8590-171

AGWAY
KELTHANE 3 D

Contains Kelthane for control of mites on certain vegetables, fruit and nursery crops.

ACTIVE INGREDIENT:

*1, 1-bis (p-chlorophenyl)-2,2, 2-Trichloroethanol 3.0%

INERT INGREDIENTS: 97.0%

TOTAL 100.0%

Ⓜ Kelthane, registered trademark of Rohm & Haas Co.

KEEP OUT OF REACH OF CHILDREN (12 pt)

CAUTION (18 pt)

See additional precautionary statements on side panel.

AGWAY INC.
Chemical Division
P. O. Box 4933
Syracuse, New York 13221

EPA Reg. No. 8590-171
EPA Est. No. 8590-PA-1

OK BY

FOR:

AGWAY KELTHANE 3 D

DATE: 9/19/84

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL (12 pt)

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store unused product in original container only. Store in a cool, dry area preferably locked and out of the reach of children and animals. Not for use or storage in or around the home. Protect from excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RE-ENTRY

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

CAUTION

(Insert area or field description) treated with Kelthane on (insert date of application). Do not enter treated areas without protective clothing until dusts have settled. In case of accidental exposure: Call a doctor (physician) clinic or hospital immediately. Explain that the victim

OK BY

ADVERTISING AND SALES PROMOTION SERVICES

COPY

FOR: AGWAY KELTHANE 3 D

DATE: 9/19/84

has been exposed to Kelthane and describe his condition. For further information see the "Statement of Practical Treatment".

Oral warnings must include the same information that is in the written warnings.

Kelthane 3D gives high initial kill and long residual activity against most species of agricultural mites. Kelthane 3D is a specific miticide and will not kill beneficial insect predators. For best results, apply when air is calm, covering foliage with light film of dust. Apply when mites are first noted and repeat at 7 to 10-day intervals as necessary for control. This product is suitable for application through ground dusters, or hand equipment.

BEANS (dry, Green, Lima), CANTALOUPEs, CUCUMBERS, EGG-PLANTS, MELONS, PEPPERS, POTATOES, PUMPKINS, SQUASH (Summer and Winter), TOMATOES, WATERMELONS: For control of tomato russett and two-spotted mites, apply 35 to 40 lbs per acre or 1 lb. per 1000 sq. ft. Apply when mites are first noticed and repeat at 7 to 10-day intervals as necessary for control. Do not apply within 21 days of harvest on tomatoes. Do not apply within 2 days of harvest on Cantaloupes, Cucumbers, Eggplants, Melons, Peppers, Squash, Tomatoes and Watermelons, 7 days of harvest on Beans. Do not feed vines or crop residues to dairy or meat animals.

APPLES, GRAPES, PEACHES AND PEARS: For control of clover, European Red and two-spotted mites, apply 35 to 40 lbs. per acre. Apply when mites are first noted and repeat at 7 to 10-day intervals as necessary for control. Do not apply within 7 days of harvest on Apples, Grapes and Pears and 14 days on Peaches.

STRAWBERRIES: For control of Red Spider and two-spotted mites, apply 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. when mites are first noticed in the Spring. Cover plants thoroughly, especially the underside of the leaves. Repeat application in 10 to 30 days if necessary. Do not apply to strawberries within 2 days of harvest.

ORNAMENTALS, FLOWERS, NURSERY STOCK, SHADE TREES AND SHRUBS: For control of clover, cyclamen and privet mites common on greenhouse and outdoor plants, use 35 to 40 lbs. per acre or 1 lb. per 1000 sq. ft. Apply when mites are present and repeat at 7 to 10-day intervals as necessary for control.

OK BY

ADVERTISING AND SALES PROMOTION SERVICES

1080
11/12
8590-449
COPY

FOR:

KELTHANE (R) 1.5EC

DATE: 9/19/84

AC
NOV 05 1984
8590-449

Net Contents
pt, qt.

AGWAY
KELTHANE (R) 1.5EC

Agricultural miticide controls mites on vegetables, fruits, shade trees, ornamentals, flowers, and controls clover mites in homes.

ACTIVE INGREDIENT :

1, 1-bis (p-chlorophenyl)-2,2,2-trichloroethanol	18.5%
Xylene range aromatic solvent	73.0%

INERT INGREDIENTS: 8.5%

TOTAL 100.0%

(R) Kelthane, registered trademark of Rohm & Haas Co.

KEEP OUT OF REACH OF CHILDREN (12 pt)

CAUTION (18 pt)

See additional precautionary statements on back panel.

AGWAY INC.
Chemical Division
P. O. Box 4933
Syracuse, New York 13221

EPA Reg. No. 8590-449

EPA Est. No. 8590-PA-1

OK BY