



MALATHION-PYRETHRINS-PIPERONYL BUTOXIDE 4-0.1-1 D

For control of Certain Insects in Mushroom Houses

ACTIVE INGREDIENTS:

*Malathion				 	4	.00%
Pyrethrins		• • • • •		 	0	.10%
**Technical P	iperonyl	Butoxid	e	 	1	.00%
INERT INGREDIE	ENTS:			 	94	.90%
					100	0.00%

^{*}O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Malathion, upon repeated, prolonged, careless use, may cause cholinesterase inhibition. Arropine is antidotal.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Destroy by burying with wastes or burning. Stay away from smoke.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Make thorough dust application with hand or powered duster.

MUSHROOM HOUSES: For control of Mites, Phorid Fly and Sciarid Fly. Apply 2 lbs. of dust per 60-ft., single house or 1 lb. of dust per 2,000 sq. ft of bed surface. Apply a thorough application as soon after picking as possible. Repeat applications as necessary, usually twice a week. Do not apply within one day of harvest.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

Agway Inc., Chemical Division Box 1333, Syracuse, N. Y. 13201

FPA Reg. No. 8570 185

NET CONTENTS FIFTY POUNDS

^{**}Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds.

For control of Certain Insects in Mushroom Houses

ACTIVE INCREDIENTS:

* *Malathion	4.00%
Pyrethrins	0.10%
**Technical Piperonyl Butoxide	1.00%
INERT INGREDIENTS:	94.90%

100.00%

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Malathion, upon repeated, prolonged, careless

WARRANTY: Seller warrants that a chemical description and is reasonably fit label when used in accordance with direct of use, but neither this warranty nor any ability or fitness for a particular purpose, the use of this product contrary to label interconditions, or under conditions not reasonand buyer assumes the risk of any such use a breach of this warranty shall be limited not include consequential commercial dark or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTION OF SALE. USE STRICTLY IN A LABEL CAUTIONS, WARNING

Make thorough dust application with hand

MUSHROOM HOUSES: For control of Mite Apply 2 lbs. of dust per 60-ft., single house, and for the bed surface. Apply a thorough a ing as possible. Repeat applications as necessary to the possible of the bed surface. Do not apply within one day of harvest.

NOTE: This pesticide is to be sold ONLY in age.

^{*}O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate

^{**}Equivalent to 0.30% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds.