CAPTAN-GUTHION*-SULFUR 5-3-20 D

A Fungicide, Insecticide Dust Combination for Controlling Certain Diseases and Insects on Apples.

ACTIVE INGREDIENTS:

Captan (N-trichloromethylthio-4-cyclohexene-1, 2-dicarboximide)	5.0%
*O, O-dimethyl S-[4-oxo-], 2, 3,-benzotriazin-3(4-H)-ylmethyl] phosphorodithiaate)	3.0%
Sulfur, Average particle size 4 to 6 microns	20.0%
INERT INGREDIENTS:	72.0%
	00.0%

*U. S. Patent No. 2,758,115



KEEP OUT OF REACH OF CHILDREN.

ANTIDOTES: If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY! If on skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water. Poisonous if Swallowed, inhaled or Absorbed Through Skin! Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for guthion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least two days. Do not store near feed and food products. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soup and hot water before re-use.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not re-use container. Destroy when empty by burning or burying with wastes. Stay away from smoke,

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

A fungicide insecticide mixture for controlling certain diseases and insect pests affecting apples.

APPLES: for control of Scab, Powdery Mildew, Bitter Rot, Black Rot, Aphids, Sud Moth, Caddina Moth, Curculio, Leafroller, Mites. Apply during pre-bloom period and at petal fall at 7 to 10 day intervals or as necessary for disease and insect control. Continue applications during early cover applications as long as weather stays cool. Keep new growth protected.

RATE OF APPLICATION: Apply 35 to 40 pounds per acre or 1 to 2 pounds per mature apple tree. Full coverage applications using powder duster are necessary for satisfactory control.

CAUTION: Do not apply during bloom period to avoid injury to bees. Do not apply within 14 days of an oil spray. Do not apply when temperatures exceed or are likely to exceed 90°F. Do not apply within 15 days of harvest on apples. Use cautiously on Red Delicious and Baldwin apples during early application, inasmuch as Captan may cause injury to the foliage of these varieties. Remove excess residues at harvest.

Do not apply more than 8 times per season.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

Agway Inc., Chemical Division Box 1333, Syracuse, N. Y. 13201

EPA Reg. No. 8590-163

NET CONTENTS FIFTY POUNDS