

ADVERTISING AND SALES PROMOTION SERVICES

309V

FOR:

AGWAY POLYRAM<sup>R</sup>7D

DATE: 1/7/83

((FRONT PANEL))

NET WEIGHT

50#

AGWAY  
POLYRAM<sup>R</sup>7D

For Treating Seed Potatoes (Irish only) for  
the Control of Fusarium Seed Decay, Black Leg  
and Seed-Borne Scab.

ACTIVE INGREDIENTS:

A mixture of 5.2 parts by weight  
(83.9% of ammoniates of ethylenebis  
(dithiocarbamate) zinc with 1 part by  
weight (16.1%) ethylenebis dithiocar-  
bamic acid bimolecular and trimolec-  
ular cyclic anhydrosulfides and disul-  
fides.

7.0%

INERT INGREDIENTS

93.0%

TOTAL 100.0%

<sup>R</sup>Registered Trademark of Badische Anilin and  
Soda-Fabrik AG.

KEEP OUT OF REACH OF CHILDREN (12 pt.)

CAUTION (18 pt.)

See side panel for additional precautionary  
statements.

AGWAY INC.  
CHEMICAL DIVISION  
BOX 4741  
SYRACUSE, NY 13221

EPA Reg. No. 8590-202

EPA Est. No. 8590-PA-1

O'K BY

SHEET NO 1 - 4

ADVERTISING AND SALES PROMOTION SERVICES

309V

FOR:

AGWAY POLYRAM<sup>R</sup>7D

DATE:1/7/83

((REAR PANEL))

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THESE ENTIRE DIRECTIONS FOR USE AND DISCLAIMER. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

STORAGE & DISPOSAL (12 pt.)

Do not contaminate water, food or feed by storage, cleaning of equipment or disposal. Open dumping is prohibited.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation & Recovery Act.

Completely empty bag by shaking & tapping sides & bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state & local authorities.

SHEET NO 2 - 4

ADVERTISING AND SALES PROMOTION SERVICES

30PV

FOR:

AGWAY POLYRAM<sup>R</sup>7D

DATE: 1/7/83

Polyram 7D is effective as a Seed Piece Treatment for Irish Potatoes for control of Fusarium Seed decay, Black leg, and Seed-borne-scab. For best results, good coverage of seed pieces is necessary. Coat each seed piece evenly with a high film of dust immediately after cutting. If planting is delayed, store seed pieces in open crates two days before bagging.

POTATO SEED PIECE TREATMENT:

Rate: Use 1 to 1½ lbs. of dust to each 100 lbs. of cut seed pieces. Apply in convenient container by tumbling or by duster attachment over belt.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

AGWAY DISCLAIMS ALL IMPLIED WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR DAMAGES, NOT TO EXCEED THE PURCHASE PRICE OF THE PRODUCT AND SHALL NOT INCLUDE ANY INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

SHEET NO 3 - 4

ADVERTISING AND SALES PROMOTION SERVICES

309Y

FOR:

AGWAY POLYRAM<sup>R</sup>7D

DATE: 1/7/83

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or inhaled.  
May cause irritation to eyes, nose throat or skin.  
In case of contact, flush with plenty of water;  
for eyes, get medical attention.

Wear protective clothing (long pants, long sleeve  
shirt, gloves, hat & boots) during loading &  
mixing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any  
body of water. Do not contaminate water by clean-  
ing of equipment or disposal of wastes.

OK BY

SHEET NO 4 - 4