

STOP! READ THE LABEL



CAN KILL YOU

ACTIVE INGREDIENT

Parathion (O, O-Diethyl O-p-nitrophenyl phosphorothioate)

79.0%

INERT INGREDIENTS

21.0%

100.0%



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or feet or splashed on skin. In eyes, it is anything that goes through clothes.



CAN KILL YOU IF BREATHED

This product can kill you. Vapors, spray mist or dust are hazardous.

POISON

See below for antidote and precautions



Keep out of reach of children

NET CONTENTS FIVE GALLONS

PARATHION 8 E

ENVIRONMENTAL CAUTION

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of waste. Apply this product only as specified on this label.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with

soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large dose, TWO to FOUR mg. intravenously or intramuscularly, as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR

TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

Destroy container when empty! Do not burn! Destroy by burying! Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

FRUIT

APPLES Apply at Petal Fall and repeat at 10 to 14 day intervals as necessary for control of Codling Moth, Plum Curculio, Orange Tortrix, San Jose, Forges and Sculp Scale, Red-banded Leaf Roller (second and third broods), Woolly Apple Aphid and Mealy Bugs—Use 4 oz. per 100 gallons of water. For control of Bud Moth, Red Bug, Fruit Tree Leaf Roller (first brood), Grasshoppers, European Red Mite, Two spotted Mite, Pacific Mite, Schoone Mite, Willamette Mite and Clover Mite Use 3 oz. per 100 gallons of water. For certain mites, such as Two spotted Mites, repeat applications at 7 to 10 day intervals during the summer months. Do not apply to MacIntosh related varieties, because fruit and foliage injury may result under certain conditions. Do not apply within 14 days of harvest.

CHERRIES For control of Aphids and Mites—Use 4 oz. per 100 gallons of water. Repeat applications at 10 days as necessary for control of Fruit Tree Leaf Roller, Plum Curculio—Use 4 to 5 oz. per 100 gal. Do not apply within 14 days of harvest.

PEACHES (Areas other than California) For control of Plum Curculio, Oriental Fruit Moth, San Jose Scale, and Catfacing Insects—Use 4 to 5 oz. per 100 gallons of water. For Plum Curculio and Oriental Fruit Moth apply at petal fall and repeat at 10 to 14 day intervals until control is achieved. For control of Fruit Tree Leaf Roller, Cottony Peach Scale, Green Peach Aphid, Spider Mite

NOT FOR HOME USE