

**10% chlordane
granular
lawn
pesticide**

FOR TURF AND GARDEN INSECTS

ACTIVE INGREDIENT:

*Technical Chlordane 10%
INERT INGREDIENT: 90%
100%


*Equivalent to 6% octachloro-4, 7-methanotetrahydroindane and 4% of related compounds

caution:

KEEP OUT OF REACH OF CHILDREN.
See additional cautions and warnings on back panel.

NET WEIGHT 25 LB.

**10% chlordane granular
lawn pesticide**



10% chlordane granular lawn pesticide

CAUTION: Avoid inhalation. Avoid contamination of feed and food-stuffs. Keep children and pets off treated areas until this material is washed into the soil and is thoroughly dry.

Birds feeding on treated areas may be killed. This product is toxic to fish and wildlife. Do not apply to water bodies or to any body of water. Do not remove (spray, dump, burn, etc.) with wastes or burning. Stay away from smoke.

directions

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

LAWNS, TURF, NURSERY SOILS: To control such subsoil insects as wireworms, and grubs of Japanese beetle, European chafer, Asiatic garden beetle, masked chafer, May beetle, Oriental beetle and rose chafer, apply 5 lbs. of 10% CHLORDANE GRANULAR per 2,200 sq. ft. Make application when infestation is discovered and ground is not frozen. Spring or fall application is preferred. Thoroughly mix into top 3 inches of soil by harrowing, or wash in by sprinkling. One application should provide protection against the above grubs for one or more years and will also control ants, chinch bugs, cutworms, earwigs, millipedes, mole crickets, sod webworms and scowbugs, when present.

On new lawns, wait until sod is well established to avoid injury to the seedling grasses.

Moles will tend to leave your lawn after 10% CHLORDANE GRANULAR has killed the insects serving as the mole's food supply.

BEETS, BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, CUCUMBERS, EGGPLANT, MELONS, POTATOES, RADISHES, SWEET CORN, TOMATOES, TURNIPS, AND STRAWBERRIES: To control grubs of Japanese beetle, European chafer, Asiatic garden beetle, masked chafer, May beetle, Oriental beetle and rose chafer, as well as root aphids, non-resistant root maggots, root weevils and wireworms, apply 5 lbs. of 10% CHLORDANE GRANULAR per 2,200 sq. ft. prior to planting. Disc or wash into soil immediately after application to thoroughly mix into top 3 inches of soil. Ants, earwigs, millipedes, mole crickets, slugs, snails and scowbugs present will also be controlled.

APPROXIMATE SETTINGS

Spreader	
Scott	2.5
Sq. Applegate	3
Cyclone	3
Sears Cross Country	3

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

FBU593-69

FREIGHT SHIPPING BAG
Meeting requirements of
APPLICABLE FREIGHT CLASSIFICATION
Guaranteed by ST. REGIS PAPER CO.

this package
treats 11,000
square feet
easy to apply
with a
spin spreader
flows freely
will not
blow away

MANUFACTURED BY
AGRI-CHEMICAL DIVISION
BOX 1000
SYRACUSE, N.Y. 13201
USDA Reg. No.
8888-888