

AGWAY PROMOTIONAL SERVICES

COPY

Revision

FOR: LABEL COPY -- MALATHION INSECT SPRAY

DATE: 6/11/68

(((FRONT PANEL)))

(((AGWAY T.M.)))

Net Contents
One Pint


MALATHION INSECT SPRAY

55% Emulsifiable, Kills Many Insects
on Ornamentals, Flowers and Vegetables

ACTIVE INGREDIENTS:	Percent by Wt.
*Malathion	55.00%
Petroleum Distillate	35.00%
INERT INGREDIENTS, not more than	10.00%
Total	100.00%

*O,O-dimethyl dithiophosphate of
diethyl mercaptosuccinate

CAUTION: (((14 pt. type))) KEEP OUT OF REACH
OF CHILDREN (((10 pt. type))) See additional
cautions and warnings on back panel. (((These
statements must appear parallel to other print-
ing on the front panel and in the type size in-
dicated.)))



PICA—53 CHARACTERS
ELITE—53 CHARACTERS

emo
OK BY *M. R. A*

2/4

AGWAY PROMOTIONAL SERVICES

COPY

FOR: LABEL COPY -- . MALATHION INSECT SPRAY

Revision 6/11/68
DATE:

(((REAR PANEL)))

PCA-53 CHARACTERS
ELITE-53 CHARACTERS

CAUTION: Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid contamination of feed and food-stuffs.

Injury may occur on certain ferns such as Boston, Maidenhair and Pteris, as well as some species of Crassula.

H This product is toxic to fish. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers.

NOTE: This pesticide is to be sold ONLY in this original unopened package.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

INSECTS CONTROLLED: Aphids, Asparagus beetles, Bagworms, Cabbage looper, Cottony scale, Forbes scale, Gall mites, Honey locust mites, Imported cabbage worms, Japanese beetle adults, Juniper scale, Lace bugs, Leafhoppers, Leaf miners, Lecanium scale, Magnolia scale, Mealy bugs, Mexican bean beetle adults, Oyster shell scale, Psyllids, Red mites, Scurfy scale, Spittlebugs, Spruce mites, Tarnished plant bugs, Tent caterpillars, Thrips, Two-spotted mites, Tulip tree scale.

emo
OK BY N.R.

APPLY TO FOLLOWING PLANTS AS SPECIFIED:
No limitations on applications to Flowers, Ornamentals and Potatoes.

On Asparagus, Beans, Cucumbers, Melons, Squash and Tomatoes, do not apply within 1 day of harvest.

AGWAY PROMOTIONAL SERVICES

COPY

Revision

FOR: LABEL COPY -- MALATHION INSECT SPRAY

DATE: 6/11/68

(((BACK PANEL - Con't)))

2 CA—50 CHARACTERS
EL TE—50 CHARACTERS

On Broccoli, Eggplants, Onions, Peas, Peppers, Pumpkins, Strawberries and Turnips, do not apply within 3 days of harvest.

On Beets, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Kale, Head lettuce, Radishes, Spinach, do not apply within 7 days of harvest.

METHOD, RATE AND TIME OF APPLICATION: Apply as a spray using 2 teaspoonsful of MALATHION INSECT SPRAY per gallon of water. Spray entire plant thoroughly, including lower leaf surfaces. Apply as insects appear. Repeat as needed.

OUTDOORS: Patios and similar areas for control of Mosquitoes and other small flying insects. Apply as spray using 1 tablespoon to a pint of water for 600 sq. feet of area. Spray Patios, Barbeque area, Building foundations, Shrubs, Trees and Grass Areas.

DOG AND CAT QUARTERS: For control of Fleas in Kennels, Pens, Yards, under Houses and Lawn areas. Use 5 ounces (10 tablespoonsful) to a gallon of water and apply at rate of 1 gallon of spray per 1000 sq. feet. Avoid contamination of food, feeders and water containers.

ANT MOUNDS: Use 1 tablespoon to a pint of water. Spray Ant hills thoroughly and mix moist earth in the top of the hill. For other small ants in Flower beds, Lawns and around Trees, spray lightly in the infested area. Repeat in 10 to 15 days if ants return.

emo
OK BY M.R.

