

FOR LAWNS, ORNAMENTAL
NURSERY SOILS,
ORNAMENTAL TURF AND
HOUSEHOLD INSECTS

CAUTION:

KEEP OUT OF REACH
OF CHILDREN

See additional cautions and
warnings on side panel

ACTIVE INGREDIENT.	
*Technical Chlordane	5.0%
INERT INGREDIENTS.	
not more than	95.0%
	100.0%

*Equivalent to 3% octachloro-4,7-metha-
notetrahydroindane and 2% of related
compounds.

5% CHLORDANE DUST

NET WEIGHT 1 POUND

DIRECTIONS

READ THESE ENTIRE DIRECTIONS
BEFORE SALE. USE STRICTLY IN ACCORDANCE WITH
CAUTIONS, WARNINGS AND

To control such subsoil insects as Japanese beetle, European masked chafer, May beetle, etc., apply 1/2 lb. (8 ounces of Agway) per 220 sq. ft. Make application in early morning or late afternoon and ground is not frozen or frozen. Thoroughly mix into soil by hand, or wash in by sprinkling. For protection against the above insects will also control ants, chinch bugs, mole crickets, sod webbers, etc. present.

On new lawns, wait until sod is well established to avoid injury to the seedling grasses.

Moles will be controlled by insects serving as mole's food source.

(Ants)
Control ants, pet Beetles and Brown Dog Tick. Repeat application as needed for control. To control *ants*, thoroughly treat around door sills and window frames. Openings around water pipes, outlets and baseboards where they enter should be treated. For *cockroaches* and *carpet beetles*, treat baseboards, infested cracks and adjacent exposed surfaces where they come out of hiding. Also treat closets, cases and storage areas particularly *carpet beetles*, dust infested areas as cracks in floors, baseboards, etc. where these pests are found. For *Brown Dog Tick*, treat areas around baseboards, window cracks, sleeping quarters of household animals, etc. Areas of floors and floor covering should be treated. Bait placed in animal quarters follows instructions on label. Do not place directly on animals.

8570-200-
ACCEPTED
Jan 17 1975
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PEST CONTROL REGISTERED
EPA REG. NO. 105-1000 SUBJECT
TO ATTACHED COMMENTS

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

To control such subsoil insects as wireworms and grubs of Japanese beetle, European chafer, Asiatic garden beetle, masked chafer, May beetle, Oriental beetle, and rose chafer, apply $\frac{1}{2}$ lb. (8 ounces of Agway 5% Chlordane Dust) of dust per 220 sq. ft. Make application when infestation is discovered and ground is not frozen. Spring or fall application is preferred. Thoroughly mix into top 3 inches of soil by harrowing, or wash in by sprinkling. One application should provide protection against the above grubs for at least one year and will also control ants, chinch bugs, cutworms, earwigs, millipedes, mole crickets, sod webworms, and sowbugs when present.

On new lawns, wait until sod is well established to avoid injury to the seedling grasses.

Moles will tend to leave your lawn after insects serving as mole's food supply have been killed by dust.

(Ants, Cockroaches, Silverfish, Carpet Beetles and Brown Dog Ticks) Apply dust as infestations appear. Repeat application as needed to maintain effective control. To control ants, thoroughly dust ant trails and areas around door sills and window frames where the pests may enter. Openings around water pipes, heat ducts, electrical outlets and baseboards where ants come into rooms should be treated. For cockroaches and silverfish, apply dust along baseboards, infested cracks and other hiding places and adjacent exposed surfaces where these pests will crawl when they come out of hiding. Also dust behind shelving, bookcases and storage areas particularly for silverfish. To control carpet beetles, dust infested areas of floor coverings as well as cracks in floors, baseboards and under carpets where these pests are found. For Brown dog ticks, dust infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals directly.


ORNLAWNS-ORNAMENTAL
NURSERY SOILS
ORNAMENTAL TURF AND
HOUSEHOLD INSECT
CAUTION

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

MANUFACTURED BY AGWAY INC.
CHEMICAL DIVISION
BOX 1333, SYRACUSE, N. Y. 13201

EPA Reg. No. 8590-232



NET WEIGHT 1 POUND

AGWAY

CAUTION: Avoid inhalation and contamination of feed and water. Keep children and pets off treated area until the area is well watered and has dried completely.

This product is toxic to birds and wildlife. Do not contaminate water by cleaning, emptying or disposal of waste. Do not feed or allow animals to feed on treated areas. Do not allow animals to be killed. Apply this product as specified on this label. Do not reuse containers. Dispose of by burying with waste. Stay away from smoke.