



**lawn shield
crabgrass killer
with tupersan
A PREEMERGENCE
TREATMENT**

ACTIVE INGREDIENTS:	Percent by Wt.
Siduron [1- (2-methylcyclohexyl)- 3-phenylurea]*	6.15%
INERT INGREDIENTS, not more than	93.85%
Total	100.00%

*Trademark E. I. DuPont de Nemours & Co.,
Wilmington, Delaware

caution:

KEEP OUT OF REACH OF CHILDREN
See additional cautions and warnings on back panel
NET WEIGHT 7 1/2 POUNDS

**lawn shield crabgrass
killer with tupersan**

CAUTION: Avoid breathing dust. May irritate eyes, nose, throat and skin. Avoid contact with skin, eyes, or clothing. Avoid contamination of feed and foodstuffs. Do not use on food crop. Do not reuse empty containers. Destroy by burying with wastes or by burning. Stay away from smoke.

directions

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

GENERAL INFORMATION: Lawn Shield containing Tupersan "Siduron" has the following advantages:

1. PERMITS SEEDING AND TREATING FOR CRABGRASS THE SAME DAY.
2. FULL SEASON CRABGRASS PROTECTION FOR ESTABLISHED LAWNS AND TURF AREAS.
3. MAY BE USED UNDER TREES AND SHRUBS IN TURF AREAS.
4. PREVENTS ANNUAL WEEDS SUCH AS FOXTAIL AND BARNYARDGRASS FROM BECOMING ESTABLISHED.

Lawn Shield contains Tupersan "Siduron", which is highly effective for the control of Smooth and Hairy Crabgrass, Foxtail and Barnyardgrass in newly seeded or established plantings of the following turf grasses: Bluegrass, Fescue, Redtop, Smooth Brome, Perennial ryegrass, Orchardgrass, and the following strains of Bentgrass: Penncross, Seaside, Highland, Astoria, Nimistia, C-1, C-7 and C-19. Do not use on other Bentgrass strains nor on Bermudagrass, as injury to turf may result. Apply on a calm day to avoid wind drift.

ESTABLISHED LAWNS, GOLF COURSES AND RECREATIONAL AREAS:

WHEN TO APPLY: On any non-cropped area where Crabgrass control is desirable; for best results apply early Spring when Forsythia is in full bloom, but before emergence of Crabgrass or other weeds to be controlled.

HOW MUCH TO APPLY: Apply contents of bag (7.5 lbs.) evenly to 2,000 square feet (an area 50' x 40'). Use any lawn spreader in good condition. Do not spread over larger area than recommended as such an application would give poor results.

HOW TO APPLY: Before applying rake lawn to remove extraneous material. To insure even and uniform coverage, it is suggested that the area be covered twice (using one-half dosage rate each time). The second time, if possible, at right angles to the first. Do not rake the lawn or disturb soil after application. For best results apply water to thoroughly wet soil to a depth of 2 to 3 inches if no rain falls within three days of application.

*SPREADER SETTING INDICATIONS FOR USE ON ESTABLISHED LAWNS, GOLF COURSES AND RECREATIONAL AREAS WITH LAWN SHIELD

	Squire Applegate	Jackson	Cross Country	Cyclone
Full Setting	7½	7½	7½	5
Half Setting	6	6	6	4

NEWLY SEEDERD LAWNS, GOLF COURSES AND RECREATIONAL AREAS:

HOW MUCH TO APPLY: Apply the contents of bag (7.5 lbs.) evenly to 4,000 square feet (an area 50' x 80'). To insure full season control, it will be necessary to repeat newly seeded areas at the above rates in 4 weeks.

OVERSEEDERD LAWN AND TURF AREAS: Fall overseeding on established lawn and turf areas is preferred. On Fall overseeded areas, use Lawn Shield at rates outlined in preceding paragraph. Spring overseeding on established lawn and turf areas can be treated at rates outlined in preceding paragraph.

ACCEPTED

10-15-71

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND REPELLENT ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 450-452

Comment

ACCEPTED WITH COMMENTS

Established
lawn
2,000
square feet
needed

HOW TO APPLY: Prepare ground and seed desirable grasses such as Kentucky or Merion Bluegrass, Bents, Fescue, Redtop and Perennial Ryegrass in the usual manner. Apply Lawn Shield immediately after seeding at the rate mentioned per 4000 sq. are feet. NOTE: A watering program on any newly seeded or overseeded area is desirable and will insure uniform germination of desirable grasses and will also insure the performance of Lawn Shield.

***SPREADER SETTING INDICATIONS FOR USE ON NEWLY SEEDED LAWNS, GOLF COURSES AND RECREATIONAL AREAS WITH LAWN SHIELD**

	Squire Applegate	Jackson	Cross Country	Cyclone
Full Setting	6	6	6	3¾
Half Setting	4½	4½	4½	5

***NOTE:** These settings are furnished only as an indication, and no responsibility is assumed for damage resulting from their use. Older models of the same manufacture may vary considerably. Turf conditions and condition of spreader affect rate of application. We recommend that you check your spreader before applying materials.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

FBI343-09C

FREIGHT SHIPPING BAG
Meeting requirements of
APPLICABLE FREIGHT CLASSIFICATION
Guaranteed by ST. REGIS PAPER CO.

© CARTER

last:

**treats 4,000
square feet**

**easy to apply
with a
lawn spreader**

flows freely

**will not
blow away**

**MANUFACTURED BY
AGWAY INC.
CHEMICAL DIVISION
BOX 1288
SYRACUSE, N. Y. 13201**

**USDA Reg. No.
2500-282**

ACCEPTED WITH COMMENTS