


turfood 10-6-4 with crabgrass killer



# turfood 10-6-4

with crabgrass killer  
CONTROLS CRABGRASS &  
FERTILIZES YOUR LAWN IN  
ONE EASY APPLICATION

Herbicide Ingredients  
Active Ingredients Percent By Wt.  
\*Sulfuron 1-G-Methylcyclohexyl 1.15%  
3-Phenylurea 48.85%  
Inert Ingredients\*\* 48.00%  
Total 100.00%  
\*Tupenah<sup>SM</sup> Manufactured by E. I. DuPont  
& Nemours & Company, Wilmington, Delaware  
\*\*Fertilizer-Guaranteed Analysis: 10-6-4  
Total Nitrogen (N) 10.00%  
Total Water Insoluble Nitrogen 6.00%  
Total Phosphate (P<sub>2</sub>O<sub>5</sub>) 6.00%  
Total Potash (K<sub>2</sub>O) 4.00%

MANUFACTURED BY AGWAY INC., SYRACUSE, NEW YORK

Caution:  
KEEP OUT OF REACH OF CHILDREN

TREATS 5000 SQ. FT. OF NEWLY SEEDING LAWN  
TREATS 2500 SQ. FT. OF ESTABLISHED LAWN  
NET WT. 50 LBS.

turfood 10-6-4

TREATS 5000 SQ. FT. OF NEWLY SEEDING LAWN OR 2500 SQ. FT. OF ESTABLISHED LAWN.

# turfood 10-6-4

with crabgrass killer  
CONTROLS CRABGRASS AND FERTILIZES YOUR LAWN  
IN ONE EASY APPLICATION

CAUTION: May irritate eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin. Wash hands thoroughly after use. Do not eat, drink, or smoke during use.

### general directions

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Turfood 10-6-4 with crabgrass killer is a selective, non-burning fertilizer and crabgrass killer. It is used on established lawns and golf courses and other recreational areas. It is also used on newly seeded lawns and golf courses at the time of seeding at the recommended rate. With proper application, it will control crabgrass and other weeds and fertilize the lawn.

For best results, apply Turfood 10-6-4 with crabgrass killer to lawns in early spring or late fall. Apply to lawns in the fall before the onset of winter.

### advantages

1. Controls crabgrass and other weeds. 2. Fertilizes lawn. 3. Promotes seedling growth. 4. Controls weeds in the same way. 5. Controls crabgrass in the same way. 6. Controls weeds in the same way. 7. Controls crabgrass in the same way. 8. Controls weeds in the same way. 9. Controls crabgrass in the same way. 10. Controls weeds in the same way.

### directions

ESTABLISHED LAWNS, GOLF COURSES AND OTHER RECREATIONAL AREAS: Apply in early spring or late fall, before the onset of winter. Apply at the rate of 20 lbs. per 1000 sq. ft. (an area 20 x 50 ft.). Contents of bag covers 2500 sq. ft. Use any lawn spreader in good condition. Do not spread over larger area than recommended as such application may not give crabgrass control.

#### APPROXIMATE SETTINGS FOR ESTABLISHED LAWN AND TURF AREAS

SPREADER	APPROXIMATE SETTINGS FOR ESTABLISHED LAWN AND TURF AREAS	
	DOUBLE APPLICATION (see Over)	SINGLE APPLICATION (see Over)
EWING OR JACKSON	5	6 1/2
AGWAY EB OR CYCLONE	3 1/2	5 1/2
EASTERN STATES CROSS COUNTRY	3 1/2	5
OTHER	5	7

For even and uniform coverage, it is suggested that the area be covered twice at right angles, using the dosage rate each time.

Do not rake the lawn or disturb soil surface after application. Apply water if no rain falls within 3 days after application.

SUBSEQUENT MAINTENANCE: Apply additional fertilizer application required by Agway Greenlawn, Pro-Green or Turfood following directions on the bag.

NEW SPRING SEEDINGS: Prepare ground and spread 50 lbs. per 1000 sq. ft. of area. Apply Agway Lawn Starter (20-0-0) per 1000 sq. ft. and mix thoroughly. Seed best late grasses such as Kentucky Bluegrass, Perennial Ryegrass, Festuca, Red Top and Perennial Ryegrass. In the case of other grasses, apply Turfood 10-6-4 Crabgrass Killer immediately after seeding at the rate of 20 lbs. per 1000 sq. ft. (bag weight) over 5000 sq. ft. at this rate. To insure full-season control of crabgrass on newly seeded lawns, it will be necessary to make a second application at the same rate 4 weeks later.

#### APPROXIMATE SETTINGS FOR NEW SEEDINGS

SPREADER	APPROXIMATE SETTINGS FOR NEW SEEDINGS	
	DOUBLE APPLICATION (see Over)	SINGLE APPLICATION (see Over)
EWING OR JACKSON	4	5
AGWAY EB OR CYCLONE	2 1/2	3 1/2
EASTERN STATES CROSS COUNTRY	2 1/2	3
OTHER	4	5

OVERSEEDING LAWN AND TURF AREAS: On overseeded areas use Turfood 10-6-4 Crabgrass Killer at rates outlined under ESTABLISHED LAWNS.

NOTES: Use only on turf areas; do not apply to crops used for food or feed purposes.

CAUTION: DO NOT APPLY ON BERMUDA GRASS AS INJURY MAY RESULT.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the use stated on the label when used in accordance with directions under normal conditions of use. Seller does not warrant any other manner of use, or its fitness for a particular purpose, express or implied. The use of this product may require special restrictions or other abnormal conditions of use and is not warranted. Seller assumes the risk of any such use. Seller's liability is limited to the extent of the amount of this warranty. Seller does not warrant, and shall not be liable for, any damage to property or persons resulting from the use of this product.

NOTE: For more information, contact your local Agway distributor.

MANUFACTURED BY AGWAY INC., BOX 1333, SYRACUSE, NEW YORK 13201

TREATS 5000 SQ. FT. OF NEWLY SEEDED LAWN OR 2500 SQ. FT. OF ESTABLISHED LAWN.

# turfood 10-6-4

## with crabgrass killer

### CONTROLS CRABGRASS AND FERTILIZES YOUR LAWN IN ONE EASY APPLICATION

**CAUTION:** May irritate eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Do not contaminate or store near food or foodstuffs.

#### general directions

**READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.**

Agway Turfood 10-6-4 Crabgrass Killer is a selective preemergence crabgrass control for use on new and established lawns, golf courses and other recreational areas. Because of its selectivity, this product may be applied at the time of seeding at recommended rates without causing injury to germinating seed of many common desirable lawn grasses.

The Tupersan weed killer contained in this product is highly effective for prevention of germination of crabgrass, foxtail and barnyard grass.

#### advantages

1. Supplied both fertilizer and crabgrass prevention in same product.
2. Permits seeding, fertilization and treating for crabgrass in same day.
3. Full season crabgrass control.
4. Safe to use under trees.
5. Also controls certain other annual weeds.

#### directions

**ESTABLISHED LAWNS, GOLF COURSES AND OTHER RECREATIONAL AREAS.** Apply in early spring up until the time forsythia is in full bloom.

Apply at the rate of 20 lbs. per 1000 sq. ft. (an area 20 x 50 ft.). Contents of bag covers 2500 sq. ft. Use any lawn spreader in good condition. Do not spread over larger area than recommended, as such application may not give crabgrass control.

#### APPROXIMATE SETTINGS FOR ESTABLISHED LAWN AND TURF AREAS

SPREADER	DOUBLE APPLICATION (Twice Over)	SINGLE APPLICATION Once Over
AGWAY OR JACKSON	5	6½
AGWAY #B OR CYCLONE	3¾	5½
EASTERN STATES, CROSS COUNTRY	3½	5
SCOTTS	5	7

To insure even and uniform coverage, it is suggested that the area be covered twice at right angles, using ½ dosage rate each time.

Do not rake the lawn or disturb soil surface after application. Apply water if no rain falls within 3 days after application.

**SUBSEQUENT MAINTENANCE:** Apply additional fertilizer application required using Agway Greenlawn, Pro-Green or Turfood following directions on the bag.

**NEW SPRING SEEDINGS:** Prepare ground and spread 50# of Garden Plant Food or 25# of Agway Lawn Starter 10-20-20 per 1000 sq. ft. and mix in thoroughly. Seed desirable grasses such as Kentucky or Marion Bluegrass, Fescue, Red Top and Perennial Ryegrass in the usual manner. Apply Agway Turfood 10-6-4 Crabgrass Killer immediately after seeding at the rate of 20 lbs. per 1000 sq. ft. (bag will cover 5000 sq. ft. at this rate.) To insure full-season control of crabgrass, apply a second application of Turfood 10-6-4 Crabgrass Killer at the rate of 20 lbs. per 1000 sq. ft. (bag will cover 5000 sq. ft. at this rate.)

ACCEPTED

THE NATIONAL TURF ASSOCIATION  
 1000 ...  
 ...  
 ...

THE FEDERAL RESERVE  
 BANK OF NEW YORK  
 100 WALL STREET  
 NEW YORK, N.Y. 10038

Agway Turfood 10-6-4 Crabgrass Killer is a selective preemergence crabgrass control for use on new and established lawns, golf courses and other recreational areas. Because of its selectivity, this product may be applied at the time of seeding at recommended rates without causing injury to germinating seed of many common desirable lawn grasses.

The Tupersan weed killer contained in this product is highly effective for prevention of germination of crabgrass, foxtail and barnyard grass.

### advantages

1. Supplied both fertilizer and crabgrass prevention in same product.
2. Permits seeding, fertilization and treating for crabgrass in same day.
3. Full season crabgrass control.
4. Safe to use under trees.
5. Also controls certain other annual weeds.

### directions

**ESTABLISHED LAWNS, GOLF COURSES AND OTHER RECREATIONAL AREAS.** Apply in early spring up until the time forsythia is in full bloom.

Apply at the rate of 20 lbs. per 1000 sq. ft. (an area 20 x 50 ft.). Contents of bag covers 2500 sq. ft. Use any lawn spreader in good condition. Do not spread over larger area than recommended, as such application may not give crabgrass control.

#### APPROXIMATE SETTINGS FOR ESTABLISHED LAWN AND TURF AREAS

SPREADER	DOUBLE APPLICATION (Twice Over)	SINGLE APPLICATION Once Over
AGWAY OR JACKSON	5	6½
AGWAY #B OR CYCLONE	3¾	5½
EASTERN STATES, CROSS COUNTRY	3½	5
SCOTTS	5	7

To insure even and uniform coverage, it is suggested that the area be covered twice at right angles, using ½ dosage rate each time.

Do not rake the lawn or disturb soil surface after application. Apply water if no rain falls within 3 days after application.

**SUBSEQUENT MAINTENANCE:** Apply additional fertilizer application required using Agway Greenlawn, Pro-Green or Turfood following directions on the bag.

**NEW SPRING SEEDINGS:** Prepare ground and spread 50# of Garden Plant Food or 25# of Agway Lawn Starter 10-20-20 per 1000 sq. ft. and mix in thoroughly. Seed desirable grasses such as Kentucky or Merion Bluegrass, Fescue, Red Top and Perennial Ryegrass in the usual manner. Apply Agway Turfood 10-6-4 Crabgrass Killer immediately after seeding at the rate of 10# per 1000 sq. ft. (bag will cover 5000 sq. ft. at this rate). To insure full-season control of crabgrass in newly seeded lawns, it will be necessary to make a second application at the same rate four weeks later.

#### APPROXIMATE SETTINGS FOR NEW SEEDINGS

SPREADER	DOUBLE APPLICATION (Twice Over)	SINGLE APPLICATION (Once Over)
AGWAY OR JACKSON	4	5
AGWAY #B OR CYCLONE	2¾	3¾
EASTERN STATES, CROSS COUNTRY	2½	3½
SCOTTS	4	5

**OVERSEEDED LAWN AND TURF AREAS:** On overseeded areas use Turfood 10-6-4 Crabgrass Killer at rates outlined under ESTABLISHED LAWNS.

**NOTES:** Use only on turf areas; do not apply to crops used for food or feed purposes.

**CAUTION:** DO NOT APPLY ON BERMUDA GRASS AS INJURY MAY RESULT.

**WARRANTY:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

**NOTE:** This pesticide is to be sold ONLY in this original, unbroken package.

MANUFACTURED BY AGWAY INC., BOX 1333, SYRACUSE, NEW YORK 13201