M ED.N.GER EN AGWAY

TREATS 2,500 SQUARE FT

IMPROVED'

TURFOOD AND WEED CONTROL

PLUS CHICKWEED KILLER FERTILIZER ANALYSIS 10-6-4

ATT FERTILIZES YOUR LAWN " "E EASY APPLICATION

CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Cautions on Back Panel

Manufactured by ABWAY INC., Syracuse, New York 13201





WEED'N'GREEN



MPROVED WEED'N'GREEN TURFOOD AND WEED CONTROL

FEHTILIZER ANALYSIS 10-6-4

*PLUS CHICKWEED KILLER (2, 4, 5-TP)

CONTROLS CHICKWEED AN * BROADLEAF WEEDS AND FERTILIZES

YOUR LAWN IN ONE EASY APPLICATION.

25 POUNDS TREATS 2,500 SQUARE FT.

CAUTION. Avoid contact with sidn, eyes or clothing. Wash hands after using.

Vapors from this product may injure susceptible plants in the immediate vicinity. Do not store near other fertifizer, seeds, insecticides or fungicides. Clean learn agreeder thoroughly after using by weathing with strong spray from garden hose and wipe day. Do not contaminate water used for irrigation or domestic purposes. Do not reuse emply containers. Destroy by burying with westes or by burning. Stay away from smoke.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WASHINGS, AND DIRECTIONS.

TO CONTROL many broadlessed weeds in lewes such as chickered, dundellon, plentain and ground keys to feed the lewer for a thicker, more vigorous test, make application as soon as weeds start to grow in the spring. Apply two days after moving at the rate of 30 lbs. per 1,000 square feet. This rate of application is equi-alent to about 435 lbs. of 10-6-4 fertilizer and 1.74 lbs. of 2,4-0 acid equivalent plus 0.87 lb. of 2,4,5-T propionic sold equivalent per acre. Broadcast eventy with a lewer spreader when grass is day and water it in.

If mouse eer chickweed is present in the lawn, it may be necessary to follow up the fertilities-harbicide application within 2 to 3 weeks with a 2,4,5-T propionic source.

An additional application may be made in late summer or early fall when grasses begin to grow vigorously. For best results and a more vigorous turf, supplement with additional application of Agway lawn fertilizer through the growing season.

NOTE: AVOID DRIFT TO OR APPLICATION O'N VALUABLE PLANTS, FLOWERS AND SHRUBS. Do not use on new lawns until they have been established for four to five months. On such tender species as carpet grass, dichondra, bent grass and St. Augustine grass or clovers, since injury may occur.

Approximate Settings
FOR ESTABLISHED LAWN AND TURF AREAS
Twice Over Once Over
Applications Applications

SPREADER	Twice Over Applications	Applications
So re Appliede or la even	4	5
oquire Applegate # plor fin hose	214	3 44
Earlier States in the	.134	31.5
		5

MARRANTY effectively better program and respect to the control of the control of

The Book of the form of the work to the form of the grade of the contract of

conductored by AGWAY INC. SYRACUSE NEW YORK 13791