ADVERTISING AND SALES PROMOTION SERVICES

lul (

FOR: Agway Turfood 10-6-4 with Insect Killer (Sevin®)

DATE: 6/16/87

PICA SOCHABACTERS ...

Agway Turfood 10-6-4 with Insect Killer (Sevin®)

Specially prepared lawn fertilizer for control of lawn insects.

Active Ingredients:

carbaryl

2.1%

Inert Ingredients:

Total 100.0%

Fertilizer Ingredients:

Total Nitrogen (N)

10.00%

Available phosphoric Acid (P2O5)

6.00%

Available potash (K₂O)

4.00%

ACCEPTED

AUG 2 6 1987

Under the dederni Insecticide, Fungiate, and Redenticide Act. as amenaum.... registered under 8.590-353 LPA Reg. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other precautionary statements on back panel.

Sevin $^{\textcircled{\tiny{\textbf{P}}}}$ is the registered trademark of Union Carbide for the active ingredient 1-napthyl N-methylcarbamate.

Net Wt. 50 Lbs.

O'K BY

Covers 5,000 square feet

EPA Reg No 8590-353 EPA Est No 8590-NY-1

Agway Inc. PO Box 4741

Syracuse, NY 13221

SHEET NO. 1

ADVERTISING AND SALES PROMOTION SERVICES



FOR: Agway Turfood 10-6-4 with Insect Killer (Sevin)

DATE: 6/16/87

Fig. 19(1)2F2-168 Fints - 75(1)2F4, 16F

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This fertilizer is especially prepared for control of the following surface feeding lawn insects:

Ants Armyworms

Bluegrass billbugs Fiery skipper Centipedes Chiggers Chinch bugs

Earwigs Essex skipper

Cutworms

European chafer

Fall armyworm Fleas

Grasshoppers Green June beetle Springtails grubs June beetles

Lucern moth Millipedes

European cranefly Mosquitoes (adults) Sod webworm (lawn

> moth) Sow bugs Spittlebugs Ticks

Yellowstriped armyworm

Application on established turf: Apply uniformly at the rate of 7-1/2 lbs per 1,000 sq ft. Apply when lawn is dry.

Apply during May or June for surface feeding insects.

Establishing new lawns: For the control of surface feeding insects listed above, broadcast uniformly over the soil surface at the rate of 7-1/2 lbs per 1,000 sq ft. Work this into the top three inches of soil. Treat when the soil is in good seeding condition.

To control root feeding insects, white grubs (such as Japanese beetle, Chafer beetle and Phyllophaga spp.):

Application on established turf: Apply uniformly at the rate of 9 lbs per 1,000 sq ft. Apply when lawn is dry. Make application in August or September.

Establishing new lawns: For the control of root feeding insects listed above, broadcast uniformly over the soil surface at the rate of 9 lbs per 1,000 sq ft. Work this into the top three inches of soil. Treat when the soil is in good seeding condition.

O'K BY

ADVERTISING AND SALES PROMOTION SERVICES



FOR: Agway Turfood 10-6-4 with Insect Killer (Sevin®)

DATE: 6/16/87

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Do not take internally. Avoid prolonged or repeated breathing of dust. Avoid skin contact. Wash hands before eating.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink l or 2 glasses of water and induce vomiting by touching back of throat with finger. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled, remove victim to fresh air. Apply artificial respiration, if indicated.

If on skin, remove contaminated clothing and wash affected areas with soap and water.

If in eyes, flush eyes with plenty of water. See a physician if irritation persists.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

This pesticide is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

O'K BY

STORAGE & DISPOSAL

Store in a cool, dry area preferably locked and out of the reach of children and animals. Do not reuse empty container. Wrap container and put in trash collection.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

SHEET NO. 3