

RESIDUAL MOSQUITO LARVICIDE-For use only by mosquito abatement districts, public health officials, public mosquito control officials, and commercial pest control operators.

Contains 1% BAYTEX® fenthion	
ACTIVE INGREDIENT:	
fenthion (0,0-Dimethyl 0-[4-(methylthio)-m-	
tolyl] phosphorothioate*)	1%
INERT INGREDIENTS:	. 99%
	100%

BAYTEX[®] is a registered trademark by Fabenfabriken Bayer A.G. *U.S. Patent No. 3,042,703 - Canadian Patent No. 631,472.

CAUTION: KEEP OUT OF REACH OF CHILDREN. See additional cautions and warnings elsewhere on label.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Fentex 1% Granular is recommended for use wherever mosquitoes breed, except in water where shrimp, crabs or crayfish are of value. Fentex 1% Granular should not be used on food crops. Fentex 1% Granular provides long residual control and is effective against DDT-resistant as well as non-resistant strains.

MOSQU'TO CONTROL ON ALFALFA AND PASTURE GRASS: Applications may be made at rates of 0.05 to 0.2 lb. active per acre. Fentex 1% Granular may be used once per cutting on alfalfa. Fentex 1% Granular may also be used up to 4 times per year on pasture grass without removal of grazing livestock.

For mosquito larvae control, applications should be made to moist areas, standing water, and around the edges of larger ponds, lakes, marshes, swamps, and tidal areas. Also apply around and on dumps, catch basins, and similar areas where mosquitoes breed.

RECOMMENDED APPLICATIONS

Apply 5 to 20 lbs. of Fentex 1% Granular per acre uniformly to control Mosquito Larvae. Repeat as necessary except as indicated for use on alfalfa and pasture grass. Use the higher rate where pools of water are greater than one foot in depth.

food crops.

AGWAY INC. FERTILIZER-CHEMICAL DIVISION BOX 1333, SYRACUSE, NEW YORK 13201

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

NOTE: This pesticide is to be sold ONLY in this original, unbroken package.

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse. Avoid contamination of feed or food. Keep out of reach of children.

NOTE TO PHYSICIAN: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed. Do not use on

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse this empty container. Dispose by burning or burying with wastes. Stay away from smoke.

EPA Reg. No. 8590-398