

ADVERTISING AND SALES PROMOTION SERVICES

309W

FOR: Agway Zineb-Methoxychlor-Malathion 15-5-4 D

DATE: 1/7/83

((FRONT PANEL))

NET CONTENTS

50#

AGWAY

ZINEB-METHOXYCHLOR-MALATHION 15-5-4 D

For control of certain insects and diseases in
Mushroom Houses.

ACCEPTED
FEB 9 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, the pesticide
registered under
EPA Reg. No. 8590-409 (18)

ACTIVE INGREDIENTS:

Zineb (Zinc ethylenebisdithio-
carbamate)

*Methoxychlor

Malathion (0,0-dimethyl dithio-
phosphate of diethyl mercapto-
succinate)

INERT INGREDIENTS:

TOTAL

5%

4%

76%

100%

*Equivalent to 4.4% 2,2-bis (p-methoxyphenyl)1,1,1-
trichloroethane and 0.6% other isomers and related
compounds.

KEEP OUT OF REACH OF CHILDREN (12 pt.)

CAUTION (18 pt.)

See additional precautionary statements on side
panel.

AGWAY INC.

CHEMICAL DIVISION

BOX 4741

SYRACUSE, NY 13221

EPA Reg. No. 8590-409

EPA Est. No. 8590-PA-1

OK BY

SHEET NO. 1 - 4

ADVERTISING AND SALES PROMOTION SERVICES

30PV

FOR: Agway Zineb-Methoxychlor-Malathion 15-5-4 D

DATE: 1/7/83

((REAR PANEL))

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THESE ENTIRE DIRECTIONS FOR USE AND DISCLAIMER. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

STORAGE & DISPOSAL (12 pt.)

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

ADVERTISING AND SALES PROMOTION SERVICES

3027

FOR: Agway Zineb-Methoxychlor-Malathion 15-5-4 D

DATE: 1/7/83

MUSHROOM HOUSES

Insects: For control of Phorid fly and Sciarid fly - Apply 2 lbs. of dust per 60 ft. single house or 1 lb. of dust per 2,000 sq. ft. of bed surface. Make a thorough application of dust as soon after picking as possible. Repeat applications as necessary - usually, once a week.

Diseases: For control of Verticillium (brown spot, dry bubble), Dactylium (mildew, soft decay, cobweb), Mycogone (bubbles), and Trichoderma (green mold) - use 1 lb. per 4,000 sq. ft. of bed. Apply at 3 to 7 day intervals until buttons begin to form; also between "breaks" as required.

AGWAY DISCLAIMS ALL IMPLIED WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS. ANY DAMAGES SHALL BE LIMITED TO DIRECT DAMAGES, NOT TO EXCEED THE PURCHASE PRICE OF THE PRODUCT AND SHALL NOT INCLUDE ANY INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

OK BY

SHEET NO. 3 - 4

ADVERTISING AND SALES PROMOTION SERVICES

3031

FOR: Agway Zineb-Methoxychlor-Malathion 15-5-4 D

DATE: 1/7/83

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Do not breathe dust. Avoid contact with skin. May cause irritation to nose & throat. Wash thoroughly after handling.

Wear protective clothing (long pants, long sleeve shirt, gloves, hat and boots) during mixing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. OK BY