

Reg no: 8590-440

PM-15

192

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin & clothing. Remove & separately launder clothing before reuse.

FIRST AID: If swallowed, call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water & induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If in eyes, wash with plenty of water for at least 15 minutes. Get medical attention.

If on skin, wash with soap and warm water.

If inhaled, remove victim to fresh air. Apply respiration, if indicated.

ENVIRONMENTAL HAZARDS

This Pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift & runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

In the event that treated seeds are spilled & cannot be salvaged, completely cover them with soil.

ENDANGERED SPECIES RESTRICTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county.

- Slackwater Darter, Alabama (Lauderdale, Limestone and Madison), Tennessee (Lawrence and Wayne)
- Pecos gambusia, New Mexico (Chaves and Eddy), Texas (Reeves, Jeff Davis and Pecos)
- Freshwater Mussels, Tennessee (Hancock Claiborne, Hawkins and Sullivan), Virginia (Smyth, Scott, Lee, Washington and Grayson)

- Commanche Springs Pupfish, Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

PHYSICAL OR CHEMICAL HAZARDS

Do not use treated seed for food, feed or oil purposes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Treated seed must not be used for or mixing with food or animal feed, or processed for oil. Treat only those seed needed for immediate use, minimizing

**AGWAY
PROTECTOR — 2**

INSECTICIDE - FUNGICIDE SEED TREATMENT
For the Protection of Seeds and Seedlings of CORN, SOYBEANS, BEANS AND PEAS against SEED CORN BEETLES, SEED CORN MAGGOTS, DAMPING OFF, SEED DECAY and SEEDLING BLIGHTS.

ACTIVE INGREDIENTS:

Captan [N-[(Trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide]	35.5%
Related derivative	2.0%
O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	25.0%
INERT INGREDIENTS	37.5%

TOTAL 100.0%

CONTAINS GRAPHITE

NOT REVIEWED
In accordance with Captan PM-15-80-8
Based on draft labelling dated 9/11/86

**KEEP OUT OF REACH OF CHILDREN.
DANGER**

Causes irreversible eye damage.

See additional precautionary statements on back panel.

EPA REG. NO. 8590-440

EPA EST. NO. 8590-PA-1



AGWAY INC.
BOX 4741, SYRACUSE, NEW YORK 13221

NET CONTENTS 8 OZ.

the interval between treatment & planting. Do not apply beyond planting time.

A dust mask must be worn when mixing & handling. Mixers, loaders & applicators, when mixing, handling, mid-forearm to elbow length natural or synthetic gloves impermeable to Captan, boots or coverings have long sleeves and long pants, face shield or appropriate head covering.

Clothing worn while loading, mixing and applying should be laundered separately from other clothing unless it has been drenched or heavily contaminated in accordance with state & local regulations.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate or store in open dumping is prohibited. Do not reuse empty containers.

STORAGE: Store unused product in original container away from the reach of children and animals around the home. Protect from excess heat.

PESTICIDE DISPOSAL: Wastes resulting from use should be disposed of on site or at an approved waste disposal site.

CONTAINER DISPOSAL: Triple rinse for reuse, recycling or reconditioning, or puncture and dispose of by other procedures approved by state and local authorities.

READ THESE ENTIRE DIRECTIONS AND DISPOSITIONS FOR USE.

PRODUCT INFORMATION: Agway Protector-2 is a specially formulated Planter Box combination of Dazinon, corn beetles and seed corn maggots and Captan to control diseases of seeds and seedlings.

NOTE: Do not use on seed already treated with Malathion or Methoxychlor (for control of stored seed). One month of treatment. Regularly inspect plants sufficient to reduce the rate of delivery through graphite per bushel of seed should be added as seed drill to give the required rate of seed delivery.

MIXING INFORMATION: Put 1/3 of seed to be treated in desired rate of seed treatment material and a paddle. Add remaining seed and remaining seed previously described.

RECOMMENDATIONS: Planter box application with the seed in the planter box at a rate of 2 oz per bushel for SEED CORN BEETLES. While the above protection against corn beetles, preliminary rate of 1 oz/bu (4 to 6 scoops) may be more effective for corn beetles.

DISCLAIMER: Buyer assumes all risks of use, material not in strict accordance with directions.

NOTE: This pesticide is to be sold ONLY in this country.

**CAUTIONARY STATEMENTS
TO HUMANS & DOMESTIC ANIMALS**

Do not inhale. May cause allergic skin reactions. Do not wear goggles or face shield when handling. Avoid contact with eyes & separately launder clothing before reuse.

If swallowed, call a physician or Poison Control Center or 2 glasses of water & induce vomiting by touching tongue. Repeat until vomit fluid is clear. Do not induce vomiting by mouth to an unconscious person.

Flush with plenty of water for at least 15 minutes. Get medical attention.

Wash with soap and warm water. Get to fresh air. Apply respiration, if indicated.

ENVIRONMENTAL HAZARDS

Toxic to fish. Do not apply directly to water or wetlands (ponds and potholes). Drift & runoff from treated areas may cause problems in neighboring areas. Do not contaminate equipment or disposal of wastes.

If seeds are spilled & cannot be salvaged, completely bury.

ENDANGERED SPECIES RESTRICTIONS

Use in a manner which may harm endangered species or their habitat is prohibited by Federal law. The following areas and the general location of their habitats have been identified:

- Alabama (Lauderdale, Limestone and Madison), Tennessee (Lawrence and Wayne)
- New Mexico (Chaves and Eddy), Texas (Reeves, Jeff Davis and Pecos)
- Tennessee (Hancock Claiborne, Hawkins and Sullivan)
- Virginia (Smyth, Scott, Lee, Washington and Grayson)

Texas (Reeves and Jeff Davis)

In the above counties you must determine that you are not located in, or immediately adjacent to, the areas to be restricted. Consult your regional U.S. Fish and Wildlife Service (Specialist) or State Wildlife Agency if there is any question as to the outdoor use of captan is prohibited.

NEEDS FOR FOOD OR CHEMICAL HAZARDS

Do not use for food, feed or oil purposes.

DIRECTIONS FOR USE

Do not use this product in a manner inconsistent with the label.

Do not be used for or mixing with food or animal feed, or for any other purpose than those seed needed for immediate use minimizing

AGWAY PROTECTOR — 2

INSECTICIDE - FUNGICIDE SEED TREATMENT
For the Protection of Seeds and Seedlings of **CORN, SOYBEANS, BEANS AND PEAS** against **SEED CORN BEETLES, SEED CORN MAGGOTS, DAMPING OFF, SEED DECAY and SEEDLING BLIGHTS.**

ACTIVE INGREDIENTS:

Captan [N-[(Trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide]	35.5%
Related derivative	2.0%
O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	25.0%
INERT INGREDIENTS	37.5%
TOTAL	100.0%

CONTAINS GRAPHITE

NOT REVIEWED
In accordance with EPA N. 113-00-000
Based on draft labelling dated 7/23/81

**KEEP OUT OF REACH OF CHILDREN.
DANGER**

Cause: irreversible eye damage.

See additional precautionary statements on back panel.

EPA REG. NO. 8590-440

EPA EST. NO. 8590 PA 1



AGWAY INC
BOX 4741, SYRACUSE, NEW YORK 13221

NET CONTENTS 8 OZ.

... interval between treatment & planting. Do not store excess treated seeds beyond planting time.

A dust mask must be worn when mixing & loading this product. Mixers, loaders & applicators, when mixing, loading & applying, must wear mid-forearm to elbow length natural or synthetic rubber, vinyl or plastic gloves impermeable to Captan, boots or overshoes, one-piece overalls which have long sleeves and long pants, face shield or goggles, and a hat or other appropriate head covering.

Clothing worn while loading, mixing and applying this product must be laundered separately from other clothing before reuse. Clothing that may have been drenched or heavily contaminated must be disposed of in accordance with state & local regulations.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate or store near food, feed or fertilizers. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store unused product in original container only. Store in a cool, dry area out of the reach of children and animals. Not for use or storage in or around the home. Protect from excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

READ THESE ENTIRE DIRECTIONS AND DISCLAIMER. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE.

PRODUCT INFORMATION: Agway Protector-2 seed treatment is a specially formulated Planter Box combination of Diazinon for protection against seed corn beetles and seed corn maggots and Captan for protection against fungus diseases of seeds and seedlings.

NOTE: Do not use on seed already treated with an insecticide other than Malathion or Methoxychlor (for control of stored grain insects). Seed within one month of treatment. Regularly inspect planter plates and clean as required. If the seed treatment increases the friction between seeds, sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed.

MIXING INFORMATION: Put 1/2 of seed to be treated in Planter Box. Apply 1/2 of desired rate of seed treatment material and stir thoroughly to mix using a paddle. Add remaining seed and remaining seed treatment material, stir as previously described.

RECOMMENDATIONS: Planter box application - use on seed by mixing with the seed in the planter box at a rate of 2 oz / bushel.

FOR SEED CORN BEETLES: While the above rate will provide some protection against corn beetles, preliminary results indicate that 4 to 6 oz / bu (4 to 6 scoops) may be more effective for protection against the seed corn beetles.

DISCLAIMER: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NOTE: This pesticide is to be sold ONLY in this original, unbroken package.

BEST AVAILABLE COPY