

**CAUTION . . . KEEP OUT OF REACH OF CHILDREN AND ANIMALS.
SEE OUTER CARTON FOR ADDITIONAL CAUTIONS, DIRECTIONS,
AND WARRANTY BEFORE USING THIS PACKET.**

Active Ingredients: 2-pivalyl-1, 3-indandione 0.025%
Inert Ingredients 99.975%



NET WEIGHT 2 Ounces

duocide chucks

KILLS RATS AND MICE

EPA Reg. No. 252-1451
EPA EST. NO. 8590-NY-1

Place UNOPENED in rat holes, on rat runs, in trash piles, or in other places where rats and mice feed, nest or travel.

IMPORTANT: Supply more bait as long as it is taken.

Agway Inc., Fertilizer-Chemical Division, Box 1333, Syracuse, N.Y. 13201

ACCEPTED
NOV 19 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 252-1451



Agway
duocide chucks
KILLS RATS AND MICE

July 1979

Agway Inc., Fertilizer-Chemical Division,
Box 1333, Syracuse, New York 13201
(PA Reg. No. 8960-45)
(PA Est. No. 8560-NY 1)

KILLS RATS/KILLS MICE

This product is a ready-to-use, cereal-type bait for controlling rats and mice infesting buildings and other premises. The active ingredient, Pivalol, an anti-coagulant when ingested by rats and mice over a period of several days, leads to internal bleeding and eventual death.

This type of anti-coagulant bait is used by many rodent control agencies in their campaign to reduce rat and mouse populations in cities, towns and on farms.

DIRECTIONS FOR USE

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Rats—Use two to three unopened packets per rat hole or per bait station and expose for at least ten days. Inspect all bait stations frequently and keep them supplied with fresh bait as long as it continues to be eaten. Remember, it usually requires five to fourteen days of daily intake of the bait to cause death of rats.

Mice—Break open packet and use one fourth of contents per bait station and expose to the rodents for at least 15 days. Bait stations should be located at eight to twelve foot intervals; this is important since mice do not travel as far as rats and eat proportionately less. Inspect all bait stations frequently and keep them supplied with fresh bait as long as it continues to be eaten.

Location and Preparation of Bait Stations:

Expose packets in bait boxes, trays or other types of feeding stations constructed to protect the bait from contamination or spoilage. Locate bait stations frequented by rats and mice, along walls, in corners and in concealed locations where the rodents can feed unobserved. Construct or locate bait stations in such a manner that the bait is not accessible to children, pets, or livestock.

After control is attained, by re-baiting at regular intervals to attract and kill new immigrants. Continuous or frequent baiting is most necessary in the Fall and early winter when rats and mice are moving to winter quarters.

If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, attends to use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.



Agway
duocide chucks
KILLS RATS AND MICE

Agway
duocide chucks
KILLS RATS AND MICE



Agway Inc., Fertilizer-Chemical Division,
Box 1333, Syracuse, New York 13201

Agway
duocide chucks
KILLS RATS AND MICE



Agway
duocide chucks
KILLS RATS AND MICE

Agway
duocide chucks
 KILLS RATS AND MICE



controlling rats and mice infesting buildings and other premises. The active ingredient is Pival® an anti coagulant when ingested by rats and mice over a period of several days leads to internal bleeding and eventual death.

This type of anti coagulant bait is used by many rodent control agencies in their campaign to reduce rat and mouse populations in cities, towns and on farms.

DIRECTIONS FOR USE

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Rate — Use two to three unopened packets per rat hole or per bait station and expose for at least ten days. Inspect all bait stations frequently and keep them supplied with fresh bait as long as it continues to be eaten. Remember, it usually requires five to fourteen days of daily intake of the bait to cause death of rats.

Rate — Break open packet and use one fourth of contents per bait station and expose to the rodents for at least 10 days. Bait stations should be located at eight to twelve foot intervals; this is important since mice do not travel as far as rats and eat proportionately less. Inspect all bait stations frequently and keep them supplied with fresh bait as long as it continues to be eaten.

stations constructed to protect the bait from contamination or spillage. Locate bait stations frequented by rats and mice along walls, in corners and in concealed locations where the rodents can feed unobserved. Construct or locate bait stations in such a manner that the bait is not accessible to children, pets, or livestock.

After control is obtained, by re-baiting at regular intervals to attract and kill new immigrants. Continuous or frequent baiting is most necessary in the Fall and early winter when rats and mice are moving to winter quarters.

If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in temper-proof bait boxes. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

Agway Inc., Pesticide Chemical Division
 Box 1333, Syracuse, New York 13201

Agway
duocide chucks
 KILLS RATS AND MICE



Agway
duocide chucks
 KILLS RATS AND MICE

Contains Pivalyn

ACTIVE INGREDIENT:	% by Wt.
2-pivalyl-1, 3-indandione025%
INERT INGREDIENTS:	99.975%
TOTAL	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN AND ANIMALS
 Locate bait stations where they are not accessible to children, pets, or livestock.
 See additional Cautions and Warnings on Bottom Panel.
NOTE: This pesticide is to be sold ONLY in this original, unbroken package

NET WEIGHT
 16-2 oz. (457 gms) Packets



Agway
duocide chucks
 KILLS RATS AND MICE